



.....



THE 1998
CHEVY EXPRESS
CHEVY VAN



LIKE A ROCK









Chevy Express

Dealer Order Guide inserts are your first look at Chevy Truck models for 1998. Overall improvements, changes and deletions are highlighted. Use these inserts to assist you in ordering your initial shipments. NOTE: This information is preliminary and is subject to change.




FOCUS: G3500 Chevy Express LS Extended Wheelbase with PEG 1SD



FEATURE: G2500 Chevy Express LS with PEG 1SD

Chevy Express at a glance



Chevy Express is a versatile, full-size van with outstanding seating, towing and cargo room. Extended Wheelbase G3500 Chevy Express LS with a 15-passenger seating option is ideal for hotel/airport limousines or rideshare.

Chevy Express



G3500 Chevy Express LS Extended Wheelbase with PEG 1SD *(image above, top)*

The Focus vehicle is the model chosen for its saleability. It is equipped with the product features that customers want most. Generally, it is the "volume" vehicle that comprises the majority of the build. You'll want to be sure you have several of these models in stock. NOTE: Model, PEG and optional equipment may vary in your locality. Use the Retail Sales Analysis (RSA) to verify or select your dealership's Focus vehicle content.

The 1998 Focus vehicle is the G3500 Chevy Express LS Extended Wheelbase with PEG 1SD. Its maximum 15-passenger seating and child security rear-door locks have wide appeal for today's families.

G3500 Chevy Express LS Extended Wheelbase with Preferred Equipment Group 1SD includes:

- LS Trim
- Power Door Locks and Windows
- Electronic Speed Control with Resume Speed
- Tilt-Wheel™ Adjustable Steering Column
- Air Conditioning: Front and Rear (includes rear heater and 124 amp alternator)
- Deep-Tinted Glass
- Remote Keyless Entry
- Outside Fold-Away Electric Driver and Passenger Remote Control Mirrors with Defog Feature
- Illuminated Driver and Passenger Visor Mirrors
- Leather-Wrapped Steering Wheel.



G2500 Chevy Express LS with PEG 1SD *(image above, bottom)*

The Feature vehicle is the "image" model Chevy Truck will profile most in its advertising. Generally, it does the best job of capturing attention and creating consumer awareness.

The 1998 Feature vehicle is the G2500 Chevy Express LS with PEG 1SD. Its available 8-passenger seating and child security rear-door locks have wide appeal for today's families.

G2500 Chevy Express with Preferred Equipment Group 1SD includes:

- LS Trim
- Power Door Locks and Windows
- Electronic Speed Control with Resume Speed
- Tilt-Wheel™ Adjustable Steering Column
- Air Conditioning: Front and Rear (includes rear heater and 124 amp alternator)
- Deep-Tinted Glass
- Remote Keyless Entry
- Outside Fold-Away Electric Driver and Passenger Remote Control Mirrors with Defog Feature
- Illuminated Driver and Passenger Visor Mirrors
- Leather-Wrapped Steering Wheel.


© 1997. All information correct at time of printing.



Trim Colors





Vinyl available in Navy, Neutral and Medium Gray.




Custom Cloth available in Navy, Neutral and Medium Gray.

Seat Styles




- A. Adjustable high-back vinyl reclining bucket seats with integral head restraints (standard on Base models, not available on LS).
- B. Adjustable high-back Custom Cloth reclining bucket seats with integral head restraints, inboard armrests and map pockets on seatbacks (standard on LS, optional on Base models).


Wheels




Standard Argent steel wheel with black center cap on Base models (G1500 Series has 15" x 6" wheels, G2500 and G3500 have 16" x 6.5" wheels).



(RPO P06) Standard Argent steel wheel with bright center cap and trim rings on LS models (optional on Base, G3500 wheel shown).



(RPO N90) Optional 15" x 6" aluminum wheel — G1500 Series only.



(RPO N83) Optional 15" x 7" chrome-plated steel wheel with chrome center cap — G1500 Series only.

Most Popular Exterior Colors with Corresponding Interior Color Availability


INTERIOR MATERIAL COLORS

	Navy	Neutral	Medium Gray
--	------	---------	-------------

EXTERIOR COLORS

Summit White	✓	✓	✓
Medium Blue-Green Metallic		✓	✓
Medium Storm Gray Metallic	✓		✓

Most Popular Exterior Colors by Percentage



Clockwise, at left, are the anticipated three most popular Chevy Express colors for 1998, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area, by model, use the Retail Sales Analysis (RSA).


Summit White	52%
Medium Blue-Green Metallic	8%
Medium Storm Gray Metallic	6%
Other colors	34%

NOTE: New Chevy Express exterior colors are Medium Storm Gray Metallic, Medium Blue-Green Metallic and Dark Copper Metallic. Medium Adriatic Blue Metallic, Black, Emerald Green Metallic and Dark Carmine Red Metallic have been deleted.





Chevy Express



P.D.S.E.I. helps explain 1998 models for this brand. Overall improvements, changes and deletions are highlighted. Please review the supplied information, keeping in mind that this material is provided to you before production start-up — and may change.

P.D.S.E.I. (New-for- 98 features appear in color.)

P PERFORMANCE

• **AUTOMATIC TRANSMISSION ENHANCEMENTS (M30)** — feature an electronically controlled converter clutch for improved efficiency and a two-piece transmission case for increased stiffness, reduced noise and vibration. • **AUTOMATIC TRANSMISSION ENHANCEMENTS (MT1)** — feature an electronically controlled converter clutch for improved efficiency. • **VORTEC 4300 V6, 5000 V8, 5700 V8 AND 7400 V8 GASOLINE ENGINES** — provide impressive power, quiet performance, smooth operation and extended maintenance intervals. Horsepower ranges from 200 hp at 4400 rpm for the Vortec 4300 V6 to 290 hp at 4000 rpm for the Vortec 7400 V8. • **6.5 LITER TURBO-DIESEL ENGINE** — provides outstanding off-the-line torque (430 @ 1800 rpm) for heavy applications, as well as excellent fuel economy.

D DURABILITY

• **PLATINUM-TIP SPARK PLUGS** — allow up to 100,000 miles before the first scheduled tune-up.* • **EXTENDED-LIFE COOLANT** — lasts up to 5 years or 150,000 miles, whichever comes first.* • **EXTENDED-LIFE AUTOMATIC TRANSMISSION FLUID** — never needs changing under normal operating conditions.* • **FULL-FRAME CONSTRUCTION** — provides structural rigidity and smooth ride and handling. • **BUMPER TO BUMPER LIMITED WARRANTY** — protection for 3 years or 36,000 miles, with no deductible.

*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.

S SAFETY

• **PassLock THEFT-DETERRENT SYSTEM** — disables vehicle from further starting attempts for ten minutes if an invalid key is used. • **STANDARD DRIVER AND FRONT-PASSENGER AIR BAGS** — help restrain driver and front passenger in the event of a moderate to severe frontal impact. Always wear safety belts, even with air bags. • **STANDARD 4-WHEEL ANTI-LOCK BRAKE SYSTEM (ABS)** — helps maintain steering control and minimizes wheel lockup on most slippery surfaces. • **BRAKE/TRANSMISSION SHIFT INTERLOCK** — prevents driver from shifting from Park to Drive unless the brake pedal is applied.

E EXTERIOR

• **THREE NEW EXTERIOR COLORS** — Medium Storm Gray Metallic, Medium Blue-Green Metallic and Dark Copper Metallic. • **FULL VEHICLE WIDTH REAR PANEL DOORS** — open 165 degrees for easy loading of wide cargo. • **60/40 SWING-OUT SIDE DOOR** — large opening for easy loading and concealed hinges for aerodynamic, streamlined exterior. • **DUAL DETENTED FOLD-AND-PARK OUTSIDE MIRRORS** — allow for easy viewing to the side and the rear, while fold-and-park design allows for convenient maneuvering in tight spaces. • **BASECOAT/CLEARCOAT PAINT** — high-gloss shine, long-lasting exterior finish resists fading.

I INTERIOR

• **ONE NEW INTERIOR COLOR** — Medium Gray. • **OUTBOARD REAR SAFETY BELT COMFORT GUIDES** — make wearing safety belts more comfortable. • **IMPRESSIVE PASSENGER SEATING** — 5 to 12 passengers in regular models, 12 to 15 in extended wheelbase models. Rear seats slide along tracks, allowing backward and forward movement for convenient seating flexibility. • **CARGO CAPACITY** — up to 316.8 cu. ft. on extended wheelbase models. • **OPTIONAL REAR HEATER/AIR CONDITIONING** — offers maximum interior climate comfort. Ceiling vents help circulate air. • **STANDARD FRONT AIR CONDITIONING** — helps keep interior cool and comfortable.



Competitive Models

- Ford Club Wagon
- Dodge Ram Wagon.

New for 1998

- Transmission enhancements help bring new levels of quietness and efficiency to Chevy Express for 1998. For 4L60-E model transmissions, a stiffer, two-piece transmission case reduces vibration and noise, while a new, electronically controlled converter clutch helps improve operating efficiency and driveability. A deeper transmission oil pan improves overall transmission durability and fluid life. For 4L80-E model transmissions, an electronically controlled converter clutch improves operating efficiency.

Other Information on Significant Features

- Chevy Express features full vehicle width rear panel doors that open 165 degrees for easy loading. There's no need to remove or unlatch any pins or clips. The optional sliding side door glides open and closed smoothly, and features a child security lock for added peace of mind.
- Rear seating is flexible in Chevy Express, thanks to seats that slide along their tracks, allowing movement forward or backward.
- Chevy Express is part of the most complete family of vans in the industry. The Chevy lineup consists of full-size Chevy Van and Chevy Express, midsize Astro Passenger Van, Astro Cargo Van, Chevy Venture and Chevy Venture Cargo.
- Chevy Express is a popular choice for commercial users. It's ideal for shuttle applications at hotels, airports, etc. The 155"-wheelbase G3500 Extended model offers standard seating for 12 or optional seating for 15.

Some popular options include:

- Choice of GVWR ratings
- Wide choice of seating configurations
- Front and rear air conditioning
- Rear locking differential
- Trailering Package
- Convenience Group: Tilt-Wheel™ Adjustable Steering Column and electronic speed control with Resume Speed
- Convenience Group: Power door locks and power windows.

Forecasted Percent of Mix

SERIES	
G1500	44%
G2500	32%
G2500 Extended	1%
G3500	9%
G3500 Extended	14%
Total	100%
ENGINES	
Vortec 4300 V6	7%
Vortec 5000 V8	14%
Vortec 5700 V8	73%
Vortec 7400 V8	3%
6.5 Liter Turbo-Diesel	3%
Total	100%
TRANSMISSIONS	
4-Speed Electronically Controlled Automatic with Overdrive (M30)	42%
4-Speed Electronically Controlled Automatic with Overdrive, Heavy-Duty (MT1)	58%
Total	100%

Other Information on Significant Features (contd.)

- Chevy Express boasts the complete line of proven Vortec engines, depending on the model. Because the lineup includes everything from the Vortec 4300 V6, 5000 V8 and 5700 V8 to the hefty 7400 V8, customers may choose only as much engine as they need — a surefire way to save money in commercial applications.
- What's more, Vortec engines are easy to maintain, thanks to features like:
 - Platinum-tip spark plugs that allow up to 100,000 miles before the first scheduled tune-up*
 - Extended-life coolant that lasts up to five years or 150,000 miles, whichever comes first*
 - Extended-life automatic transmission fluid that never needs changing under normal operating conditions.*
- Rugged 6.5 Liter Turbo-Diesel V8 power is available in G2500 and G3500 Series models.

*Maintenance needs vary with different uses and driving conditions. See the owner's manual for more information.

Deletions

- Exterior colors Light Blue Metallic (#27), Medium Adriatic Blue Metallic (#30), Onyx Black (#41) and Emerald Green Metallic (#43) have been deleted. Three new colors have been added: Medium Storm Gray Metallic (#14), Medium Blue-Green Metallic (#35) and Dark Copper Metallic (#69).



1998 EXPRESS/CHEVY VAN HIGHLIGHTS

NEW FOR 1998

- **PASSLOCK THEFT DETERRENT SYSTEM**
- **MINI MODULE AIRBAG (ON ALL MODELS WITH AIRBAGS)**

INTERIOR

- **INTERIOR TRIM - MEDIUM GRAY REPLACES GRAY**
- **RADIO FAN COOLING**
- **SEAT BELT COMFORT GUIDE (EXPRESS MODELS)**

COLORS

- **MEDIUM STORM GRAY METALLIC REPLACES BLACK**
- **MEDIUM BLUE GREEN METALLIC REPLACES EMERALD GREEN**
- **DARK COPPER METALLIC REPLACES LT. BLUE**



EXPRESS VAN EQUIPMENT SUMMARY

STANDARD CHASSIS FEATURES

		BASE	LS
ALTERNATOR:	100 AMPS (1500 SERIES)	S	S
	124 AMPS (2500 AND 3500 SERIES)	S	S
BATTERY:	HEAVY-DUTY 600 CCA	S	S
BRAKES:	POWER ASSISTED FRONT DISC, REAR DRUM, 4-WHEEL ANTI-LOCK	S	S
BRAKES/TRANS:	BRAKE/TRANSMISSION SHIFT INTERLOCK	S	S
FUEL TANK:	31 GALLON CAPACITY	S	S
SPRINGS:	FRONT, COIL	S	S
	REAR, LEAF	S	S
STEERING:	SPEED SENSITIVE (E.V.O.) POWER	S	S

STANDARD INTERIOR FEATURES

		BASE	LS
AIR BAGS:	FULL FRONTAL DRIVER AND PASSENGER	S	S
AIR CONDITIONING:	FRONT	S	S
CUPHOLDERS:	DUAL, IN INSTRUMENT PANEL CONSOLE	S	S
DEFOGGERS:	SIDE WINDOW	S	S
DOOR BEAMS:	SIDE-GUARD, FRONT AND SIDE CARGO DOOR	S	S
FLOOR COVERING:	EMBOSSED BLACK VINYL FULL-WIDTH MAT OVER ENTIRE FLOOR AREA AND FRONT WHEELHOUSINGS	S	-
	CARPET AND FLOOR MATS	-	S
	GAGES:	ENGINE TEMPERATURE, OIL PRESSURE, TRIP ODOMETER, AND VOLTMETER	S
GLASS:	SOLAR-RAY, TINTED	S	S
HEADLINER:	FULL WIDTH	S	S
LIGHTING:	THREE DOME LAMPS WITH DEFEAT SWITCH AND DOOR-ACTUATED SWITCHES	S	S
	UNDERHOOD LAMP	S	S
	POWER POINT:	COVERED POWER OUTLET (1)	S
RADIO:	AM/FM STEREO RADIO WITH SEEK-SCAN AND CLOCK	S	S
SEATING:	ADJUSTABLE RECLINING HIGH-BACK DRIVER AND PASSENGER BUCKET SEAT WITH VINYL TRIM	S	-
	WITH CUSTOM CLOTH TRIM AND INBOARD ARMREST	-	S
	2-BENCH (8) PASSENGER VINYL	S	-
	2-BENCH (8) PASSENGER CUSTOM CLOTH	-	S
SECURITY:	PASSLOCK, THEFT DETERRENT SYSTEM	S	S
SUNSHADES:	RH AND LH CLOTH SUNSHADE, COLOR-KEYED	S	S
TRIM PANELS:	COMPOSITE PANELS	S	-
	COMPOSITE WITH CLOTH INSERTS IN REAR PANELS	-	S
WARNING TONE:	HEADLAMP ON WARNING	S	S



EXPRESS VAN EQUIPMENT SUMMARY

EXTERIOR TRIM		BASE	LS
BUMPER/FRONT:	PAINTED ARGENT	S	-
	CHROME WITH STEP PAD	-	S
BUMPER/REAR:	PAINTED ARGENT WITH ENTRY ASSIST STEP	S	-
	CHROME WITH ENTRY ASSIST STEP	-	S
DOORS:	SWING-OUT SIDE, 60/40 SPLIT	S	S
GRILLE:	PAINTED DARK ARGENT, COMPOSITE	S	-
	CHROME	-	S
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN	S	-
	DUAL COMPOSITE	-	S
LIGHTS:	DAYTIME RUNNING	S	S
MIRRORS:	O/S LH AND RH DIRECT CONTROL, BLACK, FOLD-AWAY	S	S
MOLDINGS:	GRAPHITE BODY SIDE	-	S
SPARE TIRE/WHEEL:	FULL SIZE MOUNTED UNDERNEATH	S	S
WHEEL TRIM:	ARGENT PAINTED WITH BLACK CENTER CAP	S	-
	ARGENT WITH CHROME CENTER CAP AND TRIM RING	-	S
WIPERS:	INTERMITTENT, WINDSHIELD	S	S



MODEL AND BODY

Description	Model No	Wheelbase
2-WHEEL DRIVE MODELS		
Express Van	CG11406	135"
Express Van	CG21406	135"
Express Van, Extended	CG21706	155"
Express Van	CG31406	135"
Express Van, Extended	CG31706	155"

GVWR, POWER TEAMS and TIRE CHART (MUST SPECIFY)

CG11406	*GAWR: Front/Rear (lbs)	3600/3968 w/C5Y	
GVWR	C5Y (7100#)	C5Y (7100#)	C5Y (7100#)
ENGINE	L35	L30	L31
TIRES	XHA/XHB/XHM	XHA/XHB/XHM	XHA/XHB/XHM
TRANSMISSION	M30	M30	M30
AXLE RATIO	GU6 (3.42)	GU6 (3.42)	GU6 (3.42)
	GT4 (3.73)		GT4 (3.73)
CG21406	*GAWR: Front/Rear (lbs)	3800/5360 w/C6P	
GVWR	C6P (8600#)	C6P (8600#)	
ENGINE	L31	L65	
TIRES	XHF	XHF	
TRANSMISSION	MT1	MT1	
AXLE RATIO	GT4 (3.73)	GT4 (3.73)	
	GT5 (4.10)	GT5 (4.10)	
CG21706	*GAWR: Front/Rear (lbs)	4100/5360 w/C6P	
GVWR	C6P (8600#)		
ENGINE	L31		
TIRES	XHF		
TRANSMISSION	MT1		
AXLE RATIO	GT4 (3.73)		
	GT5 (4.10)		
CG31406/CG31706	*GAWR: Front/Rear (lbs)	4300/6084 w/E23	
GVWR	E23 (9500#)	E23 (9500#)	E23 (9500)
ENGINE	L31	L65	L29
TIRES	XHH	XHH	XHH
TRANSMISSION	MT1	MT1	MT1
AXLE RATIO	GT4 (3.73)	GT4 (3.73)	GU6 (3.42) (a)
	GT5 (4.10)	GT5 (4.10)	GT4 (3.73)
			GT5 (4.10)

(a) N/A G80 Locking Differential

* GAWR'S shown are the minimum for each Axle with equipment listed. Other GAWR'S are available and they are determined as the minimum capacity of either axle, springs or tires.

THE LOWEST NUMERICAL AXLE RATIO HAS BEEN ENGINEERED TO COVER THE WIDEST RANGE OF APPLICATIONS AND OFFER THE BEST FUEL ECONOMY.

EXPRESS VAN

CAPACITIES

SPRINGS:

AXLES:

CG11406

w/C5Y
Front: 3600
Rear: 3968

w/C5Y
Front: 3600
Rear: 4000

CG21406

w/C6P
Front: 3800
Rear: 5360

w/C6P
Front: 4300
Rear: 5700 w/o L65
6084 w/L65

CG21706

w/C6P
Front: 4100
Rear: 5360

w/C6P
Front: 4300
Rear: 5700

CG31406/CG31706

w/E23
Front: 4300
Rear: 6084

w/E23
Front: 4300
Rear: 6084

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)
 May be Ordered from the Additional Option Listing.

		BASE		LS TRIM	
		1SA	1SB	1SC	1SD
Preferred Equipment Group					
Standard Body	ZW9	x	x	x	x
Preferred Equipment Group					
Power Locks and Power Windows	ZQ2		x	x	x
Tilt Wheel and Speed Control	ZQ3		x	x	x
Preferred Equipment Group					
LS Trim	YC6			x	x
Preferred Equipment Group					
Air Conditioning: Front and Rear (Incls Rear Heater)	C69				x
Glass: Deep Tinted	AJ1				x
Keyless Entry: Remote	AU0				x
Mirror: Outside, Fold-Away, Electric, LH and RH Remote Control w/Defog Feature	DE5				x
Mirror: Visor LH and RH Illuminated	DH6				x
Steering Wheel, Leather Wrapped	NP5				x

ADDITIONAL OPTIONS

OPTION

ACKNOWLEDGEMENTS:

- R8S Multiple Order Numbers
- R8T Preliminary Invoice
- C69 **AIR CONDITIONING:** Rear (Incls C36 and KW2) (Incl w/1SD)
- KW2 **ALTERNATOR:** 124 AMP (Incl w/C69) (Std on 2500 and 3500 Series)
- AXLES, REAR: (MUST SPECIFY) (Refer GVWR, Power Teams and Tire Chart for Availability)**
- GU6 3.42 Ratio (N/A CG21406 or CG21706)
- GT4 3.73 Ratio
- GT5 4.10 Ratio (N/A CG11406)
- G80 Locking Differential
- ZW9 **BODY CODE:** Standard (Incl w/1SA, 1SB, 1SC and 1SD)
- B30 **CARPETING:** Carpet, Full Floor, Front and Rear Vinyl Mats (Incl w/LS Trim)
- V10 **COLD-CLIMATE PACKAGE:** (Incls Engine Block Heater) (N/A L65)
- CONVENIENCE GROUP:**
- ZQ2 Power Door Locks and Power Windows (Incl w/1SB, 1SC and 1SD)
- ZQ3 Tilt Wheel and Speed Control (Incl w/1SB, 1SC and 1SD)
- YA2 **DOOR:** Sliding Side Rear (Swing-out Side Door Standard)
- EMISSIONS: (MUST SPECIFY) (Refer Emission Requirements Tab Section)**
- FE9 Federal Emission Requirements
- NG1 New York, Massachusetts or Connecticut Emission Requirements
- YF5 California Emission Requirements
- NB8 CA, NY, MA or CT Emission Override (Reqs FE9 Federal Emissions)
- NC7 Federal Emission Override (Reqs YF5 or NG1)

EXPRESS VAN

ADDITIONAL OPTIONS

OPTION

- ENGINES: (MUST SPECIFY) (Refer GVWR, Power Teams and Tire Chart for Availability)**
- L35 Vortec 4300 V6 SFI (CG11406)
 - L30 Vortec 5000 V8 SFI (CG11406)
 - L31 Vortec 5700 V8 SFI
 - L29 Vortec 7400 V8 SFI (CG31406 or CG31706)
 - L65 6.5 Liter Turbo Diesel V8 (CG21406, CG31406 or CG31706)
 - KL5 Alternative Fuel (Reqs L31) (N/A CG11406)
 - AJ1 **GLASS: Deep Tinted (Incl w/1SD)**
- GVWR: (MUST SPECIFY) (All GVWR Options Contain Brake Suspension and Chassis Enhancements to Achieve GVWR Rating) (Refer GVWR, Power Teams and Tire Chart for Requirements)**
- C5Y 7100# (CG11406)
 - C6P 8600# (CG21406 or CG21706)
 - E23 9500# (CG31406 or CG31706)
 - C36 **HEATER, REAR: (Incl w/C69)**
 - AU0 **KEYLESS ENTRY: Remote (Reqs LS Trim) (Incl w/1SD)**
 - VK3 **LICENSE PLATE BRACKET: Front**
 - TR9 **LIGHTING, AUXILIARY: (Incls Reading Lamps, Additional Retractable Underhood Lamp and Step-well Lights on Front and Side Doors) (Incl w/LS Trim)**
- MIRRORS:**
- DE5 Outside, LH and RH Remote Control, Electric, Fold-away w/Defog Feature (Reqs ZQ2) (Incl w/1SD)
 - DH6 Visor, LH and RH Illuminated (Reqs LS Trim) (Incl w/1SD)
 - ZY1 **PAINT, EXTERIOR: Solid (Refer Color/Trim Chart for Availability)**
- RADIO EQUIPMENT: (Electronically Tuned AM/FM w/Digital Clock and 4-Speakers Std)**
(Optional UL0, UN0 and UP0 Radios Incls 8-Speakers)
- UM6 Electronically Tuned AM/FM Stereo w/Seek-Scan, Digital Clock and Cassette Tape
 - UL0 Electronically Tuned AM/FM Stereo w/Seek-Scan, Digital Clock, Automatic Tone Control, Cassette Tape, Theft Lock and Speed Compensated Volume (N/A 1SA)
 - UN0 Electronically Tuned AM/FM Stereo w/Seek-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume (N/A 1SA)
 - UP0 Electronically Tuned AM/FM Stereo w/Seek-Scan, Digital Clock, Automatic Tone Control, Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed Compensated Volume (N/A 1SA)
 - U75 Antenna, Power (Incl w/UL0, UN0 or UP0 Radio)
- SEAT: (MUST SPECIFY) (Refer Color/Trim Chart for Availability)**
- AR7 Front Bucket (Reqs **W Trim)
 - AS5 Front Bucket Deluxe (Incls Inboard Armrest) (Reqs **G Trim)
- SEAT, POWER: 6-Way**
- AG1 Driver (Reqs AS5)
 - AG2 Passenger (Reqs AG1 and AS5)
- SEAT, REAR: (8-Passenger Seating Base on CG11406) (12-Passenger Seating Base on CG21406, CG21706, CG31406 and CG31706)**
- ZP3 15-Passenger (CG31706)
 - ZP5 5-Passenger (CG11406)
 - ZP8 8-Passenger (N/A CG21706 or CG31706)
 - NP5 **STEERING WHEEL: Leather Wrapped (Incl w/1SD)**
- TIRES: (MUST SPECIFY) Tubeless Steel Belted Radial All Season (Incls Rear and Spare Tires) (Refer GVWR, Power Teams and Tire Chart for Availability) (B/W=Black-wall, W/W=White-wall, WOL=White-outlined Letter)**
- XHF LT225/75R16-E B/W (CG21406 or CG21706)
 - XHA P235/75R15-X B/W (CG11406)
 - XHB P235/75R15-X W/W (CG11406)
 - XHM P235/75R15-XL WOL (CG11406)
 - XHH LT245/75R16-E B/W (CG31406 or CG31706)
 - ZX9 Spare Tire Delete w/Wheel (Also Deletes Jack)

ADDITIONAL OPTIONS

OPTION

- Z82 **TRAILERING SPECIAL EQUIPMENT:** Heavy-Duty (Incls Platform Trailer Hitch and 8-Wire Harness)
(Additional Cooling not Required)
- M30 **TRANSMISSION: (MUST SPECIFY)** (Refer GVWR, Power Teams and Tire Chart for Availability)
4-Speed Electronically Controlled Automatic with Overdrive
- MT1 4-Speed Electronically Controlled Automatic with Overdrive, Heavy-Duty
- N90 **WHEELS:** (Spare is Steel Wheel) (CG11406)
Aluminum
- N83 Chrome
- P06 **WHEEL TRIM:** Trim Rings and Bright Center Hub Caps (1SA or 1SB) (Incl w/LS Trim)

EXPRESS VAN
INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART
WITH ZY1 PAINT


PLEASE NOTE: Below are the Interior Trim Color and Exterior Paint Combinations Recommended by Chevrolet.
 The only available Color and Trim Combinations are those shown in the Chart below.

TRIM LEVEL SEAT TYPE		(a) Seat Option	INTERIOR COLORS		
			Navy	Neutral	Medium Gray
Vinyl Bucket Seats Custom Cloth Bucket Seats		AR7 AS5	(b) 26W 26G	(b) 52W 52G	(b) 92W 92G

EXTERIOR COLORS	Color Code 1	Paint Scheme	RECOMMENDED INTERIOR TRIM COLORS		
			Navy	Neutral	Medium Gray
AUTUMNWOOD, LIGHT (Met)	55U	ZY1		x	
BLUE-GREEN, MEDIUM (Met)	35U	ZY1		x	x
BROWN, DARK (Met)	58U	ZY1		x	x
COPPER, DARK (Met)	69U	ZY1		x	x
GRAY, MEDIUM STORM (Met)	14U	ZY1	x		x
RED, DARK CARMINE (Met)	51U	ZY1		x	x
RED, MEDIUM MADRID (Met)	71U	ZY1		x	x
SILVERMIST (Met)	17U	ZY1	x		x
WHITE, SUMMIT	50U	ZY1	x	x	x

- (a) MUST SPECIFY SEAT OPTION
- (b) NOT AVAILABLE WITH LS TRIM

AVAILABLE SEATING ARRANGEMENTS
 (See Option Section)



ZP5 5-Passenger Seating (CG11406)



ZP6 8-Passenger Seating (Base CG11406)
 (CG11406, CG21406 and CG31406)



12-Passenger Seating
 (Base CG21406, CG21706
 CG31406 and CG31706)





ZP3 15-Passenger Seating (CG31706)

Chevy Van

1
5
st
vv
els

ems.
and
are
ed.

ne
ing
tial
nts.
This
nation
iminary
subject
mge.



Chevy Van at a glance

Chevy Van is the the full-size van with impressive dependability and low maintenance. Chevy Van offers a host of advantages over Ford and Dodge — longer extended wheel-bases and wide rear cargo doors, for example.

PassLock theft-deterrent system is a new standard feature for 1998.

Chevy Van



G1500 Chevy Van *(image above, top)*

The 1998 Focus vehicle is the G1500 Chevy Van. This vehicle is popular with commercial users as well as for van conversion applications.

Ordering Recommendations:

The recommended G1500 Chevy Van content, based on national sales volume, is listed below to assist your dealership in ordering. Major standard equipment includes:

- 4-Speed Electronically Controlled Automatic Transmission
- Aluminized Stainless-Steel Exhaust
- Underbody Spare Tire Storage
- 4-Wheel Anti-Lock Brake System (ABS)
- 15" x 6" Argent Steel Wheels with Hubcaps
- P215/75R-15 Steel-Belted Radial Tires.

Suggested option:

- YF7 Converter Package (includes front air conditioning, 124 amp alternator, chrome grille with composite headlights, chrome front and rear bumpers, power door locks and windows, Convenience Group with Tilt-Wheel™ Adjustable Steering Column and electronic speed control with Resume Speed, ETR AM/FM stereo with seek-scan, cassette player and digital clock, dual direct-control outside rearview mirrors and 60/40 split side cargo door).



G2500 Chevy Van with Appearance Package, Wheels with Optional Bright Center Cap and Bright Trim Rings and PEG 15B *(image above, bottom)*

The 1998 Feature vehicle is the G2500 Chevy Van with PEG 15B. Its full-frame construction, wide rear-door design and solid body structure make this van ideal for all kinds of demanding commercial applications. Some other important standard features include:

- 4-Speed Electronically Controlled Automatic Transmission
- Aluminized Stainless-Steel Exhaust
- Underbody Spare Tire Storage
- 4-Wheel Anti-Lock Brake System (ABS)
- 16" x 6.5" Argent Steel Wheels with Hubcaps
- LT225/75R-16D Steel-Belted Radial Tires.

Appearance Package adds:

- Chrome Grille and Composite Headlamps
- Chrome Front and Rear Bumpers.

Chevy Van with Preferred Equipment Group 15B includes:


- Air Conditioning (Front)
- Auxiliary Lighting
- Electronic Speed Control with Resume Speed
- Tilt-Wheel™ Adjustable Steering Column.

The Focus vehicle is the model chosen for its sale-ability. It is equipped with the product features that customers want most. Generally, it is the "volume" vehicle that comprises the majority of the build. You'll want to be sure you have several of these models in stock. NOTE: Model, PEG and optional equipment may vary in your locality. Use the Retail Sales Analysis (RSA) to verify or select your dealership's Focus vehicle


The Feature vehicle is the "image" model Chevy Truck will profile most in its advertising. Generally, it does the best job of capturing attention and creating consumer awareness.

© 1997. All Information correct as time of printing.

Trim Colors





Vinyl available in Navy, Neutral and Medium Gray.




Custom Cloth available in Navy, Neutral and Medium Gray

Seat Styles



- A. Adjustable high-back vinyl reclining bucket seats with integral head restraints — standard. (Optional driver-only adjustable high-back seat also available.)
- B. Adjustable high-back Custom Cloth reclining bucket seats with integral head restraints, inboard armrests and map pockets on seatbacks — optional.

Wheels




Standard Argent steel wheel with black center cap (G1500 Series shown).



(RPO P06) Argent steel wheel with bright center cap and bright trim ring (G3500 Series shown).



(RPO N90) Optional cast-aluminum G1500 only. Requires YF7 Upfitter Package.




(RPO N83) Optional 15" x 7" chrome-plated steel wheel with chrome center cap — G1500 only. Requires YF7 Upfitter Package.

Most Popular Exterior Colors with Corresponding Interior Color Availability

INTERIOR MATERIAL COLORS

	Navy	Neutral	Medium Gray
EXTERIOR COLORS			
Summit White	✓	✓	✓
Medium Blue-Green Metallic		✓	✓
Medium Storm Gray Metallic		✓	✓

Most Popular Exterior Colors by Percentage



Clockwise, at left, are the anticipated three most popular Chevy Van colors for 1998, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area, by model, use the Retail Sales Analysis (RSA).

Summit White	55%
Medium Blue-Green Metallic	6%
Medium Storm Gray Metallic	6%
Other colors	33%

NOTE: New Chevy Van exterior colors are Medium Storm Gray Metallic, Medium Blue-Green Metallic and Dark Copper Metallic. Medium Adriatic Blue Metallic, Onyx Black, Emerald Green Metallic and Light Blue Metallic have been deleted.



Chevy Van



P.D.S.E.I. helps explain 1998 Chevy Truck models. Overall improvements, changes and deletions are highlighted. Please review the supplied information, keeping in mind that this material is provided to you before production start-up — and may change.

P.D.S.E.I. New for '98 features appear in color.



PERFORMANCE

• **AUTOMATIC TRANSMISSION ENHANCEMENTS (M30)** — feature an electronically controlled converter clutch for improved efficiency and a two-piece transmission case for increased stiffness, reduced noise and vibration. • **AUTOMATIC TRANSMISSION ENHANCEMENTS (MT1)** — feature an electronically controlled converter clutch for improved efficiency. • **VORTEC 4300 V6, 5000 V8, 5700 V8 AND 7400 V8 GASOLINE ENGINES** — provide impressive power, quiet performance, smooth operation and extended maintenance intervals. Horsepower ranges from 200 hp at 4400 rpm for the Vortec 4300 V6, to 290 hp at 4000 rpm for the Vortec 7400 V8. • **6.5 LITER TURBO-DIESEL V8 ENGINE** — provides outstanding off-the-line torque (430 @ 1800 rpm) for heavy applications, as well as excellent fuel economy.



DURABILITY

• **PLATINUM-TIP SPARK PLUGS** — allow up to 100,000 miles before the first scheduled tune-up.* • **EXTENDED-LIFE COOLANT** — lasts up to 5 years or 150,000 miles, whichever comes first.* • **ALUMINIZED STAINLESS-STEEL EXHAUST SYSTEM** — resists corrosion for long-term dependability. • **EXTENDED-LIFE AUTOMATIC TRANSMISSION FLUID** — never needs changing under normal operating conditions.* • **FULL-FRAME CONSTRUCTION** — provides structural rigidity and smooth ride and handling. • **GM BUMPER TO BUMPER LIMITED WARRANTY** — protection for 3 years or 36,000 miles, whichever comes first, with no deductible.

*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.



SAFETY

• **PassLock THEFT-DETERRENT SYSTEM** — disables the vehicle from further starting attempts for ten minutes if an invalid key is used. • **STANDARD DRIVER AND FRONT-PASSENGER AIR BAGS** — designed for use with safety belts, they help restrain the driver and front passenger in the event of a moderate to severe frontal impact. Always wear safety belts, even with air bags. • **STANDARD 4-WHEEL ANTI-LOCK BRAKE SYSTEM (ABS)** — helps maintain steering control and minimizes wheel lockup on most slippery surfaces. • **BRAKE/TRANSMISSION SHIFT INTERLOCK** — prevents the driver from shifting from Park to Drive unless the brake pedal is applied.



EXTERIOR

• **THREE NEW EXTERIOR COLORS** — Medium Storm Gray Metallic, Medium Blue-Green Metallic and Dark Copper Metallic. • **FULL VEHICLE WIDTH REAR PANEL DOORS** — open 165 degrees for easy loading of wide cargo. • **CHOICE OF SIDE-DOOR STYLES** — standard 60/40 swing-out doors or available sliding side door. • **DUAL-DETENTED FOLD-AND-PARK OUTSIDE MIRRORS** — allow for easy viewing to the side and the rear, while fold-and-park design allows for safe maneuvering in tight spaces. • **UNDERBODY SPARE TIRE STORAGE** — increases usable cargo room by storing the spare under the vehicle. • **BASECOAT/CLEARCOAT PAINT** — long-lasting exterior finish provides a high-gloss shine and resists fading.



INTERIOR

• **AVAILABLE COMBINATION STEEL BULKHEAD AND VAN LINER (135"-WHEELBASE VANS ONLY)** — heavy-gauge steel bulkhead with hinged locking door and polyethylene liner that enhances and helps protect the van interior. • **CARGO CAPACITY** — up to 316.8 cubic feet on extended wheelbase models. • **EXPOSED RIBS FOR EASY UPFITTING** — strong vertical reinforcing ribs are out in the open in the cargo area, making it easy to mount bins, racks and other aftermarket equipment.

Chevy Van

© 1997. All information correct at time of printing.

Competitive Models

- Ford Econoline
- Dodge Ram Van.

New for 1998

- Transmission enhancements help bring new levels of quietness and efficiency to Chevy Van for 1998. For 4L60-E model transmissions, a stiffer, two-piece transmission case reduces vibration and noise, while a new, electronically controlled converter clutch helps improve operating efficiency and driveability. A deeper transmission oil pan improves overall transmission durability and fluid life. For 4L80-E model transmissions, an electronically controlled converter clutch improves operating efficiency.

Other Information on Significant Features

- Chevy Van features full vehicle width rear panel doors that open 165 degrees for easy loading. There's no need to remove or unlatch any pins or clips. Also, with rear doors open, the bumper extends past the doors, for safe, sure backing into loading areas.
- The interior of Chevy Van lends itself to easy upfitting, thanks to exposed vertical reinforcing ribs. Aftermarket items like bins, racks and other occupational equipment can be easily and quickly installed.
- Chevy Van is part of the most complete family of vans in the industry. The Chevy lineup consists of full-size Chevy Van and Chevy Express, midsize Astro Passenger Van, Astro Cargo Van, Chevy Venture and Chevy Venture Cargo.
- Chevy Van is a popular choice for commercial users. It's ideal for cargo hauling and for commercial specialty vehicles such as HVAC, building trades and ambulance application.

Some popular options include:

- Choice of GVWR ratings
- Various window configurations
- Front and rear air conditioning
- Rear locking differential
- Alternate fuels
- Cold Climate Package
- Trailing Package
- Convenience Group: Tilt-Wheel™ Adjustable Steering Column and electronic speed control with Resume Speed
- Convenience Group: Power door locks and power windows.

Forecasted Percent of Mix

SERIES	
G1500	48%
G2500	25%
G2500 Extended Wheelbase	9%
G3500	12%
G3500 Extended Wheelbase	6%
Total	100%
ENGINES	
Vortec 4300 V6	12%
Vortec 5000 V8	20%
Vortec 5700 V8	65%
Vortec 7400 V8	1%
6.5 Liter Turbo-Diesel V8	2%
Total	100%
TRANSMISSIONS	
4-Speed Electronically Controlled Automatic with Overdrive (M30)	66%
4-Speed Electronically Controlled Automatic with Overdrive, Heavy-Duty (MT1)	34%
Total	100%

Other Information on Significant Features (contd.)

- Chevy Van boasts the complete line of proven Vortec engines. Because the lineup includes everything from the Vortec 4300 V6, Vortec 5000 V8 and Vortec 5700 V8 to the hefty Vortec 7400 V8, customers may choose only as much engine as they need — a sure-fire way to save money in commercial applications.
- What's more, the Vortec engines are easy to maintain, thanks to features like:
 - Platinum-tip spark plugs that allow up to 100,000 miles before the first scheduled tune-up*
 - Extended-life coolant that lasts up to five years or 150,000 miles, whichever comes first*
 - Extended-life automatic transmission fluid that never needs changing under normal operating conditions.*
- Rugged 6.5 Liter Turbo-Diesel V8 power is available in G2500 and G3500 Series models.

*Maintenance needs vary with different uses and driving conditions. See the owner's manual for details.

Deletions

- Exterior colors Light Blue Metallic (#27), Medium Adriatic Blue Metallic (#30), Onyx Black (#41) and Emerald Green Metallic (#43) have been deleted. Three new colors have been added: Medium Storm Gray Metallic (#14), Medium Blue-Green Metallic (#35) and Dark Copper Metallic (#69).

CHEVY VAN EQUIPMENT SUMMARY

STANDARD CHASSIS FEATURES

ALTERNATOR: 100 AMPS (1500 AND 2500 SERIES)
124 AMPS (3500 SERIES)

BATTERY: HEAVY-DUTY 600 CCA

BRAKES: POWER ASSISTED FRONT DISC, REAR DRUM, 4-WHEEL ANTI-LOCK

BRAKES/TRANS: BRAKE/TRANSMISSION SHIFT INTERLOCK

FUEL TANK: 31 GALLON CAPACITY

SPRINGS: FRONT, COIL
REAR, LEAF

STEERING: SPEED SENSITIVE (E.V.O.) POWER

STANDARD INTERIOR FEATURES

AIR BAGS: FULL FRONTAL DRIVER AND PASSENGER

CUPHOLDERS: DUAL, IN INSTRUMENT PANEL CONSOLE

DEFOGGERS: SIDE WINDOW

DOOR BEAMS: SIDE-GUARD, FRONT AND SIDE CARGO DOOR

FLOOR COVERING: EMBOSSSED BLACK VINYL FULL-WIDTH MAT OVER ENTIRE FLOOR AREA
AND FRONT WHEELHOUSINGS

GAGES: ENGINE TEMPERATURE, OIL PRESSURE, TRIP ODOMETER,
AND VOLTMETER

GLASS: SOLAR-RAY, TINTED

HEADLINER: CLOTH OVER DRIVER AND PASSENGER SEATS

LIGHTING: THREE DOME LAMPS WITH DEFEAT SWITCH AND DOOR-ACTUATED
SWITCHES
UNDERHOOD LAMP

POWER POINT: COVERED POWER OUTLET (1)

RADIO: AM/FM STEREO RADIO WITH SEEK-SCAN AND CLOCK

SEATING: ADJUSTABLE RECLINING HIGH-BACK DRIVER AND PASSENGER
BUCKET SEAT WITH VINYL TRIM

SECURITY: PASSLOCK, THEFT DETERRENT SYSTEM

SUNSHADES: RH AND LH VINYL SUNSHADE, COLOR-KEYED

WARNING TONE: HEADLAMP ON WARNING

CHEVY VAN EQUIPMENT SUMMARY

STANDARD EXTERIOR FEATURES

BUMPERS:	FRONT AND REAR PAINTED ARGENT, REAR BUMPER W/ENTRY ASSIST STEP
DOORS:	SWING-OUT SIDE, 60/40 SPLIT
GRILLE:	PAINTED DARK ARGENT, COMPOSITE
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN
LIGHTS:	DAYTIME RUNNING
MIRRORS:	O/S LH AND RH DIRECT CONTROL, BLACK, FOLD-AWAY
SPARE TIRE/WHEEL:	FULL SIZE MOUNTED UNDERNEATH
WHEELS/ TRIM:	STEEL WHEEL, ARGENT CENTER CAP-BLACK
WIPERS:	INTERMITTENT, WINDSHIELD

MODEL AND BODY

Description	Model No.	Wheelbase
2-WHEEL DRIVE MODELS		
Chevy Van	CG11405	135"
Chevy Van	CG21405	135"
Chevy Van, Extended	CG21705	155"
Chevy Van	CG31405	135"
Chevy Van, Extended	CG31705	155"

GVWR, POWER TEAMS AND TIRE CHART (MUST SPECIFY)

CG11405	*GAWR: Front/Rear (lbs)		3168/3167 w/C5M 3600/3968 w/C5Y			
GVWR	C5M (6100#)	C5Y (7100#)	C5M (6100#)	C5Y (7100#)	C5Y (7100#)	
ENGINE	L35	L35	L30	L30	L31	
TIRES	XCU	XHA/XHB/XHM	XCU	XHA/XHB/XHM	XHA/XHB/XHM	
TRANSMISSION	M30	M30	M30	M30	M30	
AXLE RATIO	GU6 (3.42)	GU6 (3.42) GT4 (3.73)	GU6 (3.42)	GU6 (3.42)	GU6 (3.42)	
CG21405	*GAWR: Front/Rear (lbs)		3580/4380 w/C6A 3800/5360 w/C6P			
GVWR	C6A (7300#)	C6P (8600#)	C6A (7300#)	C6A (7300#)	C6P (8600#)	C6P (8600#)
ENGINE	L35	L35 (b)	L30	L31	L31	L65
TIRES	XHP	XHF	XHP	XHP	XHF	XHF
TRANSMISSION	M30	MT1	M30	M30	MT1	MT1
AXLE RATIO	GU6 (3.42)	GT5 (4.10)	GU6 (3.42)	GU6 (3.42)	GT4 (3.73) GT5 (4.10)	GT4 (3.73) GT5 (4.10)
CG21705	*GAWR: Front/Rear (lbs)		3580/4380 w/C6A 4100/5360 w/C6P w/o L65 4300/5360 w/C6P w/L65			
GVWR	C6A (7300#)	C6P (8600#)	C6A (7300#)	C6A (7300#)	C6P (8600#)	C6P (8600#)
ENGINE	L35	L35 (b)	L30	L31	L31	L65
TIRES	XHP	XHF	XHP	XHP	XHF	XHF
TRANSMISSION	M30	MT1	M30	M30	MT1	MT1
AXLE RATIO	GU6 (3.42)	GT5 (4.10)	GU6 (3.42)	GU6 (3.42)	GT4 (3.73) GT5 (4.10)	GT4 (3.73) GT5 (4.10)
CG31405/CG31705	*GAWR: Front/Rear (lbs)		4300/6084 w/E23			
GVWR	E23 (9500#)	E23 (9500#)	E23 (9500#)			
ENGINE	L31	L65	L29			
TIRES	XHH	XHH	XHH			
TRANSMISSION	MT1	MT1	MT1			
AXLE RATIO	GT4 (3.73) GT5 (4.10)	GT4 (3.73) GT5 (4.10)	GU6 (3.42) (a) GT4 (4.10) GT5 (4.10)			

(a) N/A G80 Locking Differential

(b) N/A YF5 California w/L35 and C6P

* GAWR'S shown are the minimum for each Axle with equipment listed. Other GAWR'S are available and they are determined as the minimum capacity of either axle, springs or tires.

THE LOWEST NUMERICAL AXLE RATIO HAS BEEN ENGINEERED TO COVER THE WIDEST RANGE OF APPLICATIONS AND OFFER THE BEST FUEL ECONOMY.

CHEVY VAN

CAPACITIES

SPRINGS:

AXLES:

CG11405

w/C5M
Front: 3600
Rear: 3167

w/C5M
Front: 3600
Rear: 3500

w/C5Y
Front: 3600
Rear: 3968

w/C5Y
Front: 3600
Rear: 4000

CG21405

w/C6A
Front: 3600
Rear: 4380

w/C6A
Front: 3600
Rear: 4800

w/C6P
Front: 3800
Rear: 5360

w/C6P
Front: 4300
Rear: 5700

CG21705

w/C6A
Front: 3600
Rear: 4380

w/C6A
Front: 3600
Rear: 4800

w/C6P
Front: 4100
Rear: 5360

w/C6P
Front: 4300
Rear: 5700

CG31405/CG31705

w/E23
Front: 4300
Rear: 6084

w/E23
Front: 4300
Rear: 6084

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)
 May be Ordered from the Additional Option Listing.

		1SA	1SB
Preferred Equipment Group			
Standard Body	ZW9	x	x
Preferred Equipment Group			
Air Conditioning Front (a)	C60		x
Lighting, Auxiliary	TR9		x
Tilt Wheel and Speed Control	ZQ3		x

Allowable Substitutions (Where Available)

(a) C60: May Substitute C69

ADDITIONAL OPTIONS

OPTION

ACKNOWLEDGEMENTS:

- R8S Multiple Order Numbers
- R8T Preliminary Invoice
- AJ3 **AIR BAG:** Driver's Side only (Deletes Passenger Side) (N/A CG11405) (Reqs ZX2)
 (w/CG21405 or CG21705 Reqs C6P)
- AIR CONDITIONING: (MUST SPECIFY)**
- R6G Air Conditioning Not Desired (N/A 1SB)
- C60 Front (Incl w/C69,1SB)
- C69 Front and Rear (Incls C60 Air, KW2 Alternator and C36 Rear Heater)
- KW2 **ALTERNATOR:** 124 AMP (Incl w/C69) (Std on 3500 Series)
- ZR7 **APPEARANCE PACKAGE:** (Incls Chrome Grille w/Composite Headlamps, and Front and Rear Chrome Bumper)
- AXLES, REAR: (MUST SPECIFY) (Refer GVWR, Power Teams and Tire Chart for Availability)**
- GU6 3.42 Ratio
- GT4 3.73 Ratio
- GT5 4.10 Ratio (N/A CG11405)
- G80 Locking Differential
- ZW9 **BODY CODE:** Standard (Incl w/1SA and 1SB)
- V10 **COLD-CLIMATE PACKAGE:** (Incls Engine Block Heater) (N/A L65)
- CONVENIENCE GROUP:**
- ZQ2 Power Locks and Power Windows
- ZQ3 Tilt Wheel and Speed Control (Incl w/1SB)
- YA2 **DOOR:** Sliding Side Rear Door (Swing-out Side Door Standard)
- EMISSIONS: (MUST SPECIFY) (Refer Emission Requirements Tab Section)**
- FE9 Federal Emission Requirements
- NG1 New York, Massachusetts or Connecticut Emission Requirements
- YF5 California Emission Requirements
- NB8 CA, NY, MA or CT Emission Override (Reqs FE9 Federal Emissions)
- NC7 Federal Emission Override (Reqs YF5 or NG1)

CHEVY VAN

ADDITIONAL OPTIONS

OPTION

- ENGINE: (MUST SPECIFY) (Refer GVWR, Power Teams and Tire Chart for Availability)**
- L35 Vortec 4300 V6 SFI (w/CG21405 or CG21705 N/A w/YF5 and C6P)
 - L30 Vortec 5000 V8 SFI
 - L31 Vortec 5700 V8 SFI
 - L29 Vortec 7400 V8 SFI (CG31405 or CG31705)
 - L65 6.5 Liter Turbo Diesel V8
 - KL5 Alternative Fuel: (Reqs L31) (w/CG21405 or CG21705 Reqs MT1 and C6P)
(N/A CG11405)
- B31 **FLOOR COVERING:** Black Vinyl, Front Seating Area only (Rear Delete)
- GLASS:**
- ZW2 Rear Doors, Fixed
 - ZW3 Rear Doors and Rear Side Doors, Fixed
 - ZW4 Right Hand Side, Rear Doors, Fixed
 - ZW6 Full Body (Avail w/A19)
 - A18 Rear Door, Swing-out Window (Reqs ZW2)
 - A19 Rear Side Door, Swing-out Window (Incls Swing-out Rear Door Glass) (Reqs ZW3, ZW4 or ZW6)
- GVWR: (MUST SPECIFY) (All GVWR Options Contain Brake, Suspension and Chassis Enhancements to Achieve GVWR Rating) (Refer GVWR, Power Teams and Tire Chart for Requirements)**
- C5M 6100# (CG11405)
 - C5Y 7100# (CG11405)
 - C6A 7300# (CG21405 or CG21705)
 - C6P 8600# (CG21405 or CG21705) (Reqs KW2)
 - E23 9500# (CG31405 or CG31705)
- C36 **HEATER, REAR:** (Incl w/C69)
- VK3 **LICENSE PLATE BRACKET:** Front
- TR9 **LIGHTING, AUXILIARY:** (Incls Reading Lamps, Additional Retractable Underhood Lamp and Step-well Lights on Front and Side Doors) (Incl w/1SB)
- DE5 **MIRROR:** Outside, LH and RH Remote Control, Electric, Fold-away w/Defog Feature (Reqs C60 and ZQ2)
- ZY1 **PAINT, EXTERIOR:** Solid (Refer Color/Trim Chart for Availability)
- RADIO EQUIPMENT:** (Electronically Tuned AM/FM w/Digital Clock and 4-Speakers Std)
- UM6 Electronically Tuned AM/FM Stereo w/Seek-Scan, Digital Clock and Cassette Tape
 - UL5 Radio Delete (Deletes Antenna and Speakers)
 - U75 Antenna, Power (N/A UL5)
- B3D **SCHOOL BUS CHASSIS EQUIPMENT:** (Incls Brake Warning Indicator) (CG31405 or CG31705) (Reqs L31 or L65) (N/A DE5)
- SEAT: (MUST SPECIFY) (Refer Color/Trim Chart for Availability)**
- AR7 Front Bucket (Reqs **W Trim)
 - AS5 Front Bucket Deluxe (Incls Inboard Armrest) (Reqs **G Trim)
- SEATING ARRANGEMENT: (MUST SPECIFY)**
- ZX1 High-back, Driver only (Deletes Passenger Side Air Bag) (Passenger Seat Cannot be Added Later)
 - ZX2 High-back, Driver and Passenger
- AG1 **SEAT, POWER:** 6-Way, Driver (Reqs AS5)

ADDITIONAL OPTIONS

OPTION

	TIRES: (MUST SPECIFY) Tubeless Steel Belted Radial All Season (Incls Rear and Spare Tires) (Refer GVWR, PowerTeams and Tire Chart for Availability) (B/W=Black-wall, W/W=Whitewall, WOL=White-outlined Letter)
XCU	P215/75R15-N B/W (CG11405)
XHP	LT225/75R16-D B/W (CG21405 or CG21705)
XHF	LT225/75R16-E B/W (CG21405 or CG21705)
XHA	P235/75R15-X B/W (CG11405)
XHB	P235/75R15-X W/W (CG11405)
XHM	P235/75R15-XL WOL (CG11405)
XHH	LT245/75R16-E B/W (CG31405 or CG31705)
ZX9	Spare Tire Delete w/Wheel (Also Deletes Jack)
Z82	TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Platform Trailer Hitch and 8-Wire Harness) (Additional Cooling not Required) (N/A B3D)
	TRANSMISSION: (MUST SPECIFY) (Refer GVWR, Power Teams and Tire Chart for Availability)
M30	4-Speed Electronically Controlled Automatic with Overdrive
MT1	4-Speed Electronically Controlled Automatic with Overdrive, Heavy-Duty
PNF	TRIM PANEL: Side Rear and Rear Doors Delete
P06	WHEEL TRIM: Trim Rings and Bright Center Hub Caps

CHEVY VAN
INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART
WITH ZY1 PAINT

PLEASE NOTE: Below are the Interior Trim Color and Exterior Paint Combinations Recommended by Chevrolet.
 The only available Color and Trim Combinations are those shown in the Chart below.

TRIM LEVEL SEAT TYPE		(a) Seat Option	INTERIOR COLORS		
			Navy	Neutral	Medium Gray
Vinyl Bucket Seats		AR7	26W	52W	92W
Custom Cloth Bucket Seats		AS5	26G	52G	92G

EXTERIOR COLORS	Color Code 1	Paint Scheme	RECOMMENDED INTERIOR TRIM COLORS		
AUTUMNWOOD, LIGHT (Met)	55U	ZY1		x	
BLUE-GREEN, MEDIUM (Met)	35U	ZY1		x	x
BROWN, DARK (Met)	58U	ZY1		x	x
COPPER, DARK (Met)	69U	ZY1		x	x
GRAY, MEDIUM STORM (Met)	14U	ZY1	x		x
RED, DARK CARMINE (Met)	51U	ZY1		x	x
RED, MEDIUM MADRID (Met)	71U	ZY1		x	x
SILVERMIST (Met)	17U	ZY1	x		x
WHITE, SUMMIT	50U	ZY1	x	x	x

(a) MUST SPECIFY SEAT OPTION


CHEVY VAN INTRODUCTION

CHEVY VAN

The 1998 Chevrolet Chevy Van is offered in three series: G1500, G2500 and G3500.

Some of the changes to the Chevy Van include:

- New Driver's Side Mini Module Air Bag
 - 4L60-E Automatic Transmission Enhancements (M30)
 - 4L80-E Automatic Transmission Enhancements (MT1)
 - New PassLock™ Theft Deterrent System
 - Four New Exterior Colors
-





MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1998 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED
CHEVY VAN								
G1500								
G1500 REGULAR WHEELBASE	CG11405/ ZW9	2/1	4300 V6/A4	— 5000 V8/A4	6100	3168/3167	1484	** **
G1500 REGULAR WHEELBASE	CG11405/ ZW9	2/1	4300 V6/A4	— 5000 V8/A4 5700 V8/A4	7100	3600/3968	*	** ** **
G2500								
G2500 REGULAR WHEELBASE	CG21405/ ZW9	2/1	4300 V6/A4	— 5000 V8/A4 5700 V8/A4	7300	3580/4380	2494	** ** **
G2500 REGULAR WHEELBASE	CG21405/ ZW9	2/1	4300 V6/A4 ¹	— 5700 V8/A4 6.5L V8/A4	8600	3800/5360	*	** ** **
G2500 EXTENDED WHEELBASE	CG21705/ ZW9	2/1	4300 V6/A4	— 5000 V8/A4 5700 V8/A4	7300	3580/4380	2300	** ** **
G2500 EXTENDED WHEELBASE	CG21705/ ZW9	2/1	4300 V6/A4 ¹	— 5700 V8/A4 6.5L V8/A4	8600	4100/5360 4100/5360 4300/5360	*	** ** **
G3500								
G3500 REGULAR WHEELBASE	CG31405/ ZW9	2/1	5700 V8/A4	— 7400 V8/A4 6.5L V8/A4	9500	4300/6084	4169	** ** **
G3500 EXTENDED WHEELBASE	CG31705/ ZW9	2/1	5700 V8/A4	— 7400 V8/A4 6.5L V8/A4	9500	4300/6084	3978	** ** **

¹VORTEC 4300 with heavy-duty emissions not available in California or New York.

* Please refer to the Weights section at the back of the Tech Guide to determine optional payloads.

** 1998 trailering information not available at time of publication. The Production and Final issues of the Tech Guide will have a new trailering chart.



CHEVY VAN

POWERTRAINS

Chevrolet offers a variety of engines, transmissions and rear axle ratios for the Chevy Van. The following charts detail basic engine, transmission and axle specifications. See your 1998 Chevrolet Truck Order Guide for specific details.

ENGINES						
	VORTEC 4300 V6 ¹	VORTEC 5000 V8	VORTEC 5700 V8	VORTEC 5700 V8 HD	VORTEC 7400 V8 HD	6.5L V8 TURBO DIESEL HD
Order Code	L35	L30	L31	L31	L29	L65
Availability	CG11405, CG21405 and CG21705	CG11405 and CG21405/ CG21705 at 7300 lb GVWR	CG11405 at 7100 lb GVWR and CG21405/ CG21705 at 7300 lb GVWR	CG21405/ CG21705 at 8600 lb GVWR and CG31405/ CG31705	CG31405/ CG31705	CG21405/ CG21705 at 8600 lb GVWR and CG31405/ CG31705
SAE Net Horsepower @ rpm	200 @ 4400	220 @ 4600	245 @ 4600	250 @ 4600	290 @ 4000	190 @ 3400
SAE Net Torque lb-ft @ rpm	250 @ 2800	280 @ 2800	325 @ 2800	330 @ 2800	410 @ 3200	385 @ 1800
Fuel System	SFI	SFI	SFI	SFI	SFI	Indirect Fuel Injection
Standard Battery Cold Cranking Amps @ 0°F	600	600	600	600	600	2 @ 600 each
Standard Alternator Max. Cap. (Amps)	100 ²	100	100	124	124	124


¹VORTEC 4300 with heavy-duty emissions not available in California or New York.

²124-amp alternator required at 8600 lb GVWR.

TRANSMISSIONS		
	ELECTRONIC AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH (4L60-E)	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OD HEAVY DUTY (4L80-E)
Availability	G1500 and G2500 below 8600 lb GVWR	G2500 at 8600 lb GVWR and G3500
Order Code	M30	MT1
Application	L35/L30/L31	L35 HD/L31 HD/L29/L65
Gear Ratios		
First	3.06	2.48
Second	1.63	1.48
Third	1.00	1.00
Fourth	0.70	0.75
Reverse	2.29	2.08
Power Take-off	No	No

REAR AXLES									
Availability	G11405 at 6100 lb GVWR	G11405 at 7100 lb GVWR		G2500 at 7300 lb GVWR	G2500 at 8600 lb GVWR		G2500 at 8600 lb GVWR w/ L65 only and G3500		
Make	GM	GM		GM	GM		GM		
Capacity (lb)/Type	3500 Semi-Floating	4000 Semi-Floating		4800 Semi-Floating	5700 Full-Floating		6084 Full-Floating		
Pinion and Ring Gear Type	Hypoid	Hypoid		Hypoid	Hypoid		Hypoid		
Engine Availability ¹	L35/L30	L35 L30 L31	L35 L31	L35 L30 L31	L31	L35/ L31	L29	L29/ L31/ L65	L29/ L31/ L65
Axle Ratio Code	GU6	GU6	GT4	GU6	GT4	GT5	GU6	GT4	GT5
Ratio	3.42	3.42	3.73	3.42	3.73	4.10	3.42	3.73	4.10
Pinion Teeth	12	12	11	12	11	10	12	11	10
Ring Gear Teeth	41	41	41	41	41	41	41	41	41
Ring Gear Diameter (in.)	8.6	8.6	8.6	9.5	9.5	9.5	10.5	10.5	10.5

Note: Axle ratio availability depends on model, powertrain and emissions selected.
¹Engine applications are heavy duty (HD) at 8600 lb GVWR or above.



TRIM LEVELS

Chevrolet offers the Chevy Van in one trim level, "Standard." The following chart details major standard features. See your 1998 Chevrolet Truck Order Guide for details.

CHASSIS EQUIPMENT		STANDARD (ZWB)
KEY: ■ = STANDARD, — = NOT INCLUDED		
BRAKES	Power-assisted, front disc, rear drum. Includes brake/transmission shift interlock.	■
EXHAUST	Single.	■
FRAME	All-welded ladder-type construction.	■
FUEL TANK	31 gallon (approx.) capacity located on the left-hand side, forward of the rear axle and inside the frame rail. Filler located at left rear.	■
REAR AXLE	G1500, G2500 below 8600 lb GVWR; hypoid, semi-floating. G2500 at 8600 lb GVWR and G3500; Hypoid, full-floating.	■
SHOCK ABSORBERS	Front and rear: 32mm. (CG11405 w/YF7 is 46mm front and 36mm rear)	■
STABILIZER BAR	Front: 30mm.	■
STEERING	Speed-sensitive (EVO).	■
SUSPENSION, FRONT	Independent with computer-selected coil springs.	■
SUSPENSION, REAR	Semi-elliptic, two-stage multileaf springs.	■
EXTERIOR EQUIPMENT		
BUMPERS	Front and rear painted argent. Rear bumper includes entry assist.	■
DOORS	Driver and passenger front side, hinged 60/40 split swing-out side-loading doors and RH and LH swing-out rear load doors.	■
DOOR STOPS	Rear door.	■
GLASS	Solar-Ray® tinted.	■
GRILLE	Molded plastic, argent.	■
HEADLAMPS	Single halogen.	■
HORN	Dual note.	■
HUBCAPS	Center hub painted black.	■
LAMP	Center high-mounted stop lamp and underhood lamp.	■
MIRRORS	RH and LH below-eyeline type painted black. Head size is 6.5" x 9.0". RH mirror glass is convex.	■
SPARE TIRE/WHEEL	Full-size, mounted beneath the vehicle behind the rear axle.	■
TIRES	All-season radial blackwall tires. Number and size: G11405 at 6100 lb GVWR: Five P215/75R15 G11405 at 7100 lb GVWR: Five P235/75R15XL G21405/21705 at 7300 lb GVWR: Five LT225/75R16D G21405/21705 at 8600 lb GVWR: Five LT225/75R16E G31405/31705 at 9500 lb GVWR: Five LT245/75R16E	■ ■ ■ ■ ■
WHEELS	Five, 15.0" x 6.0" steel wheels on G11405 models. Five, 16.0" x 6.5" steel wheels on G21405, G21705, G31405 and G31705 models.	■ ■
WIRING	8-wire harness for trailering purposes.	■
INTERIOR EQUIPMENT		
ARMRESTS	LH and RH padded integral with front doors.	■
CIGARETTE LIGHTER	Located in instrument panel console extension. Includes ashtray light and two covered auxiliary power outlets.	■
COAT HOOK	Located on driver's side.	■
CUPHOLDER	Two located in the instrument panel console extension.	■
DOME LAMPS	Three with door-actuated switches.	■
DOOR TRIM	Front doors include color-keyed vinyl trim panels with padded armrest and map pocket. Side sliding door and rear load doors include child safety lock. 50/40 side rear and rear doors include molded black plastic door liners.	■ ■ ■
FLOOR COVERING	Embossed black vinyl full width mat over entire floor area and front wheelhouseings.	■



CHEVY VAN

INTERIOR EQUIPMENT (CONT.)		STANDARD (ZW9)
KEY: ■ = STANDARD, — = NOT INCLUDED		
GAGES	Speedometer, odometer, fuel level, oil pressure, voltmeter, engine temperature, and trip odometer.	■
HEADLAMP WARNING TONE	Headlamps on.	■
HEADLINER	Color-keyed, foam-backed vinyl headliner covers front compartment.	■
HEATER	Outside air heater with windshield and side window defoggers.	■
PARCEL TRAY	Included on top surface of instrument panel console extension on models with (L29) or (L65) engine only.	■
RADIO	Electronically tuned AM/FM stereo radio with Seek-Scan, digital clock, fixed-mast antenna and 4 speakers (UM7).	■
SEATS, FRONT	Two high-back vinyl reclining bucket seats with integral head restraints. Adjust fore and aft.	■
SECURITY	PassLock™ theft deterrent system.	■
STEERING WHEEL	Black, vinyl.	■
STOWAGE BIN	Located in instrument panel console extension. Bin pulls out and includes a light. It also includes CD or cassette storage when either radio is ordered.	■
SUNSHADES	RH and LH padded, color-keyed vinyl. Driver's sunshade includes a map strap.	■
TOOLS	Includes scissor-type jack and wheel wrench located at RH rear of vehicle.	■
WINDSHIELD WIPERS	Intermittent.	■
AIR BAGS*	Driver and front seat passenger.	■
BRAKES	4-wheel anti-lock brakes.	■
DOOR BEAMS	Side door guard beams in front and side cargo doors.	■
LAMPS	Daytime running lamps/Center high-mounted stoplamp (CHMSL).	■
SEAT BELTS	Lap and shoulder belts.	■
STEERING COLUMN	Energy absorbing steering column (also includes anti-theft locking).	■

*Always wear your safety belts.

PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately). See your 1998 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.


OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1998 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Conditioning (front only) **C60**
 Air Conditioning (front and rear, includes 124 amp alternator KW2 and rear heater C36) **C69**
 Alternator, 124 amp (available only on models less than 8600# GVWR without YF7 or C69) **KW2**
 Ambulance Package (reqs L65) **YF2**
 Appearance Package (includes chrome front and rear bumpers, and bright grille with composite dual headlamps) **ZR7**
 Axles, Rear
 3.42 **GU6**
 3.73 **GT4**
 4.10 **GT5**
 Axles, Rear Locking Differential **G80**
 Cold Climate Package (includes Engine Block Heater) **V10**

Convenience Group
 Tilt-Wheel™ Steering and Electronic Speed Control **ZQ3**
 Power Door Locks and Power Windows **ZQ2**
 Door, Sliding Side **YA2**
 Emissions
 Federal **FE9**
 California **YF5**
 Massachusetts/New York/Connecticut **NG1**
 Federal Emissions Override **NC7**
 Cal./Mass./N.Y./CT. **NB8**
 Engines
 VORTEC 4300 SFI V6 **L35**
 VORTEC 5000 SFI V8 **L30**
 VORTEC 5700 SFI V8 **L31**
 VORTEC 7400 SFI V8 **L29**
 6.5L V8 Turbo Diesel **L65**
 Alternative fuel (reqs L31 engine) (see your 1998 Chevrolet Truck Order Guide for details) **KL5**

Floor Covering
 Vinyl (includes black front floor mat only) (rear delete) **B31**
 Glass
 Full Body **ZW6**
 Rear Door, Fixed (includes inside rearview mirror) **ZW2**
 Rear Door, Swing-out **A18**
 Rear Door and Rear Side Door (includes fixed rear door and side door glass) **ZW3**
 Right hand side and rear doors fixed **ZW4**
 Rear Side Door, Swing-out **A19**
 GVWR Ratings
 6100 lb **C5M**
 7100 lb **C5Y**
 7300 lb **C6A**
 8600 lb **C6P**
 9500 lb **E23**
 Heater, Auxiliary Rear **C36**



OPTIONS (CONT'D)

License Plate Bracket, Front **VK3**
 Lighting, Auxiliary
 (includes reading lamps, additional
 power outlet on instrument panel,
 underhood light with retractable
 cable and stepwell lights) **TR9**
 Mirrors, Outside Heated Power
 Remote Control (requires Driver's
 Convenience Group ZQ2) **DE5**
 Paint, Exterior
 Solid **ZY1**
 Radio Equipment
 Antenna, Power (available with
 standard radio UM7 or UM6) **U75**
 Radio Delete **UL5**
 ETR AM/FM Stereo Radio w/
 Seek-Scan, Digital Clock, Stereo
 Cassette, Premium Front speakers
 and wiring for rear speakers **UM6**


Recreational Sales Package,
 Vehicle Upfitter (For information
 purposes only. YF7 is available for
 ordering through authorized
 CQACP manufacturers only.) **YF7**
 School Bus Chassis Equipment
 (available on G31405/G31407
 models only) **B3D**
 Seats
 Driver's, 6-way power adjust **AG1**
 Driver's Seat Only, High-Back
 Bucket (deletes passenger side
 supplemental inflatable restraint)
 (passenger seat cannot be
 added later) **ZX1**
 Passenger side air bag not desired
 (8600 lb GVW and above only) **AJ3**
 Deluxe Cloth Front Buckets
 (includes cloth armrest, vinyl
 headrest and map pockets on
 back of seats) **AS5**

Spare Wheel and Tire Delete
 (also deletes jack and tools) **ZX9**
 Trailing Package Heavy-Duty
 (includes hitch platform, HD flasher,
 eight-wire harness) **ZB2**
 Transmissions
 4-Speed Electronic Automatic with
 Overdrive **M30**
 Heavy-Duty 4-Speed Electronic
 Automatic with Overdrive **MT1**
 Trim Panel Delete (includes side and
 rear door trim panels) **PNF**
 Wheel trim (includes trim rings
 and bright hubcaps) **P06**

TIRES

KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		FRONT/REAR/SPARE
P215/75R15	ALS/SBR/BW	XCU
P235/75R15XL	ALS/SBR/BW	XHA
P235/75R15XL	ALS/SBR/WW	XHB
P235/75R15	ALS/SBR/WOL	XHM
LT225/75R16D	ALS/SBR/BW	XHP
LT225/75R16E	ALS/SBR/BW	XHF
LT245/75R16E	ALS/SBR/BW	XHH



CHEVY VAN

DIMENSIONS

SERIES		G1500	G2500		G3500	
MODEL		CHEVY VAN REGULAR WHEELBASE	CHEVY VAN REGULAR WHEELBASE	CHEVY VAN EXTENDED WHEELBASE	CHEVY VAN REGULAR WHEELBASE	CHEVY VAN EXTENDED WHEELBASE
MODEL NUMBER		CG11405/ZW9	CG21405/ZW9	CG21705/ZW9	CG31405/ZW9	CG31705/ZW9
EXTERIOR DIMENSIONS						
BODY						
Wheelbase (in.)	L101	135.0	135.0	155.0	135.0	155.0
Overall Length (in.)	L103	218.7	218.7	238.7	218.7	238.7
Overall Height (in.)	H431	(6100 GVWR) 79.6	(7300 GVWR) 82.5	(7300 GVWR) 81.1	(9500 GVWR) 83.9	(9500 GVWR) 82.5
Maximum Width (in.)	W103	79.4	79.2	79.2	79.4	79.2
Bumper to Axle						
Front (in.)	L104	33.8	33.8	33.8	33.8	33.8
Rear (in.)	L105	49.9	49.9	49.9	49.9	49.9
Ground to Top of Rear Load Floor (in.)	H502	24.3	27.4	27.7	29.0	29.0
Ground Clearance						
Front/Rear (in.)	H148/H153	6.9/6.7	8.1/7.2	8.1/8.0	8.7/8.5	8.7/8.5
Side Load Door						
Sliding (YA2)	H508					
Opening Height (in.)		49.1	49.1	49.1	49.1	49.1
Opening Width (in.)		40.8	40.8	40.8	40.8	40.8
Side Load Door						
Swing-Out (E24)						
Opening Height (in.)		49.1	49.1	49.1	49.1	49.1
Opening Width (in.)						
—Both Doors Open		46.7	46.7	46.7	46.7	46.7
Rear Load Door						
Opening Height (in.)	H202	48.9	48.9	48.9	48.9	48.9
Opening Width (in.)	W204	56.9	56.9	56.9	56.9	56.9
Turning Diameter						
Curb-to-Curb (ft)		45.1	45.2	53.4	47.5	53.5
Track Width (in.) Front/Rear	W101/102	67.7/67.6	67.7/67.6	67.7/67.6	67.7/67.6	67.7/67.6
SIGN PANEL						
AREA (in.)		116.5 x 56.7	116.5 x 56.7	136.5 x 56.7	116.5 x 56.7	136.5 x 56.7
STEP-UP HEIGHT (in.)						
Front Door	H130	16.5	19.0	19.0	20.5	20.6
Second Door	H131	15.5	16.6	18.0	19.5	19.6

INTERIOR DIMENSIONS						
Headroom Front (in.)	H61	40.6	40.6	40.6	40.6	40.6
Legroom Front (in.)	L34	41.1	41.1	41.1	41.1	41.1
Shoulder Room						
Front (in.)	W3	68.8	68.8	68.8	68.8	68.8
Hip Room Front (in.)	W5	63.8	63.8	63.8	63.8	63.8
Load Floor Length w/Front Seats (in.)	L202	127.3	127.3	147.3	127.3	147.3
Inside Width at Beltline (in.)		75.5	75.5	75.5	75.5	75.5
Inside Width between Wheelhousings w/mat (in.)	W201	52.6	52.6	52.5	52.6	52.5
Interior Height (in.)	H505	53.8	53.8	53.8	53.8	53.8
Cargo Volume w/Front Seats (cu ft)		267.3	267.3	316.8	267.3	316.8



.....




EXPRESS INTRODUCTION

EXPRESS

The 1998 Chevrolet Express is offered in three series: G1500, G2500, and G3500. Express also has two trim levels available: "Standard" and "LS."

Some of the major changes to the Express include:

- New Driver's Side Mini Module Airbag
 - 4L60-E Automatic Transmission Enhancements (M30)
 - 4L80-E Automatic Transmission Enhancements (MT1)
 - New PassLock™ Theft Deterrent System
 - New Rear Seatbelt Comfort Guides
 - Four New Exterior Colors
-



EXPRESS

MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1998 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED
EXPRESS								
G1500								
G1500 REGULAR WHEELBASE	CG11406/ ZW9	8/5	4300 V6/A4	— 5000 V8/A4 5700 V8/A4	7100	3600/3968	1028	* * *
G2500								
G2500 REGULAR WHEELBASE	CG21406/ ZW9	12/8	5700 V8/A4	— 6.5L V8/A4	8600	3800/5360	1832	* *
G2500 EXTENDED WHEELBASE	CG21706/ ZW9	12/—	5700V8/A4	—	8600	4100/5360	1701	*
G3500								
G3500 REGULAR WHEELBASE	CG31406/ ZW9	12/8	5700 V8/A4	— 7400 V8/A4 6.5L V8/A4	9500	4300/6084	1695	* * *
G3500 EXTENDED WHEELBASE	CG31706/ ZW9	12/15	5700 V8/A4	— 7400 V8/A4 6.5L V8/A4	9500	4300/6084	1421	* * *

* 1998 trailering information not available at time of publication. The Production and Final Issues of the Tech Guide will have a new trailering chart.



POWERTRAINS

Chevrolet offers a variety of engines, transmissions and rear axle ratios for the Express. The following charts detail basic engine, transmission and axle specifications. See your 1998 Chevrolet Truck Order Guide for specific details.

ENGINES						
	VORTEC 4300 V6	VORTEC 5000 V8	VORTEC 5700 V8	VORTEC 5700 V8 HD	VORTEC 7400 V8 HD	6.5L V8 TURBO DIESEL HD
Order Code	L35	L30	L31	L31	L29	L65
Availability	CG11406	CG11406	CG11406	CG21406/ CG21706 and CG31406/ CG31706	CG31406/ CG31706	CG21406 and CG31406/ CG31706
SAE Net Horsepower @ rpm	200 @ 4400	220 @ 4600	245 @ 4600	250 @ 4600	290 @ 4000	190 @ 3400
SAE Net Torque lb-ft @ rpm	250 @ 2800	280 @ 2800	325 @ 2800	330 @ 2800	410 @ 3200	385 @ 1800
Fuel System	SFI	SFI	SFI	SFI	SFI	Indirect Fuel Injection
Standard Battery Cold Cranking Amps @ 0°F	600	600	600	600	600	2 @ 600 each
Standard Alternator Max. Cap. (Amps)	100	100	100	124	124	124

TRANSMISSIONS		
	ELECTRONIC AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH (4L60-E)	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OD HEAVY DUTY (4L80-E)
Availability	G1500	G2500 and G3500
Order Code	M30	MT1
Application	L35/L30/L31	L31 HD/L29/L65
Gear Ratios		
First	3.06	2.48
Second	1.63	1.48
Third	1.00	1.00
Fourth	0.70	0.75
Reverse	2.29	2.08
Power Take-Off	No	No

REAR AXLES							
Availability	G1500		G2500		G2500 with L65 only and G3500		
Make	GM		GM		GM		
Capacity (lb)	4000 Semi-Floating		5700 Full-Floating		6084 Full-Floating		
Pinion and Ring Gear Type	Hypoid		Hypoid		Hypoid		
Engine Availability ¹	L35 L30 L31	L35 L31	L31	L31	L29	L29/ L31/ L65	L29/ L31/ L65
Axle Ratio Code	GU6	GT4	GT4	GT5	GU6	GT4	GT5
Ratio	3.42	3.73	3.73	4.10	3.42	3.73	4.10
Pinion Teeth	12	11	11	10	12	11	10
Ring Gear Teeth	41	41	41	41	41	41	41
Ring Gear Diameter (in.)	8.6	8.6	9.5	9.5	10.5	10.5	10.5

*Note: Axle ratio availability depends on model, powertrain and emissions selected.
¹Engine applications are heavy duty (HD) at 8600 lb GVWR or above.*



2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40




EXPRESS

TRIM LEVELS

Chevrolet offers the Express Van in two trim levels, "Standard" and "LS." The following chart details major standard features. See your 1998 Chevrolet Truck Order Guide for details.

CHASSIS EQUIPMENT			
KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD (ZW9)	LS (YC6)
BRAKES	Power-assisted, front disc, rear drum.	■	■
EXHAUST	Single.	■	■
FRAME	All-welded ladder-type construction.	■	■
FUEL TANK	31-gallon (approx.) capacity located on the left-hand side, forward of the rear axle and inside the frame rail. Filler located at left rear.	■	■
REAR AXLE	G1500: Hypoid, semi-floating. G2500 and G3500: Hypoid, full-floating.	■	■
SHOCK ABSORBERS	Front and rear: 32mm. (CG11406 is 27mm front and 36mm rear.)	■	■
STABILIZER BAR	Front: 30mm.	■	■
STEERING	Integral power; Speed-Sensitive (EVO)	■	■
SUSPENSION, FRONT	Independent with computer-selected coil springs.	■	■
SUSPENSION, REAR	Semi-elliptic, two-stage multileaf springs.	■	■
EXTERIOR EQUIPMENT			
BUMPERS	Front and rear painted argent. Rear bumper includes entry assist. (Chrome with YC6)	■	■
DOORS	Driver and passenger front side, hinged 60/40 split swing-out side-loading doors and RH and LH swing-out rear load doors.	■	■
DOOR STOPS	Rear door.	■	■
GLASS	Solar-Ray® tinted.	■	■
GRILLE	Composite, painted dark argent. (Uplevel chrome grille on YC6)	■	■
HEADLAMPS	Single halogen. (Dual composite w/YC6)	■	■
HORN	Dual note.	■	■
WHEEL TRIM	Argent painted, with center cap painted black. Argent with chrome trim rings and center cap.	■ —	— ■
LAMP	Retractable underhood lamp.	■	■
MIRRORS	RH and LH below-eyeline type painted black. Head size is 6.5" x 9.0". RH mirror glass is convex.	■	■
MOLDING	Graphite body side.	—	■
SPARE TIRE/WHEEL	Full-size, mounted beneath the vehicle behind the rear axle.	■	■
TIRES	All-season radial blackwall tires. Number and size: G11406 at 7100 GVWR: Five P235/75R15XL G21406/21706 at 8600 GVWR: Five LT225/75R16E G31406/31706 at 9500 GVWR: Five LT245/75R16E	■ ■ ■	■ ■ ■
WHEELS	Five, 15.0" x 7.0" steel wheels on G11406 models. Five, 16.0" x 6.5" steel wheels on G21406, G31406 and G31706 models.	■ ■	■ ■
WIRING	8-wire harness for trailering purposes (includes CHMSL).	■	■
INTERIOR EQUIPMENT			
AIR CONDITIONING	Front.	■	■
ARMRESTS	Inboard armrest on front seats, outboard armrests on rear 3 passenger seats.	—	■
CIGARETTE LIGHTER	Located in instrument panel console extension. Includes ashtray light and one covered auxiliary power outlet.	■	■
COAT HOOK	Three located on driver's side.	■	■
CUPHOLDER	Two located in the instrument panel console extension.	■	■



INTERIOR EQUIPMENT (CONT.)

KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD (ZWB)	LS (YCB)
DOOR LOCKS	Power.	—	■
DOOR TRIM	Front doors include color-keyed cloth trim panels with padded armrest and map pocket.	■	■
FLOOR COVERING	Embossed black vinyl full-width mat over entire floor area and front wheel housings. Full-floor carpeting color-keyed w/floor mats (with Scotchguard™).	■ —	— ■
GAGES	Fuel level, oil pressure, voltmeter, engine temperature, speedometer, and trip odometer.	■	■
HEADLAMP WARNING TONE	Headlamps on.	■	■
HEADLINER	Color-keyed, foam-backed cloth.	■	■
HEATER	Outside air heater with windshield and side window defoggers.	■	■
LIGHTING	3 Dome lamps with defeat switch and door actuated switches.	■	■
PARCEL TRAY	Included on top surface of instrument panel console extension on models with (L29) or (L65) engine only.	■	■
RADIO	Electronically tuned AM/FM stereo radio with seek-scan, digital clock.	■	■
SEATS, FRONT	Two high-back vinyl reclining bucket seats with integral head restraints. Adjust fore and aft.	■	■
SEATS, REAR	Two bench (8 passenger) vinyl.	■	■
SECURITY	PassLock™ theft deterrent system.	■	■
STEERING WHEEL	Black, vinyl.	■	■
STORAGE BIN	Located in instrument panel console extension. Bin pulls out and includes a light. It also includes CD or cassette storage when radio is ordered.	■	■
SUNSHADES	RH and LH padded, color-keyed cloth. Driver's sunshade includes a map strap.	■	■
TOOLS	Includes scissor-type jack and wheel wrench located at RH rear of vehicle.	■	■
WINDOWS	Power.	—	■
WINDSHIELD WIPERS	Intermittent.	■	■
AIR BAGS*	Driver and front seat passenger.	■	■
BRAKES	4-wheel anti-lock brakes (includes brake/transmission shift interlock).	■	■
DOOR BEAMS	Side door guard beams in front and side doors.	■	■
LAMPS	Daytime running lamps/Center high-mounted stoplamp (CHMSL).	■	■
LOCKS	Sliding side door, 60/40 side rear doors and rear load doors include child safety locks.	■	■
SEAT BELTS	Lap and shoulder belts (includes front and rear seat shoulder belt comfort guides).	■	■
STEERING COLUMN	Energy absorbing steering column (also includes anti-theft locking).	■	■

*Always wear your safety belts.



EXPRESS

PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately.) See your 1998 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1998 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Conditioning, Rear (includes 124 amp alternator KW2 and rear heater C36)	C69
Alternator, 124 amp (available only on models less than 8600# GVWR and without C69)	KW2
Alternative Fuel. (reqs L31 engine) N/A CG11406	KL5
Axles, Rear	
3.42	GU6
3.73	QT4
4.10	QT5
Axles, Rear Locking Differential	G80
Cold Climate Package (includes Engine Block Heater)	V10
Convenience Group:	
Tilt-Wheel™ Steering and Electronic Speed Control	ZQ3
Power Door Locks and Power Windows	ZQ2
Door	
Sliding Side	YA2
Emissions	
Federal	FE9
California	YF5
Massachusetts/New York/Connecticut	NG1
Federal Emissions Override	NC7
Cal./Mass./N.Y./CT	NB8
Deep Tinted Glass	AJ1
Engines	
VORTEC 4300 SFI V6	L35
VORTEC 5000 SFI V8	L30
VORTEC 5700 SFI V8	L31
VORTEC 7400 SFI V8	L29
6.5L V8 Turbo Diesel	L65
Floor Covering (Carpet)	B30
Glass	
Deep Tinted	AJ1


GVWR Ratings	
7100 lb	C5Y
8600 lb	C6P
9500 lb	E23
Heater, Auxiliary Rear (included with C69)	C36
Remote Keyless Entry (Req ZQ2 or LS trim)	AU0
License Plate Bracket, Front	VK3
Lighting, Auxiliary (includes reading lamps, additional power outlet on instrument panel, underhood light with retractable cable and stepwell lights)	TR9
Mirrors, Outside Heated Power Remote Control (requires Driver's Convenience Group ZQ2)	DE5
Mirror, Visor (LH and RH illuminated) Req LS trim	DH6
Paint, Exterior	
Solid	ZY1
Radio Equipment	
Antenna, Power (incl w/ULO, UNO or UPO Radio)	U75
ETR AM/FM Stereo Radio w/ Seek-Scan, Digital Clock, w/ Auto Tone Control, Cassette Tape, TheftLock™ and Speed Compensated Volume (Req ZQ2 or LS trim)	ULO
ETR AM/FM Stereo Radio w/ Auto Tone Control, Compact Disc Player, Digital Clock, TheftLock™ and Speed Compensated Volume (Req ZQ2 or LS trim)	UNO
ETR AM/FM Stereo Radio w/ Seek-Scan, Stereo Cassette w/ Search and Repeat, Auto Tone Control, Compact Disc Player, Digital Clock and Speed-Compensated Volume (Req ZQ2 or LS trim)	UPO

ETR AM/FM Stereo Radio w/Seek-Scan Stereo, Cassette Tape and Digital Clock	UM6
Seats	
Driver's, 6-way power adjust (Req AJ1 and ASS)	AG1
Passenger, 6-way power adjust ...	AG2
8-Passenger Seating (Available 21406 and 31406 only)	ZP8
5-Passenger Seating (G11406 only)	ZP5
15-Passenger Seating (G31706 only)	ZP3
Deluxe Cloth Front Buckets (includes cloth armrest, vinyl headrest and map pockets on back of seat)	AS5
Steering Wheel	
Leather Wrapped	NP5
Trailer Package Heavy-Duty (includes hitch platform, HD flasher, eight-wire harness)	Z82
Transmissions	
4-Speed Electronically Controlled Automatic with Overdrive	M30
Heavy-Duty 4-Speed Electronically Controlled Automatic with Overdrive	MT1
Wheel trim (includes trim rings and bright hubcaps)	P06
Wheels, Chrome (Available on G11406 only)	N83
Wheels, Aluminum (Available on G11406 only)	N90
Wheel Delete	
Deletes spare tire and wheel, spare tire hoist, jack and tools	ZX9

TIRES

KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		FRONT/REAR/SPARE
P235/75R15XL	ALS/SBR/BW	XHA
P235/75R15XL	ALS/SBR/WW	XHB
P235/75R15	ALS/SBR/WOL	XHM
LT225/75R16E	ALS/SBR/BW	XHF
LT245/75R16E	ALS/SBR/BW	XHH



DIMENSIONS

SERIES	G1500		G2500		G3500	
MODEL	EXPRESS REGULAR WHEELBASE		EXPRESS REGULAR WHEELBASE	EXPRESS EXTENDED WHEELBASE	EXPRESS REGULAR WHEELBASE	EXPRESS EXTENDED WHEELBASE
MODEL NUMBER	CG11406/ZW9		CG21406/ZW9	CG21706/ZW9	CG31406/ZW9	CG31706/ZW9
EXTERIOR DIMENSIONS						
BODY						
Wheelbase (in.) L101	135.0	135.0	155.0	135.0	155.0	
Overall Length (in.) L103	218.7	218.7	238.7	218.7	238.7	
Overall Height (in.) H431	(7100 GVWR) 80.7	(8600 GVWR) 82.7	(8600 GVWR) 81.3	(9500 GVWR) 83.3	(9500 GVWR) 82.1	
Maximum Width (in.) W103	79.4	79.2	79.2	79.4	79.2	
Bumper to Axle						
Front (in.) L104	33.8	33.8	33.8	33.8	33.8	
Rear (in.) L105	49.9	49.9	49.9	49.9	49.9	
Ground to Top of Rear Load Floor (in.) H502	25.6	27.6	27.6	28.3	28.3	
Ground Clearance Front/Rear (in.) H148/H153	7.4/7.2	8.2/8.0	8.1/8.0	8.7/8.5	8.7/8.5	
Side Load Door Sliding (YA2)						
Opening Height (in.) H508	49.1	49.1	49.1	49.1	49.1	
Opening Width (in.) L508	40.8	40.8	40.8	40.8	40.8	
Side Load Door Swing-Out (E24)						
Opening Height (in.)	49.1	49.1	49.1	49.1	49.1	
Opening Width (in.) L508						
—Both Doors Open	46.7	46.7	46.7	46.7	46.7	
Rear Load Door						
Opening Height (in.) H202	48.9	48.9	48.9	48.9	48.9	
Opening Width (in.) W204	56.9	56.9	56.9	56.9	56.9	
Turning Diameter Curb-to-Curb (ft)	45.2	47.4	53.4	47.5	53.5	
Track Width (in.) Front/ Rear W101/102	67.7/67.6	67.7/67.6	67.7/67.6	67.7/67.6	67.7/67.6	
STEP-UP HEIGHT (in.)						
Front Door H130	17.4	19.6	20.7	20.2	20.3	
Second Door H131	16.4	16.6	19.7	19.2	19.3	

INTERIOR DIMENSIONS						
Headroom (in.) Front/Middle/Rear H61/H63/H86	40.6/39.0/39.1	40.6/39.0/39.1	40.6/39.0/39.1	40.6/39.0/39.1	40.6/39.0/39.1	
Legroom (in.) Front/Middle/Rear L34/L51/L86	41.1/38.5/38.5	41.1/38.5/38.5	41.1/38.5/38.5	41.1/38.5/38.5	41.1/38.5/38.5	
Shoulder Room (in.) Front/Middle/Rear W3/W4/W85	68.8/57.6/57.4	68.8/57.6/57.4	68.8/57.6/57.4	68.8/57.6/57.4	68.8/57.6/57.4	
Hip Room (in.) Front/Middle/Rear W5/W6/W86	63.8/55.5/56.1	63.8/55.5/56.2	63.8/55.5/55.5	63.8/55.5/56.1	63.8/55.5/55.5	
Load Floor Length w/Front/Middle/Rear Seats (in.) L202/L203/L509	127.3/88.0/56.0	127.3/88.0/56.0	147.3/108.0/76.0	127.3/88.0/56.0	147.3/108.0/76.0	
Inside Width at Beltline (in.)	75.5	75.5	75.5	75.5	75.5	
Inside Width between Wheelhousings (in.) W201	52.6	52.6	52.5	52.6	52.5	
Interior Height (in.)	53.8	53.8	53.8	53.8	53.8	
Cargo Volume (cu ft) w/Front Seat	267.3	267.3	316.8	267.3	316.8	

