



1 9 9 3 F I N A L U P D A T E



C H E V R O L E T

L I G H T - D U T Y T R U C K T E C H N I C A L G U I D E

J A N U A R Y 1 9 9 3 , V O L U M E I I I

# C/K PICKUP

## MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your needs. Note that the Maximum Payload is based on curb weight. Also, the Maximum Gross Trailer Weight is based on vehicles that are properly equipped. See your 1993 Chevrolet Truck Order Guide for details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LBS.)	GAWR (LBS.) FRONT/ REAR	MAXIMUM PAYLOAD (LBS.) BASED ON CURB WT.	MAX. GROSS TRAILER WT./ TONGUE LOAD (LBS.) PROPERLY EQUIPPED
<b>TWO-WHEEL DRIVE MODELS</b>								
<b>C1500 REGULAR CAB</b>								
<b>SPORTSIDE SHORT BOX</b>	CC10703/E62	3/2	4.3L V6/M5	4.3L V6/A4 5.0L V8/M5/A4 5.7L V8/M5/A4	5600	2950/3404	1871	5000/600 6000/720 7500/900
<b>FLEETSIDE SHORT BOX</b>	CC10703/E63	3/2	4.3L V6/M5	4.3L V6/A4 5.0L V8/M5/A4 5.7L V8/M5/A4	5600	2950/3404	1894	5000/600 6000/720 7500/900
<b>FLEETSIDE 454 SS SHORT BOX</b>	CC10703/E63/ B4U	2/-	7.4L V8/A4	—	5600	3150/3404	1292	6000/720
<b>FLEETSIDE LONG BOX WT1500</b>	CC10903/E63/ VLA/YET	3/-	4.3L V6/M5	4.3L V6/A4	5600	2950/3404	1747	5000/600
	CC10903/E63/ VLA/YFL	3/-	4.3L V6/M5	4.3L V6/A4	6100	3150/3686	2231	5000/600
<b>FLEETSIDE LONG BOX</b>	CC10903/E63/ YET or YEV	3/2	4.3L V6/M5	4.3L V6/A4 5.0L V8/M5/A4 5.7L V8/M5/A4	5600	2950/3404	1747	5000/600 6000/720 7500/900
<b>FLEETSIDE LONG BOX HD</b>	CC10903/E63 (Reqs. YFL, YFM, YFN or YCN tires)	3/2	4.3L V6/M5	4.3L V6/A4 5.0L V8/M5/A4 5.7L V8/M5/A4 6.2L V8/M5/A4	6100	3150/3686	2231	5000/600 6000/720 7500/900 5000/600
<b>C1500 EXTENDED CAB</b>								
<b>SPORTSIDE SHORT BOX</b>	CC10753/E62	6/5/3	4.3L V6/M5	4.3L V6/A4 5.0L V8/M5/A4 5.7L V8/M5/A4 6.2L V8/M5/A4	6200	3500/3686	2177	5000/600 6000/720 7500/900 5000/600
<b>FLEETSIDE SHORT BOX</b>	CC10753/E63	6/5/3	4.3L V6/M5	4.3L V6/A4 5.0L V8/M5/A4 5.7L V8/M5/A4 6.2L V8/M5/A4	6200	3500/3686	2200	5000/600 6000/720 7500/900 5000/600
<b>FLEETSIDE LONG BOX</b>	CC10953/E63	6/5/3	4.3L V6/M5	4.3L V6/A4 5.0L V8/M5/A4 5.7L V8/M5/A4 6.2L V8/M5/A4	6200	3500/3686	2051	5000/600 6000/720 7500/900 5000/600
<b>C2500 REGULAR CAB</b>								
<b>FLEETSIDE LONG BOX</b>	CC20903/E63	3/2	4.3L V6/M5	4.3L V6/A4 5.0L V8/M5/A4 5.7L V8/M5/A4 6.2L V8/M5/A4	7200 7200	3150/4670 3400/4800	3172	6000/720 8000/960 8500/1000 6500/780
<b>FLEETSIDE LONG BOX HD</b>	CC20903/E63/ C6P/ YHH or YGK	3/2	4.3L V6/M5	4.3L V6/A4 5.7L V8/M5/A4 7.4L V8/M5/A4 6.2L V8/M5/A4 6.5L V8/M5/A4	8600	3600/6000	4178	6500/780 10000/1000 10000/1000 8000/960 9500/1000

See the following pages for additional 2- and 4- Wheel Drive Models.

# S-10 PICKUP

1993

## MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Note that the Maximum Payload is based on curb weight. Also, the Maximum Gross Trailer Weight is based on vehicles that are properly equipped. See your 1993 Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LBS.)	GAWR (LBS.) FRONT/ REAR	MAXIMUM PAYLOAD (LBS.) BASED ON CURB WT.	MAX. GROSS TRAILER WT./ TONGUE LOAD (LBS.) PROPERLY EQUIPPED
<b>TWO-WHEEL DRIVE MODELS</b>								
<b>S-10 4x2 REGULAR CAB PICKUPS</b>								
S-10 EL SHORT BOX	CS 10603/ E63/X81	3/—	2.5L L4/M5	2.5L L4/A4	4200	2500/2300	1565	2000/200
S-10 SHORT BOX	CS 10603/ E63/X96	3/2	2.5L L4/M5	2.5L L4/A4 2.8L V6/M5 4.3L V6/M5/A4	4200	2500/2300	1511	2000/200 2000/200 2000/200
S-10 SHORT BOX W/OPT. HD REAR SPRINGS	CS 10603/ E63/X96/G51	3/2	2.5L L4/M5	2.5L L4/A4 2.8L V6/M5 4.3L V6/M5/A4	4600	2500/2700	1884	2000/200 2000/200 6000/750
S-10 LONG BOX	CS 10803/ E63	3/2	2.5L L4/M5	2.5L L4/A4 2.8L V6/M5 4.3L V6/M5/A4	4200	2500/2300	1427	2000/200 2000/200 2000/200
S-10 LONG BOX W/OPT. HD REAR SPRINGS	CS 10803/ E63/G51	3/2	2.5L L4/M5	2.5L L4/A4 2.8L V6/M5	4600	2500/2700	1809	2000/200 2000/200
S-10 LONG BOX W/OPT. HD REAR SPRINGS AND OPT. 4.3L V6 ENG.	CS 10803/ E63/G51/LB4	3/2	4.3L V6/M5	4.3L V6/A4	4900	2500/2700	1901	6000/750
<b>S-10 4x2 EXTENDED CAB PICKUPS</b>								
S-10 EXTENDED CAB SHORT BOX	CS 10653/ E63	3/2/4	2.5L L4/M5	2.5L L4/A4 2.8L V6/M5 4.3L V6/M5/A4	4200	2500/2300	1366	2000/200 2000/200 2000/200
S-10 EXTENDED CAB SHORT BOX W/OPT. HD REAR SPRINGS	CS 10653/ E63/G51	3/2/4	2.5L L4/M5	2.5L L4/A4 2.8L V6/M5 4.3L V6/M5/A4	4600	2500/2700	1749	2000/200 2000/200 6000/750
<b>FOUR-WHEEL DRIVE MODELS</b>								
<b>S-10 4x4 REGULAR CAB PICKUPS — Maximum trailer weight reduced by 1000 pounds with P235/75R15 tires (QEB)</b>								
S-10 EL SHORT BOX	CT 10603/ E63/X81	3/—	4.3 V6/M5	4.3L V6/A4	4650	2700/2300	1415	2000/200
S-10 SHORT BOX	CT 10603/ E63/X96	3/2	4.3 V6/M5	4.3 V6/A4	4650	2700/2300	1399	2000/200
S-10 SHORT BOX W/OPT. HD REAR SPRINGS	CT 10603/ E63/X96/G51	3/2	4.3 V6/M5	4.3 V6/A4	5150	2700/2700	1892	5750/700
S-10 LONG BOX	CT 10803/E63	3/2	4.3L V6/M5	4.3L V6/A4	4650	2700/2300	1355	2000/200
S-10 LONG BOX W/OPT. HD REAR SPRINGS	CT 10803/ E63/G51	3/2	4.3L V6/M5	4.3L V6/A4	5150	2700/2700	1848	5750/700
<b>S-10 4x4 EXTENDED CAB PICKUPS — Maximum trailer weight reduced by 1000 pounds with P235/75R15 tires (QEB)</b>								
S-10 EXTENDED CAB SHORT BOX	CT 10653/ E63	3/2/4	4.3 V6/M5	4.3L V6/A4	4650	2700/2300	1283	2000/200
S-10 EXTENDED CAB SHORT BOX W/OPT. HD REAR SPRINGS	CT 10653/ E63/G51	3/2/4	4.3 V6/M5	4.3L V6/A4	5150	2700/2700	1776	5500/700



# S-10 PICKUP

## POWERTRAINS

Chevrolet offers a variety of engines, transmissions and axle ratios for the S-10 Pickup. The following charts detail basic engine, transmission and axle specifications. See your 1993 Chevrolet Truck Order Guide for specific details.

ENGINES			
	2.5L L4	2.8L V6	4.3L V6
Engine Order Code	L38	LL2	LB4
Availability	S-10 4x2 only	S-10 4x2 only	All models except EL 4x2
SAE Net Horsepower @ rpm	105 @ 4800	125 @ 4800	165 @ 4000
SAE Net Torque lbs-ft @ rpm	135 @ 3200	150 @ 2400	235 @ 2400
Fuel System	TBI	TBI	TBI
Clutch Size (in.)	9.13	9.13	11.02
Standard Battery Cold Cranking Amps @ 0° F	525	525	525
Standard Alternator Max. Cap. (Amps)	96	100	100

TRANSMISSIONS					
	MANUAL			AUTOMATIC	
	MANUAL 5-SPEED W/OVERDRIVE (MW1)	MANUAL 5-SPEED W/OVERDRIVE (ML3)	MANUAL 5-SPEED W/OVERDRIVE (NVG3500) (MY2)	AUTOMATIC 4-SPEED W/OVERDRIVE (4L60) (MD8)	ELECTRONIC AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH (4L60-E) (M30)
Transmission Order Code	MM5	MM5	MM5	MX0	MX0
Engine Application (Order Code)	2.5L L4 (L38)	2.8L V6 (LL2)	4.3L V6 (LB4)	2.5L L4 (L38)	4.3L V6 (LB4)
Synchronized Speeds	1/2/3/4/5	1/2/3/4/5	—	—	—
Gear Ratios					
First	4.03	3.76	4.02	3.06	3.06
Second	2.37	2.18	2.32	1.63	1.63
Third	1.49	1.42	1.40	1.00	1.00
Fourth	1.00	1.00	1.00	0.70	0.70
Fifth	0.86	0.72	0.83	—	—
Reverse	3.76	3.76	3.74	2.29	2.29
Shaft Center Distance (mm)	77	77	85	—	—

AXLES								
	REAR AXLE						FRONT AXLE (4X4 ONLY)	
	4.3L V6		2.8L V6/4.3L V6		2.5L L4/2.8L V6		4.3L V6	
Make	GM						GM	
Capacity (lbs.)	2900						2700	
Pinion and Ring Gear Type	Hypoid						Hypoid	
Engine Availability	4.3L V6		2.8L V6/4.3L V6		2.5L L4/2.8L V6		4.3L V6	
Axle Ratio Code	GU2	GU4	GU6	GT4	GT5	GU4	GU6	
Ratio	2.73	3.08	3.42	3.73	4.10	3.08	3.42	
Pinion Teeth	15	13	12	11	10	13	12	
Ring Gear Teeth	41	40	41	41	41	40	41	
Ring Gear Diameter (in.)	7.62	7.62	7.62	7.62	7.62	7.25	7.25	

Note: Axle Ratio availability depends on model, powertrain and emissions selected. See your 1993 Chevrolet Truck Order Guide for details.



# S-10 PICKUP

## TRIM LEVELS

Chevrolet offers S-10 Pickup in three trim levels: "EL," "Standard" and "Tahoe." The following chart details major standard features. See your 1993 Chevrolet Truck Order Guide for specific details.

CHASSIS EQUIPMENT				
KEY: ■ = STANDARD, — = NOT INCLUDED		EL (X81)	STANDARD (BASE)	TAHOE (YC2)
<b>BRAKES</b>	Power Assisted; front disc, rear drum. Includes rear-wheel anti-lock system that operates in 2-wheel drive only.	■	■	■
<b>FRAME</b>	All-welded ladder-type, channel design and boxed front-end section.	■	■	■
<b>FUEL TANK</b>	13 gallon (approx.) capacity, 4x2 only. 20 gallon (approx.) capacity.	■	—	—
<b>REAR AXLE</b>	Hypoid, semi-floating.	■	■	■
<b>SHOCK ABSORBERS</b>	Front: 25mm; Rear: 25mm.	■	■	■
<b>STABILIZER BAR</b>	4x2: Front 0.98-inch 4x4: Front 1.10-inch.	■	■	■
<b>STEERING</b>	4x2 Regular Cab: Manual. 4x2 Extended Cabs: Integral power. 4x4 Regular and Extended Cab: Integral Power.	■ — ■	■ ■ ■	■ ■ ■
<b>SUSPENSION, FRONT</b>	4x2: Independent with computer-selected coil springs. 4x4: Independent with computer-selected torsion bars.	■ ■	■ ■	■ ■
<b>SUSPENSION, REAR</b>	Two-stage semi-elliptic multi-leaf springs.	■	■	■
<b>TOW HOOKS</b>	Two front mounted on 4x4 only.	■	■	■

EXTERIOR EQUIPMENT				
<b>AIR DAM</b>	Black.	■	■	■
<b>BUMPER, FRONT</b>	Black. Chrome w/black rub strip.	■ —	■ —	— ■
<b>BODY SIDE MOLDINGS</b>	Black plastic.	—	—	■
<b>GRILLE</b>	Black plastic. Chrome and gray.	■ —	■ —	— —
<b>HEADLAMPS</b>	Single rectangular halogen.	■	■	■
<b>HORN</b>	Dual note.	■	■	■
<b>INSULATION</b>	Under hood.	■	■	■
<b>LAMP</b>	Engine compartment.	■	■	■
<b>MIRRORS</b>	Black RH and LH fixed with adjustable heads. Head size 4.0" x 6.5." Black RH and LH below-eye-line-type. Head size 6.0" x 7.0."	■ —	■ —	— ■
<b>MOLDING</b>	Black windshield. Bright wheel opening lip.	■ —	■ —	■ ■
<b>SPARE TIRE AND WHEEL</b>	Compact tire and steel wheel. Full-size spare tire and wheel (match standard tire and wheel).	■ —	— ■	— ■
<b>SPARE TIRE CARRIER</b>	Winch-type carrier mounted under frame at rear.	■	■	■
<b>TIRES</b>	4x2: P195/75R14 BW all-season steel-belted radials. 4x4: P205/75R15 BW all-season steel-belted radials.	■ ■	■ ■	■ ■
<b>WHEELS</b>	4x2: 14.0" x 6.0" steel painted silver. Includes bright metal hub covers. 4x4: 15.0" x 6.0" steel painted silver. 4x2: 14.0" x 6.0" Rally with black rims with silver accents and trim rings. Includes black center insert with gold "bow tie." 4x4: 15.0" x 6.0" steel painted argent with trim rings.	■ ■ — —	■ ■ — —	— — ■ ■
<b>WINDOWS</b>	Extended Cab: Swing-out quarter windows.	—	—	■

INTERIOR EQUIPMENT				
<b>ARMRESTS</b>	RH and LH padded integral with door panels.	■	■	■
<b>CAB BACK PANELS</b>	Extended Cab models only; carpeted.	—	—	■
<b>CIGARETTE LIGHTER</b>	Located on instrument panel. Includes ashtray light.	■	■	■
<b>CONVENIENCE NET</b>	Extended Cab only.	—	—	■
<b>DOME LAMP</b>	Switches in RH and LH door jambs.	■	■	■
<b>DOOR SILL PLATE</b>	Black.	■	■	■
<b>DOOR PANELS</b>	Color-keyed plastic with integral armrests and map pockets. Upper inserts match seat material, carpeted lower insert and coin holder in LH door.	■ —	■ —	— ■
<b>FLOOR COVERING</b>	Embossed black rubber mat. Color-keyed full floor carpeting and front floor mats.	■ —	■ —	— ■





# S-10 PICKUP

INTERIOR EQUIPMENT (CONT.)		EL (X81)	STANDARD (BASE)	TAHOE (YC2)
<b>KEY: ■ = STANDARD, -- = NOT INCLUDED</b>				
<b>GAGES</b>	Including voltmeter, oil pressure and engine temperature gages, trip odometer and speedometer, warning lights for seat belts, parking brake, direction/hazard signals and high beam.	■	■	■
<b>HANDLE, GRAB</b>	4x4 only, located above RH door.	■	■	■
<b>HEADLAMP WARNING BUZZER</b>	Headlamps on.	■	■	■
<b>HEATER</b>	Deluxe with side window defoggers.	■	■	■
<b>HEADLINER</b>	Regular Cab: Color-keyed cloth with partial roof coverage. Extended Cab: Color-keyed cloth with full roof coverage. Regular Cab: Color-keyed cloth with full roof coverage.	■ -- --	■ ■ --	■ ■ ■
<b>INSULATION</b>	Provided on dash panel, doors, roof, under hood and front floor. Extended Cabs have full floor insulation. Additional insulation on cab back, hood and cowl-to-fender seals.	■ --	■ --	■ ■
<b>MIRRORS</b>	10-inch rearview. Lighted 10-inch rearview mirror with illuminated entry feature and dual reading lamps.	■ --	■ --	■ --
<b>RADIO</b>	None. ETR AM w/two 4.0" x 6.0" front dash speakers, digital clock and fixed mast antenna.	■ --	■ --	■ --
<b>SEATS</b>	3-passenger front bench with folding backrest and head restraints and choice of Custom Vinyl or Custom Cloth trim. Extended Cab only: 2-passenger front reclining high back bucket seats in Custom Vinyl. Includes console. Also includes floor tray with an auxiliary power outlet.	■ --	■ --	■ ■
<b>STEERING WHEEL</b>	Four-spoke, black deluxe.	■	■	■
<b>STORAGE BOX</b>	RH side of instrument panel with door activated light.	■	■	■
<b>SUNSHADES</b>	RH and LH padded, color-keyed with fold-down flap. Dual with extenders, RH and LH illuminated vanity mirrors and strap.	■	■	■
<b>TOOLS</b>	Mechanical jack and wheel wrench located in storage compartment on floor behind front seat.	■	■	■
<b>WINDOWS</b>	Solar-Ray light tinted glass.	■	■	■

## PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately). See your 1993 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

## OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1993 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold**.

Air Conditioning .....	<b>C60</b>	Federal .....	<b>NA5</b>	Paint, Exterior:	
Air Dam w/Fog Lamps (4 x 2 only) .....	<b>ANL</b>	High Altitude .....	<b>NA6</b>	Solid .....	<b>ZY1</b>
Axle, Rear Locking Differential .....	<b>G80</b>	Engines:		Special Two-Tone .....	<b>ZY3</b>
Battery, Heavy-Duty (630 CCA, included w/V10 Cold Climate Package) .....	<b>UA1</b>	2.5L TBI L4 .....	<b>L38</b>	Custom Two-Tone .....	<b>ZY5</b>
Bumper, Rear Step .....	<b>VF6</b>	2.8L TBI V6 .....	<b>LL2</b>	Radio Equipment:	
Cold Climate Package (includes heavy-duty battery, engine block heater, enhanced antifreeze protection, full dash, door insulation, extra floor insulation and backlite moldings. Also includes full floor carpet B30 w/o Tahoe trim YC2) .....	<b>V10</b>	4.3L TBI V6 .....	<b>LB4</b>	Radio Delete .....	<b>UL5</b>
Console (requires bucket seats) .....	<b>D55</b>	Floor Covering, Carpet (full floor; N/A YC2) .....	<b>B30</b>	ETR AM Radio w/Digital Clock ("EL" only) .....	<b>UT5</b>
Cooling System, Heavy Duty (requires LB4 engine; includes radiator and engine oil coolers; w/automatic transmission, also includes transmission oil cooler) .....	<b>V08</b>	Floor Covering, Full, rubber, charcoal (replaces carpeting, Reqs. YC2) .....	<b>BG9</b>	ETR AM/FM Stereo Radio w/Seek-Scan/Stereo Cassette/Digital Clock .....	<b>UM6</b>
Convenience Package, Driver's (includes Comfort/Tilt steering and intermittent wipers) .....	<b>ZM7</b>	Glass, Deep Tinted, rear (Extended Cab includes swing-out windows A20; N/A A28 window) .....	<b>AJ1</b>	ETR AM/FM Stereo Radio w/Seek-Scan/Digital Clock .....	<b>UM7</b>
Convenience Package, Operating (includes power door locks and power windows) ....	<b>ZQ2</b>	Harness, Wiring (five-lead w/heavy-duty flasher; N/A Z82) .....	<b>U89</b>	ETR AM/FM Stereo Radio w/Seek-Scan/Stereo Cassette w/Search/Repeat, Graphic Equalizer/Digital Clock .....	<b>UX1</b>
Emissions Systems:		Instrumentation, Electronic (electronic readout voltmeter, temperature, oil pressure, fuel, speedometer, tachometer; N/A L38) .....	<b>U52</b>	ETR AM/FM Stereo Radio w/Digital Clock, Seek-Scan, Compact Disc Player and Four Speakers .....	<b>U1C</b>
California .....	<b>YF5</b>	Mirrors, Exterior Below-Eye-Line Type, Black (included w/Tahoe trim, mirror head: 6.0" x 7.0") .....	<b>D44</b>	Seating, Vinyl Rear Jump Seats (requires front bucket seats, Extended Cab only) ....	<b>AJ2</b>
		Mirrors, Exterior Electric Remote .....	<b>D48</b>	Shield Package (4x4 only. Includes transfer case and front differential skid plates, fuel tank and steering linkage shields) .....	<b>ZM5</b>
		Moldings, Wheel Opening, Black .....	<b>B74</b>	Shock Absorbers, Heavy-Duty (32 mm front and rear) .....	<b>F51</b>
		Option Package, ("EL" only; rear step bumper, 20-gallon fuel tank on 2WD only, full-size spare tire/wheel) .....	<b>X97</b>	Speed Control, Electronic .....	<b>K34</b>
				Springs, Front Heavy-Duty (includes heavy-duty shock absorbers) .....	<b>F60</b>



v

■



# S-10 PICKUP

## S-10 PICKUP OPTIONS (CONT.)

Springs, Rear Heavy-Duty ..... <b>G51</b>	Transfer Case, Electronic Shift (4x4 only), instrument panel-mounted shift selection switch ..... <b>NP1</b>	Trim, Blackout Package (Includes 80° black grille, body color bumpers with rub strips and black wheel lip moldings) (Reqs. YC2) ..... <b>ZQ9</b>
Steering, Power Not Desired (manual; 4x2 only w/L38 engine) ..... <b>N51</b>		Wheel Trim (trim rings) ..... <b>P06</b>
Steering, Power ..... <b>N40</b>	Transmissions:	Wheels, Cast Aluminum (4x2 only) ..... <b>PA3</b>
Suspension Package, Off-Road (4x4 only. Includes gas shocks, larger torsion bars, jounce bumpers, heavy-duty stabilizer bar, larger body mounts) ..... <b>ZM6</b>	5-speed manual OD w/2.5L L4 ..... <b>MM5 (MW1)</b>	Wheels, Aluminum Argent (4x2 only) ..... <b>N60</b>
Trailer Special Equipment (includes seven-lead wiring harness, heavy-duty flasher, weight distributing hitch platform and V08 heavy-duty cooling w/LB4 engine) ..... <b>Z82</b>	5-speed manual OD w/2.8L V6 ..... <b>MM5 (ML3)</b>	Wheels, Cast Aluminum (4x4 only) ..... <b>N90</b>
	5-speed manual OD w/4.3L V6 ..... <b>MM5 (MY2)</b>	Wheels, Rally (14"x6" steel, w/trim rings) ..... <b>ZJ7</b>
	4-speed automatic OD w/2.5L L4 ..... <b>MX0 (MD8)</b>	Wheels, Special Aluminum (4x4 only) ..... <b>5P2</b>
	Electronic automatic 4-speed OD w/ torque converter clutch ..... <b>MX0 (M30)</b>	Window, Sliding Rear ..... <b>A28</b>

TIRES		
KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED		
TIRE DESCRIPTION		ORDERING CODE
P195/75R14 BW (4X2)	AS/SBR/BW	QMW
P205/75R14 BW (4X2)	AS/SBR/BW	QFT
P205/75R14 WL (4X2)	AS/SBR/WL	QSA
P215/65R15 WL (4X2)	HWY/SBR/WL	QPP
P205/75R15 BW (4X4)	AS/SBR/BW	QCE
P205/75R15 WOL (4X4)	ON-OFF/SBR/WOL	QJL
P235/75R15 WOL (4X4)	ON-OFF/SBR/WOL	QEB

## SPECIAL EQUIPMENT OPTIONS

The following special equipment is installed at the assembly plant. See your 1993 SEO catalog for specific availability and restrictions.

SPECIAL EQUIPMENT OPTIONS		
	LEAD TIME (DAYS)	OPTION CODE
Anti-Freeze, Permanent (ethylene glycol protection to -34F)	0	8B3
Carrier, Spare Tire (4x2 only, mounted inside pickup box behind driver)	42	5Y1
Deletion, End Gate Assembly	0	9Q7
Deletion, Jack with Tools	42	8V2
Heater, Engine Block	42	8U4
Label, Fasten Seat Belts	0	8X1
Mirror, Outside Rearview (Velvac 6.5" x 6" wide angle and 6.5" x 6" plain — painted white, driver and passenger)	49	6M1
Mirror, Outside Rearview (Velvac 6.5" x 6" wide angle and 6.5" x 6" plain — stainless steel, driver and passenger)	42	6L8
Paints: Solid.		
Orange, Tangier WE9417	0	9W4
Yellow, Wheatland WE9418	0	9W3
Green, Woodland WE7156	0	9V5
Tan, Doeskin WE8265	0	9V9
Shock Absorbers, Front and Rear (Bilstein, 32mm gas pre-loaded)	42	8X3
Spare Tire, Wheel and Carrier Deletion	42	6M9
Tires:		
Tires, Puncture Sealant		
P205/75R15 Tubeless Steel-Belted Radial	42	P42
White Stripe All-Season 5 (4x4 only. Requires P42)	42	5CG
P235/75R15 Tubless Steel-Belted Radial		
On/Off Road White Outlined 5 (4x4 only. Requires P42)	42	5EB



# S-10 PICKUP

## DIMENSIONS

MODEL	S-10 (REGULAR CAB)	S-10 (REGULAR CAB)	S-10 (EXTENDED CAB)	S-10 (REGULAR CAB)	S-10 (REGULAR CAB)	S-10 (EXTENDED CAB)
MODEL NUMBER	CS10603/E63 X81/X96	CS10803/E63	CS10653/E63	CT10003/E63 X81/X96	CT10803/E63	CT10653/E63
<b>EXTERIOR DIMENSIONS</b>						
<b>BODY</b>						
Wheelbase (in.)	108.3	117.9	122.9	108.3	117.9	122.9
Overall Length (in.)	178.2	194.2	192.8	178.2	194.2	192.8
Overall Height (in.)	61.3	61.3	61.3	63.4	63.4	63.4
Maximum Width (in.)	64.7	64.7	64.7	64.7	64.7	64.7
Bumper to Axle (in.)						
Front	30.6	30.6	30.6	30.6	30.6	30.6
Rear	39.3	45.6	39.3	39.3	45.6	39.3
Cab Axle (in.)	38.7	48.3	38.7	38.7	48.3	38.7
Cab To End of Frame (in.)	74.2	90.1	74.2	74.2	90.1	74.2
Bumper To Back of Cab (in.)	100.2	100.2	114.8	100.2	100.2	114.8
Ground to Top of Rear Load Floor (in.)	28.3	28.1	28.0	29.6	28.1	29.3
Ground Clearance (in.)						
Front	7.0	7.0	7.0	7.8	7.8	7.8
Rear	6.8	6.8	6.8	8.1	8.1	8.1
Turning Diameter Curb-to-Curb (ft.)	36.8	39.7	41.1	37.8	40.5	42.1
<b>CARGO BOX</b>						
Length (in.)	73.1	89.0	73.1	73.1	89.0	73.1
Inside Width at Top Rear (in.)	54.6	54.6	54.6	54.6	54.6	54.6
Inside Width at Floor (in.)	59.1	59.1	59.1	59.1	59.1	59.1
Inside Width at Wheelhousing (in.)	39.9	39.9	39.9	39.9	39.9	39.9
Inside Height (in.)	15.9	15.9	15.9	15.9	15.9	15.9
Tailgate Width (in.)	53.6	53.6	53.6	53.6	53.6	53.6
Cargo Volume (cu. ft.)	38.8	47.1	38.8	38.8	47.1	38.8
<b>SIGN PANEL AREA (in.)</b>	12.75 x 45	12.75 x 45	12.75 x 64	12.75 x 45	12.75 x 45	12.75 x 64
<b>INTERIOR DIMENSIONS</b>						
<b>Cab</b>						
Headroom (in.)	39.1	39.1	39.1	39.1	39.1	39.1
Legroom (in.)	42.5	42.5	42.5	42.5	42.5	42.5
Shoulder Room (in.)	54.2	54.2	54.2	54.2	54.2	54.2
Hip Room (in.)	51.0	51.0	51.0	51.0	51.0	51.0
Cargo Volume (cu. ft.) (in-cab storage area w/ and w/o jumpseat)	—	—	13.7/18.4	—	—	13.7/18.4



4  
.  
3

