
S-10 PICKUP INTRODUCTION

S-10 PICKUP

The 1995 Chevrolet S-10 Pickup is available in both *regular and extended-cab versions, in two-wheel or four-wheel drive configurations*. The S-10 Pickup is available in two trim levels: the "Standard" trim and the luxury-level "LS" trim.

Changes on the S-10 Pickup for 1995 include:

- 2.2L (LN2) Engine enhancements
- 4.3L V6 Engine enhancements
- A Wide Stance Sport Performance package (ZR2) for the T10653 model provides a unique frame for a 100 mm wider track than the standard model. This package includes extra-wide wheelhouse flares *on front and rear*, as well as unique front fender and pickup box outer panels
- 2-sided Key for simplified entry and key lockup of vehicle is standard on all models.
- Standard Below-Eye-Line Exterior Rearview Mirror
- Standard Driver's Air Bag
- Standard ETR AM/FM Stereo with digital clock
- Optional 60/40 split bench includes armrest with storage compartments and dual cupholders
- Manually adjusted lumbar support control is added to driver and passenger bucket seats (AV5)
- New sunshades include a storage strap on the driver's side. Passenger side receives a vanity mirror on base trim—YC3 includes slider extensions and driver and passenger illuminated vanity mirrors
- Automatic transmission improved for a smoother shift
- Improved cable operation on Cruise Control
- Improved Chassis Packages
- New 15" x 7" Steel Wheels and Hub Caps for 4WD and new 15" x 7" Aluminum Wheels and Hub Caps for 4WD uplevel trims
- Standard P205/75R15 Tires
- Optional Remote Keyless Entry
- New Backlit Power Window and Door Lock Switches
- New 7-wire Trailing Wire Harness
- Standard Daytime Running Lamps.

MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Note that the Maximum Payload is based on curb weight. Also, the Maximum Gross Trailer Weight is based on vehicles that are properly equipped. See your 1995 Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	MAXIMUM PAYLOAD (LB) BASED ON CURB WT.	MAX. GROSS TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED
TWO-WHEEL-DRIVE MODELS								
S-10 4x2 REGULAR-CAB PICKUPS								
S-10 SHORT BOX	CS 10603/E63 Z83/QCE/QCA	3/2	2.2L L4/M5	2.2L L4/A4 4.3L V6/M5/A4 4.3L V6/A4 ¹	4200	2500/2300	1257	2000/200 6000/750 6000/750
S-10 SHORT BOX W/OPT. CHASSIS PACKAGE	CS 10603/E63 Z85/QCE/QCA or ZQ8/QPP	3/2	2.2L L4/M5	2.2L L4/A4 4.3L V6/M5/A4 4.3L V6/A4 ¹	4600	2500/2700	1654 (Z85) 1631 (ZQ8)	2000/200 6000/750 6000/750
S-10 LONG BOX	CS 10803/E63 Z85/QCE/QCA	3/2	2.2L L4/M5	2.2L L4/A4	4600	2500/2700	1606	2000/200
S-10 LONG BOX	CS 10803/E63 Z85/QCE/QCA	3/2	4.3L V6/M5	4.3L V6/A4 4.3L V6/A4 ¹	4900	2500/2700	1715	6000/750 6000/750
S-10 4x2 EXTENDED-CAB PICKUPS								
S-10 EXTENDED CAB SHORT BOX	CS 10653/E63 Z83/QCE/QCA	5/4	2.2L L4/M5	2.2L L4/A4 4.3L V6/M5/A4 4.3L V6/A4 ¹	4400	2500/2700	1041	2000/200 6000/750 6000/750
S-10 EXTENDED CAB SHORT BOX	CS 10653/E63 Z85/QCE/QCA	5/4	2.2L L4/M5	2.2L L4/A4 4.3L V6/M5/A4 4.3L V6/A4 ¹	4600	2500/2700	1460	2000/200 6000/750 6000/750
FOUR-WHEEL-DRIVE MODELS								
S-10 4x4 REGULAR-CAB PICKUPS								
S-10 SHORT BOX	CT 10603/E63 Z83/QCE/QCA or ZR2/QJJ	3/2	4.3L V6/M5	4.3L V6/A4 4.3L V6/A4 ¹	4650	2700/2300	1200 (Z83) 940 (ZR2)	5500/650 ² 5500/650 ²
S-10 SHORT BOX W/OPT. CHASSIS PACKAGE	CT 10603/E63 ZM6/QEB or Z85/QEB/QBF	3/2	4.3L V6/M5	4.3L V6/A4 4.3L V6/A4 ¹	5150	2700/2700	1640 (ZM6) 1654 (Z85)	5500/650 5500/650
S-10 LONG BOX	CT 10803/E63 Z85/QEB/QBF	3/2	4.3L V6/M5	4.3L V6/A4 4.3L V6/A4 ¹	5150	2700/2700	1605	5500/650 5500/650
S-10 4x4 EXTENDED-CAB PICKUPS								
S-10 EXTENDED CAB SHORT BOX	CT 10653/E63 Z83/QCA/QCE/ QJL	5/4	4.3L V6/M5	4.3L V6/A4 4.3L V6/A4 ¹	4650	2700/2300	961	5500/650 5500/650
S-10 EXTENDED CAB SHORT BOX W/OPT. CHASSIS PACKAGE	CT 10653/E63/ ZR2/QJJ	5/4	4.3L V6/M5	4.3L V6/A4 4.3L V6/A4 ¹	4900	2700/2700	948	2000/200 2000/200
S-10 EXTENDED CAB SHORT BOX W/OPT. CHASSIS PACKAGE	CT 10653/E63/ Z85/QBF/QEB	5/4	4.3L V6/M5	4.3L V6/A4 4.3L V6/A4 ¹	5150	2700/2700	1416	5500/650 5500/650
S-10 EXTENDED CAB SHORT BOX W/OPT. CHASSIS PACKAGE	CT 10653/E63/ ZM6/QEB	5/4	4.3L V6/M5	4.3L V6/A4 4.3L V6/A4 ¹	5150	2700/2700	1402	5500/650 5500/650

¹ 4.3L V6 CPI (L35)

² 4WD models with ZR2 Suspension Package are limited to 2000 lb Trailer Rating.

.....

S-10 PICKUP

POWERTRAINS

Chevrolet offers a variety of engines, transmissions and axle ratios for the S-10 Pickup. The following charts detail basic engine, transmission and axle specifications. See your 1995 Chevrolet Truck Order Guide for specific details.

ENGINES			
	2.2L L4	4.3L V6	4.3L V6
Engine Order Code	LN2	LB4	L35
Availability	S-10 4x2 only	All models	All models
SAE Net Horsepower @ rpm	118 @ 5200	155 @ 4000	190 @ 4500
SAE Net Torque lb-ft @ rpm	130 @ 2800	235 @ 2400	260 @ 3400
Fuel System	MFI	TBI	CPI
Clutch Size in. (mm)	9.13 (232 mm)	11.02 (280 mm)	11.02 (280 mm)
Standard Battery Cold Cranking Amps @ 0° F	525	525	525
Standard Alternator Max. Cap. (Amps)	100	100	100

TRANSMISSIONS			
	MANUAL		AUTOMATIC
	MANUAL 5-SPEED W/OVERDRIVE	MANUAL 5-SPEED W/OVERDRIVE (NVG3500)	ELECTRONIC AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH (4L60-E)
Transmission Order Code	MW1	M50	M30
Engine Application (Order Code)	2.2L L4 (LN2)	4.3L V6 (LB4/L35)	2.2L L4/4.3L V6 (LN2/LB4/L35)
Synchronized Speeds	1/2/3/4/5	1/2/3/4/5	—
Gear Ratios			
First	4.03	3.49	3.06
Second	2.37	2.16	1.63
Third	1.49	1.40	1.00
Fourth	1.00	1.00	0.70
Fifth	0.86	0.78	—
Reverse	3.76	3.55	2.29
Shaft Center Distance (mm)	77	85	—

AXLES							
	REAR AXLE				FRONT AXLE (4X4 ONLY)		
	4.3L V6	4.3L V6	2.2L L4/4.3L V6	2.2L L4	4.3L V6		
Make	GM				GM		
Capacity (lb)	2900				2700		
Pinion and Ring Gear Type	Hypoid				Hypoid		
Engine Availability	4.3L V6	4.3L V6	2.2L L4/4.3L V6	2.2L L4	4.3L V6		
Axle Ratio Code	GU4	GU6	GT4	GT5	GU4	GU6	GT4
Ratio	3.08	3.42	3.73	4.10	3.08	3.42	3.73
Pinion Teeth	13	12	11	10	13	12	11
Ring Gear Teeth	40	41	41	41	40	41	41
Ring Gear Diameter (in.)	7.62	7.62 ²	7.62 ¹	7.62	7.25	7.25	7.25

Note: Axle Ratio availability depends on model, powertrain and emissions selected. See your 1995 Chevrolet Truck Order Guide for details.
¹ZR2 Wide Stance uses 8.5 in. ring gear diameter.
²L35 w/manual transmission uses 8.5 in. ring gear diameter w/GU4/G80.

TRIM LEVELS

Chevrolet offers S-10 Pickup Regular-Cab in two trim levels: "Standard" and "LS." The "LS" trim level is standard on Extended-Cab models. The following chart details major standard features. See your 1995 Chevrolet Truck Order Guide for specific details.

CHASSIS EQUIPMENT		STANDARD (BASE) REG.-CAB ONLY	LS (YC3)
KEY: ■ = STANDARD, -- = NOT INCLUDED			
BRAKES	Vacuum Power: front disc, rear drum. Includes rear-wheel anti-lock system on four cylinder engine models and four-wheel anti-lock system on six cylinder engine models.	■	■
FRAME	All-welded ladder-type, channel design and boxed front-end section.	■	■
FUEL TANK	20 gallon (approx.) capacity.	■	■
REAR AXLE	Hypoid, semi-floating.	■	■
SHOCK ABSORBERS	Front: 32 mm; Rear: 32 mm. 46 mm Front and Rear with ZM6 and ZR2 Chassis Package.	■	■
STABILIZER BAR	Front: 25 mm with Z83 and ZM6 Chassis Package. Front: 28 mm with Z83 (4WD) Z85 (4WD) and ZR2 Chassis Package. Front: 29 mm with Z85 (2WD) and ZQ8 Chassis Package.	■	■
STEERING	Variable integral power. Ratio 15/13:1.	■	■
SUSPENSION, FRONT	4x2: Independent with computer-selected coil springs. 4x4: Independent with computer-selected torsion bars.	■	■
SUSPENSION, REAR	Two-stage semi-elliptic multileaf springs.	■	■
TOW HOOKS	Two front-mounted on 4x4 only.	■	■

EXTERIOR EQUIPMENT			
AIR DAM	Matches bumper color.	■	■
BUMPERS, FRONT AND REAR-STEP	Dark gray with color-keyed end caps. Color-keyed with color-keyed end caps on 2WD models. Dark gray with dark gray end caps on 4WD models. ZY7 Paint - body color on two- and four-wheel drive.	■	--
GLASS	Tinted Solar-Ray™.	■	■
GRILLE	Dark gray. Chrome and Spectra Gray. Bright deluxe front application package.	■	--
HEADLAMPS	Single rectangular halogen. Sealed beam.	■	■
HORN	Dual note.	■	■
INSULATION	Underhood.	■	■
LAMPS	Engine compartment and center high-mounted stop lamp.	■	■
LICENSE PLATE	Front bracket.	■	■
MIRRORS	Black RH and LH below-eye-line type. Head size 5.5" x 7.5".	■	■
MOLDING	Black windshield surround.	■	■
PICKUP BOX	Two-tier loading with cargo tie-down loops in each corner.	■	■
RUNNING LAMPS	Daytime.	■	■
SPARE TIRE AND WHEEL	Full-size spare tire and wheel mounted under bed.	■	■
SPARE TIRE CARRIER	Winch-type carrier mounted under frame at rear.	■	■
TIRES	P205/75R15 BW all-season steel-belted radials.	■	■
WHEELS	15.0" x 7.0" steel painted argent with black center cap (2-wheel-drive model). 15.0" x 7.0" steel painted argent with black center cap and trim rings (2-wheel-drive model). 15.0" x 7.0" steel painted silver with black center cap and trim ring (4-wheel-drive model).	■	--
WINDSHIELD WIPERS	Adjustable intermittent with dual fluidic nozzles.	■	■
WIRING	7-lead wiring harness for trailering purposes.	■	■

INTERIOR EQUIPMENT			
AIR BAG	Driver's.	■	■
ARMRESTS	RH and LH padded integral with door panels.	■	■
CAB BACK PANELS	Carpeted. Includes Scotchgard™ Protector.	■	■
CIGARETTE LIGHTER	Located on instrument panel. Includes ashtray light. Located on instrument panel. Includes ashtray light and two auxiliary power outlets.	■	--
COAT HOOKS	RH and LH on Regular-Cab models. Foldaway on Extended-Cab models.	■	■
DOME LAMP	Door-operated with front floor courtesy lamp.	■	■
DOOR SILL PLATE	Black.	■	■
DOORS	Side door guard beams.	■	■
DOOR PANELS	One-piece molded plastic with integral armrests. LH and RH molded pockets. Molded plastic with soft cloth upper insert, integral armrests. LH and RH molded pockets.	■	--
FLOOR COVERING	Embossed dark gray full floor vinyl mat. Color-keyed full floor carpeting with Scotchgard™ Protector.	■	--
GAGES	Including voltmeter, oil pressure and engine temperature gages, fuel gage, trip odometer and speedometer, warning lights for seat belts, parking brake, direction/hazard signals and high beam.	■	■
GLOVE BOX	Non-locking with door-activated light and cupholders.	■	■

S-10 PICKUP

INTERIOR EQUIPMENT (CONT.)

KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD (BASE) REG. CAB ONLY	LS (YC3)
GRAB HANDLE	Passenger side.	■	■
HEADLAMP WARNING BUZZER	Headlamps on.	■	■
HEATER	Deluxe with windshield and side window defoggers.	■	■
HEADLINER	Full coverage, foam-backed with color-keyed cloth cover.	■	■
INSULATION	Provided on dash panel, doors, cab back, hood and front floor. Additional insulation on instrument panel and cowl-to-fender seals.	—	■
MIRRORS	10-inch rearview. 10-inch rearview mirror with dual reading lamps and illuminated entry feature.	■	—
RADIO	ETR AM/FM stereo with digital clock, two 4" x 6" diameter front dash speakers and two 6" diameter door speakers, two 6" diameter door speakers and two 4" x 10" speakers located in the rear quarter panel trim on Extended-Cab	■	■
SEATS	3-passenger front bench with choice of Custom Vinyl or Custom Cloth with folding backrest and head restraints with dual cupholders. Scotchgard™ Fabric Protector on all cloth seats. 60/40 Deluxe Cloth split bench with recliners. Includes armrests and dual cupholders. Extended-Cab models include armrest with storage compartment and dual cupholders passenger-side easy-entry feature and rear vinyl folding jump seats.	■	—
STEERING WHEEL	Deluxe four-spoke, black.	■	■
STOWAGE BOX	In instrument panel under radio.	■	—
SUNSHADES	RH and LH padded, color-keyed cloth with map strap and RH vanity mirror. RH and LH padded, color-keyed cloth includes slider extensions and RH and LH illuminated vanity mirrors.	■	■
TOOLS	Mechanical jack and wheel wrench located in storage compartment on floor behind front seat. Cover includes drink holders on Extended-Cabs.	■	■
WINDOWS	Extended-Cab: Swing-out rear quarter windows.	—	■

PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately). See your 1995 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups, if not already included. See your 1995 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold**.

Air Conditioning	C60	Emissions Systems:		Radio Equipment:	
Air Dam w/Fog Lamps (4x2 only)	ANL	California	YF5	Radio Delete	
Axle, Rear:		Federal	FE9	(Available with PEG 1SGX only)	UL5
3.08 Ratio	GU4	Massachusetts	NG1	ETR AM/FM Stereo w/Seek-Scan,	
3.42 Ratio	GU6	Federal Emissions Override	NC7	and Digital Clock (Requires	
3.73 Ratio	GT4	Cal./Mass. Emissions Override	NB8	base PEG 1SGX)	UM7
4.10 Ratio (S10 only)	GT5	Engines:		ETR AM/FM Stereo Radio w/Seek-Scan,	
Locking Differential	G80	2.2L MFI L4	LN2	Stereo Cassette/Digital Clock and four	
Battery, Heavy Duty (690 CCA)	UA1	4.3L TBI V6	LB4	speakers	UM6
Bumper, Rear Step (Available with B4U or		4.3L CPI V6	L35	ETR AM Stereo/FM Stereo Radio w/Seek-	
PEG1S only)	VF6	Exterior Appearance Package, (Includes		Scan/Stereo Cassette w/Search/Repeat,	
Chassis Packages:		front and rear color-keyed bumpers with		Graphic Equalizer/Digital Clock and four	
Wide Stance, Sport Performance		color-keyed end caps, dark gray rub strips		speakers	UX1
(CT10603) (CT10653)	ZR2	and bright inserts. Also includes dark gray		ETR AM/FM Stereo Radio w/Digital Clock,	
Increased Capacity	Z85	bodyside moldings with bright insert and		Seek-Scan, Compact Disc Player	
Off Road, (T10603, CT10653 only)	ZM6	bright wheel opening moldings and		and four speakers	U1C
Soft Ride (Smooth Ride,		"CHEVROLET" tailgate applique)	YC5	Seat Options:	
N/A CT10803 or CS10803)	Z83	Floor Mats, front	B32	Bench Seat	A52
Sport, (S10603 only)	ZQ8	GVWR Ratings:		60/40 Reclining Split Bench	AM6
Cold Climate Package (includes Heavy-		4200 lb	C5T	Reclining High-Back Bucket Seats	AV5
Duty battery, engine block heater)	V10	4400 lb	C3A	Shield Package (4x4 only. Includes transfer	
Convenience Groups:		4600 lb	C5D	case and front differential skid plates, fuel	
Tilt-Wheel™ and Speed control	ZQ3	4650 lb	C5X	tank and steering linkage shields)	ZM5
Power door locks, power windows		4900 lb	C5A	SS Sport Package, (CS10603 only) (Reqs L35	
and electric remote mirrors	ZQ6	5150 lb	C6F	Engine and M30 Trans) (see Order	
		Lock Remote Keyless Entry System	AU0	Guide for detailed description)	B4U
		Paint, Exterior:		Steering Wheel, Leather Wrapped	NP5
		Solid	ZY1	Tachometer, (Incl. with L35 Engine)	U16
		Special Two-Tone	ZY3		
		Sport Two-Tone	ZY7		

OPTIONS (CONT.)

Transfer Case, Electronic Shift (4x4 only),
instrument panel-mounted shift selection
switch **NP1**

Transmissions:
5-speed manual overdrive Borg Warner
(Reqs. LN2) **MW1**
5-speed manual overdrive NVG
(Reqs. LB4/L35) **M50**
Electronic automatic 4-speed overdrive **M30**

Wheels:
Aluminum Argent (4x2 only) **N60**
Cast Aluminum (4x4 only) **N90**
Special Aluminum (4x4 only) **5P2**
Aluminum, Painted Silver **PA3**
Window, Sliding Rear **A28**

TIRES

KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WL = WHITE LETTERED
OOR = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		ORDERING CODE
P215/65R15 WL (4X2)	ALS/SBR	QPP
P205/75R15 BW	ALS/SBR	QCE
P205/75R15 WOL	ALS/SBR	QCA
P235/70R15 BW (4X4)	ALS/SBR	QBF
P235/75R15 WOL (4X4)	OOR/SBR	QEB
31 X 10.5R-15L BW	OOR/SBR	QJJ

DIMENSIONS

MODEL	S-10 (REGULAR-CAB)	S-10 (REGULAR-CAB)	S-10 (EXTENDED-CAB)	S-10 (REGULAR-CAB)	S-10 (REGULAR-CAB)	S-10 (EXTENDED-CAB)
MODEL NUMBER	CS10603/E63	CS10803/E63	CS10653/E63	CT10603/E63	CT10803/E63	CT10653/E63

EXTERIOR DIMENSIONS

BODY						
Wheelbase (in.)	108.3	117.9	122.9	108.3	117.9	122.9
Overall Length (in.)	188.7	204.6	203.3	188.7	204.6	203.3
Overall Height (in.)	62.1	62.1	62.2	63.8	65.4	63.8
Maximum Width (in.)	67.9	67.9	67.9	67.9	67.9	67.9
Bumper to Axle (in.)						
Front (w/o license bracket)	34.5	34.5	34.5	34.5	34.5	34.5
Rear	45.9	52.2	45.9	45.9	52.2	45.9
Cab-to-Axle (in.)	37.4	47.1	37.4	37.4	47.1	37.4
Cab to End of Frame (in.)	73.1	89.0	73.1	73.1	89.0	73.1
Bumper to Back of Cab (in.)	105.3	105.3	119.9	105.3	105.3	119.9
Ground to Top of Rear Load Floor (in.)	27.3	28.3	28.1	28.5	29.5	28.2
Ground Clearance (in.)						
Front	9.2	8.8	9.2	8.6	10.6	8.6
Rear	7.2	6.8	7.2	7.5	8.0	7.5
Turning Diameter Curb-to-Curb (ft.)	36.9	39.8	41.3	37.3	40.2	41.6
CARGO BOX						
Length (in.) at Floor	72.8	88.8	72.8	72.8	88.8	72.8
Inside Width at Top Rear (in.)	54.6	54.6	54.6	54.6	54.6	54.6
Inside Width at Floor (in.)	56.5	56.5	56.5	56.5	56.5	56.5
Inside Width between Wheelhousings (in.)	40.3	40.3	40.3	40.3	40.3	40.3
Inside Height (in.)	17.1	17.1	17.1	17.1	17.1	17.1
Tailgate Width (in.)	54.9	54.9	54.9	54.9	54.9	54.9
Cargo Volume (cu ft)	39.4	48.1	39.4	39.4	48.1	39.4
SIGN PANEL AREA (in.)	15 x 46.25	15 x 46.25	16 x 66.5	15 x 46.25	15 x 46.25	16 x 66.5

INTERIOR DIMENSIONS

CAB						
Headroom (in.)	39.5	39.5	39.6	39.5	39.5	39.6
Legroom (in.)	42.4 ¹	42.4 ¹	42.4 ¹	42.4 ¹	42.4 ¹	42.4 ¹
Shoulder Room (in.)	57.2	57.2	57.2	57.2	57.2	57.2
Hip Room (in.)	52.0	52.0	52.0	52.0	52.0	52.0
Cargo Volume (cu ft) (in-cab storage area)	—	—	17.3	—	—	17.3

¹43.2 inches with seat in rearmost position.

