


1973 ORIGINAL
SUBURBAN

SUBURBAN MODEL SELECTOR



Series	Model Number	Body Ordering Code		Standard Seating No. of Passengers
		Panel Rear Doors	Endgate	
C10	CC10906	ZW9	E55	3
C20	CC20906	ZW9	E55	6
K10 (4-Wheel-Drive)	CK10906	ZW9	E55	3
K20 (4-Wheel-Drive)	CK20906	ZW9	E55	6

SUBURBAN—Conventional

STANDARD SPECIFICATIONS

(See Blue Tab Section for Specification Details)

Series	C10	C20
Engine		
Base equip—6 cyl.	250-6	—
—8 cyl.	307-V8	350-V8
Clutch—6 cyl.	10", 100 sq. in.	—
—8 cyl.	11", 124 sq. in.	12", 150 sq. in.
Air Filter	Oiled-paper element	
Oil Filter	Throw-away type 1-qt.	
Exhaust System	Single; aluminized	
Exhaust Emission Control	A.I.R. and E.G.R.	
Suspension, Front	Independent, Coil Spring	
Capacity	3100 lb.	3800 lb.
Springs @ ground	1550 lb. ea.	1750 lb. ea.
Shock Absorbers	1" dia.	1" dia.
Suspension, Rear	Hypoid; Leaf Springs	
Axle Capacity	3750 lb.	5700 lb.
Axle Ratio—6 cyl.	3.73	—
—8 cyl.	3.40	3.73
Springs, Main @ ground	1550 lb. ea.	2000 lb. ea.
Shock Absorbers	1" dia.	1" dia.
Brakes	Hydraulic; Self-adjusting	
Front	Disc; 11.86" rotor	Disc; 12.5" rotor
Rear	Drum; 11" x 2"	Drum; 11" x 2 3/4"
Booster	Single Diaphragm	Dual Diaphragm
Parking	Cable to Rear Wheels	
Electrical	12 Volt; negative ground	
Battery—6 cyl.	45 amp.	
—8 cyl.	61 amp.	
Delcotron Generator	37 amp.	
Frame	Carbon Steel; 39,000 psi	
Section Modulus	3.06	3.84
Fuel Tank (nominal capacity)	24 gal.	
✓ Steering Gear Type	Recirculating ball	
Linkage	Parallelogram	
Transmission	Fully synchronized 3-speed	
Shift Location	Steering Column	
Tires	(S) G78-15B (4PR)	(4) 8.75-16.5C (6PR)
Wheels	(S) Disc 15" x 6.0"	(5) Disc 16.5" x 6.0"

A.I.R.—Air Injection Reactor System.

E.G.R.—Exhaust Gas Recirculation System.

SUBURBAN—4-Wheel-Drive

STANDARD SPECIFICATIONS

(See Blue Tab Section for Specification Details)


Series	K10	K20
Engine		
Base equip—6 cyl.	250-6	—
—8 cyl.	350-V8	350-V8
Clutch—6 cyl.	10"; 100 sq. in.	—
—8 cyl.	12"; 150 sq. in.	12"; 150 sq. in.
Air Cleaner	Oiled-paper element	
Oil Filter	Throw-away type 1 qt.	
Exhaust System	Single; aluminized	
Exhaust Emission Control	A.I.R. and E.G.R.	
Suspension Front	Hypoid Driving Axle; Leaf Spring	
Capacity	3400 lb.	3500 lb.
Axle Ratio—6 cyl.	4.11	—
—8 cyl.	3.07	4.10
Springs @ ground	1850 lbs. ea.	1850 lbs. ea.
Shock Absorbers	1" dia.	1" dia.
Stabilizer Bar	Standard	
Suspension Rear	Leaf Spring; Two-stage multi-leaf	
Axle Capacity	3750 lbs.	5700 lbs.
Axle Ratio—6 cyl.	4.11	—
—8 cyl.	3.07	4.10
Springs @ ground	2250 lbs. ea.	2800 lbs. ea.
Shock Absorbers	1" dia.	1" dia.
Brakes	Hydraulic-Self-adjusting	
Front	Disc; 11.86" rotor	Disc; 12.5" rotor
Rear	Drum; 11" x 2"	Drum; 11" x 2 3/4"
Booster	Single Diaphragm	Dual Diaphragm
Parking	Cable to Rear Wheels	
Electrical	12 Volt; negative ground	
Battery—6 cyl.	45-amp	
—8 cyl.	61-amp	
Delcotron Generator	37-amp	
Frame	Carbon-Steel; 39,000 psi	
Section Modulus	3.84	
Fuel Tank (nominal capacity)	24 gal.	
✓Steering Gear Type	Recirculating Ball	
Linkage	Conventional	
Transmission	Fully synchronized 3-speed	
Shift Location	Steering Column	
Transfer Case	2-speed New Process 205	
Shift Lever	Single Lever	
PTO Opening	Left Side	
Tires	(5) G78-15B (4PR)	(4) 8.75-16.5C (6PR)
Wheels	(5) Disc 15" x 6.0"	(5) Disc 16.5" x 6.0"

A.I.R.—Air Injection Reactor System.

E.G.R.—Exhaust Gas Recirculation System.

SUBURBAN

Body Ordering Codes:
ZW9—Panel Rear Doors
†E55—Endgate



Capacity—143½ cu. ft.
Load Floor Area—40 sq. ft.

Series	Ground Clearance (in)★	
	Front	Rear
C10	7¼	7
C20	8	7
K10	7¼	7
K20	8¼	7

Models	Engine No. Cyl.	Dimensions (in)★				√†Curb Weights (lb)			√†Model Weights (lb)*		
		WB	OL	OH	GT	Front	Rear	Total	Front	Rear	Total†

C10 SERIES

CC10906	6	129.5	218¾	71	26	2081	2114	4195	2324	2321	4795
	8					2187	2135	4922	2430	2342	4922

C20 SERIES

CC20906	8	129.5	218¾	72	27	2333	2484	4817	2687	3030	5867
----------------	---	-------	------	----	----	------	------	------	------	------	------

K10 SERIES

CK10906	6	129.5	218¾	73¾	29½	2359	2244	4603	2602	2451	5203
	8					2485	2272	4757	2728	2479	5357

K20 SERIES

CK20906	8	129.5	218¾	75½	31½	2579	2487	5066	2933	3033	6116
----------------	---	-------	------	-----	-----	------	------	------	------	------	------

★Dimensions with std equipment, unloaded.

*Model Weight includes curb weight plus occupants (standard seating capacity x 150 lbs.).

†Curb Weights and Model Weights shown are for models with ZW9 Panel Rear Doors. For models with E55 Endgate, weights must be adjusted as follows: Front —1 lb.; Rear +9 lbs.; Total added weight 8 lbs.

‡Total also includes 150 lbs. minimum payload allowance.

√Indicates Change

February 16, 1973

NOTES

SUBURBAN

POWER TEAMS

ENGINES	TRANSMISSIONS	REAR AXLES				
Description and Application (Standard or Optional)	Type (Standard or Optional)	Type and Capacity	Ratios			
			With Single Rear Wheels			
			Standard	Optional		
				Opt. 1	Opt. 2	Opt. 3

C10 SERIES

■ 250-cu-in Six Engine Ordering Code LD4	3-Speed Manual (Std)—ZW4	Chevrolet 3750★	3.73	—	—	4.11
	4-Speed (Chevrolet CH465)—M20	Chevrolet 3750★	3.73	—	—	4.11
	Turbo Hydra-matic—M49	Chevrolet 3750★	3.73	—	—	4.11
■ 307-cu-in V8 Engine Ordering Code LG8	3-Speed Manual (Std)—ZW4	Chevrolet 3750★	3.40	—	3.73	4.11
	Turbo Hydra-matic—M49	Chevrolet 3750★	3.40	—	3.73	4.11
■ 350-cu-in V8 Option LS9	3-Speed Manual (Std)—ZW4	Chevrolet 3750★	3.07	3.40	3.73	4.11
	4-Speed (Chevrolet CH465)—M20	Chevrolet 3750★	3.07	3.40	3.73	—
	Turbo Hydra-matic—M49	Chevrolet 3750★	3.07	3.40	3.73	4.11
■ 454-cu-in V8 Option LF8	Turbo Hydra-matic—M49	Chevrolet 3750★	3.07	3.40	3.73	—

C20 SERIES

■ 350-cu-in V8 Engine Ordering Code LS9	3-Speed Manual (Std)—ZW4	Chevrolet 5700♦	3.73	—	4.10	4.56
	4-Speed (Chevrolet CH465)—M20	Chevrolet 5700♦	3.73	—	4.10	4.56
	Turbo Hydra-matic—M49	Chevrolet 5700♦	3.73	—	4.10	4.56
■ 454-cu-in V8 Option LF8	Turbo Hydra-matic—M49	Chevrolet 5700♦	3.73	3.21	4.10	—

★ Positraction rear axle also available.

♦ Eaton Locking Differential rear axle also available.

■ Available for registration in the State of California when California Emission Equipment is ordered.

ENGINE RATINGS

(Engine ratings shown below are S.A.E. net ratings @ 85° F)

	250 Six	307 V8	350 V8	454 V8
Net Horsepower	100 @ 3600 rpm	115 @ 3600 rpm	155 @ 4000 rpm	240 @ 4000 rpm
Net Torque, lb-ft	175 @ 1600 rpm	205 @ 2000 rpm	255 @ 2400 rpm	355 @ 2800 rpm

SUBURBAN

POWER TEAMS

ENGINES	TRANSMISSIONS	Transfer Case	REAR AXLES					
Description and Application (Standard or Optional)	Type (Standard or Optional)		Type and Capacity	Ratios				
				With Single Rear Wheels				
				Standard	Optional			Opt. 3
		Opt. 1	Opt. 2			Opt. 3		

K10 SERIES

■ 250-cu-in Six Engine Ordering Code LD4	3-Speed Manual (Std)—ZW4	New Process #205	Chevrolet 3750★	4.11	—	—	—
	4-Speed (Chevrolet CH465)—M20	New Process #205	Chevrolet 3750★	3.73	—	—	4.11
	Turbo Hydra-matic—M49	New Process #205	Chevrolet 3750★	3.73	—	—	4.11
■ 350-cu-in V8 Engine Ordering Code LS9	3-Speed Manual (Std)—ZW4	New Process #205	Chevrolet 3750★	3.07	—	3.73	4.11
	4-Speed (Chevrolet CH465)—M20	New Process #205	Chevrolet 3750★	3.07	—	3.73	4.11
	Turbo Hydra-matic—M49	New Process #205	Chevrolet 3750★	3.07	—	3.73	4.11

K20 SERIES

■ 350-cu-in V8 Engine Ordering Code LS9	3-Speed Manual (Std)—ZW4	New Process #205	Chevrolet 5700♦	4.10	—	—	—
	4-Speed (Chevrolet CH465)—M20	New Process #205	Chevrolet 5700♦	4.10	—	—	—
	Turbo Hydra-matic—M49	New Process #205	Chevrolet 5700♦	4.10	—	—	—

★ Positraction rear axle also available.

♦ Eaton Locking Differential rear axle also available.

■ Available for registration in the State of California when California Emission Equipment is ordered.

ENGINE RATINGS

(Engine ratings shown below are S.A.E. net ratings @ 85° F)

	250 Six	350 V8
Net Horsepower	100 @ 3600 rpm	155 @ 4000 rpm
Net Torque, lb-ft	175 @ 1600 rpm	255 @ 2400 rpm

SUBURBAN

GVW SELECTOR

†Maximum Ratings			Minimum Equipment Required for GVW Rating		
GVW Rating (lb)	★GAWR (lb)		Tires, Front	Tires, Rear	Chassis Equipment
	Front	Rear			

✓C10 SERIES

GVW Rating (lb)	Front GAWR (lb)	Rear GAWR (lb)	Tires, Front	Tires, Rear	Chassis Equipment
5400	2945	2945	G78-15B(4PR) (TL or TB)	G78-15B(4PR) (TL or TB)	Standard
6000	3218	3218	H78-15B(4PR) (TL)	H78-15B(4PR) (TL)	HD front and rear springs
6800*	3250	3750	L78-15D(8PR) (TL)	L78-15D(8PR) (TL)	HD front and rear springs; Stabilizer Bar

✓C20 SERIES

GVW Rating (lb)	Front GAWR (lb)	Rear GAWR (lb)	Tires, Front	Tires, Rear	Chassis Equipment
7100	3500	3980	8.75-16.5C(6PR) (TL) (TT)	8.75-16.5C(6PR) (TL) (TT)	Standard
7500	3500	5200	9.50-16.5D(8PR) (TL) (TT)	9.50-16.5D(8PR) (TL) (TT)	HD rear springs
8200	3800	5560	9.50-16.5D(8PR) (TL) (TT)	9.50-16.5D(8PR) (TL) (TT)	HD front springs; 2850-lb ea rear springs

K10 SERIES

GVW Rating (lb)	Front GAWR (lb)	Rear GAWR (lb)	Tires, Front	Tires, Rear	Chassis Equipment
5600	2946	2946	G78-15B(4PR) (TL or TB)	G78-15B(4PR) (TL or TB)	Standard
6000	3218	3218	H78-15B(4PR) (TL)	H78-15B(4PR) (TL)	Front HD stabilizer bar
	3220	3220	6.50-16C(6PR) (TB) (TT)	6.50-16C(6PR) (TB) (TT)	
6600*	3400	3582	L78-15B(4PR) (TL)	L78-15B(4PR) (TL)	
7150*	3400	3750	L78-15D(8PR) (TL)	L78-15D(8PR) (TL)	

K20 SERIES

GVW Rating (lb)	Front GAWR (lb)	Rear GAWR (lb)	Tires, Front	Tires, Rear	Chassis Equipment
6800	3500	3980	8.75-16.5C(6PR) (TL) (TT)	8.75-16.5C(6PR) (TL) (TT)	Standard
		4120	7.50-16C(6PR) (TB) (TT)	7.50-16C(6PR) (TB) (TT)	
7500	3500	4700	8.75-16.5C(6PR) (TL) (TT)	8.75-16.5D(8PR) (TL) (TT)	Front HD stabilizer bar
		4880	7.50-16C(6PR) (TB) (TT)	7.50-16D(8PR) (TB) (TT)	
8200	3500	5560	9.50-16.5D(8PR) (TL) (TT)	9.50-16.5D(8PR) (TL) (TT)	
			7.50-16C(6PR) (TB) (TT)	7.50-16E(10PR) (TB) (TT)	

†GAWR's shown are the maximum for each axle. When ordering a truck the total of the actual weight on both front and rear axles cannot exceed the total GVW rating.

★GAWR—Gross Axle Weight Rating

TL—Tubeless TB—Tube Type

TT—Truck Type

*Requires AT5 or AS3 Optional seating.

SUBURBAN

1973 MODELS WITH STANDARD EQUIPMENT

Prices shown are effective with vehicles manufactured on or after December 4, 1972

Description	Model Number	Body Ordering Code	Wheel-base	Factory D&H ¹	List Price	Mfr's Sg't'd Retail Price [★]	Desti-nation Charge & Group Number	Total
■ 6-Cylinder High Torque 250 Engine—Engine Ordering Code LD4								
C10 Series 2-Wheel Drive								
Panel Doors	CC10906	ZW9	129.5*	13.90	3546.00	3559.90	16	_____
End Gate	CC10906	E55	129.5*	13.90	3577.00	3590.90	16	_____
K10 Series 4-Wheel Drive								
Panel Doors	CK10906	ZW9	129.5*	13.90	4167.00	4180.90	17	_____
End Gate	CK10906	E55	129.5*	13.90	4198.00	4211.90	17	_____
■ 8-Cylinder High Torque 307 Engine—Engine Ordering Code LG8								
C10 Series 2-Wheel Drive								
Panel Doors	CC10906	ZW9	129.5*	13.90	3665.00	3678.90	16	_____
End Gate	CC10906	E55	129.5*	13.90	3696.00	3709.90	16	_____
■ 8-Cylinder High Torque 350 Engine—Engine Ordering Code LS9								
K10 Series 4-Wheel Drive								
Panel Doors	CK10906	ZW9	129.5*	13.90	4330.00	4343.90	17	_____
End Gate	CK10906	E55	129.5*	13.90	4381.00	4374.90	17	_____
C20 Series 2-Wheel Drive								
Panel Doors	CC20906	ZW9	129.5*	15.00	3994.00	4009.00	16	_____
End Gate	CC20906	E55	129.5*	15.00	4025.00	4040.00	16	_____
K20 Series 4-Wheel Drive								
Panel Doors	CK20906	ZW9	129.5*	15.00	4732.00	4747.00	17	_____
End Gate	CK20906	E55	129.5*	15.00	4763.00	4778.00	17	_____

★ Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, options or accessories.
 ■ Available for registration in the State of California when California Emission Equipment is ordered.

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H ¹	List Price	Mfr's Suggested Retail Price [◇]
-------------	----------------------------	---------------	--------------------------	------------	---

POWER TEAMS AND AXLES

(See Power Teams Chart for availability and complete specifications)

Engines: Available for registration in the State of California when California Emission Equipment is ordered.

350 V8. C10 models only. Includes 4-barrel carburetor and 12" clutch	20	7	LS9	N.C.	43.00	43.00
454 V8. C10-20 models only. Includes 4-barrel carburetor. Available only when Turbo Hydra-matic transmission, HD battery and power steering are ordered.						
C10 models only. Includes 1625-lb each front springs and 12" clutch	197	35	LF8	N.C.	221.00	221.00
C20 models only	152	4	LF8	N.C.	178.00	178.00

¹ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
 ◇ State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&Hs	List Price	Mfr's Suggested Retail Price ◊
POWER TEAMS AND AXLES					
Transmissions:					
<i>Turbo Hydra-matic.</i> C-K20 models includes extra HD cooling.					
With 250 engine					
C10 models only	22 7	M49	N.C.	236.00	236.00
K10 models only	20 6	M49	N.C.	236.00	236.00
With 307 engine. C10 models only	20 6	M49	N.C.	236.00	236.00
With 350 engine					
C10-20 models only	17 7	M49	N.C.	236.00	236.00
K10-20 models only	11 3	M49	N.C.	236.00	236.00
With 454 engine. C10-20 models only	29 11	M49	N.C.	246.00	246.00
<i>Chevrolet 4-Speed.</i> Not available when 307 or 454 engine is ordered.					
C10 models only.					
6-Cylinder models only. Includes 11" clutch	80 22	M20	N.C.	108.00	108.00
V8 models	78 21	M20	N.C.	108.00	108.00
C20 V8 models only	78 21	M20	N.C.	118.00	118.00
K10-20 Models only	78 21	M20	N.C.	108.00	108.00
Axles, Rear:					
<i>Optional Ratio 1.</i> Not available on K10-20 models. Also not available on C10 models when 250 or 307 engine is ordered. C20 models not available when 350 engine is ordered					
	0 1	ZN7	N.C.	12.00	12.00
<i>Optional Ratio 2.</i> Not available on K20 models or 6-cylinder C-K10 models					
	0 0	ZN8	N.C.	12.00	12.00
<i>Optional Ratio 3</i>					
	0 2	ZN9	N.C.	12.00	12.00
<i>Positraction.</i> C-K10 models only					
	0 3	G80	N.C.	64.00	64.00
<i>Eaton Locking Differential.</i> C-K20 models only					
	0 4	G86	N.C.	128.00	128.00

MODEL OPTIONS

(See Interior and Exterior Color Selection Chart)

Custom Deluxe: Includes black door handle inserts; bright windshield molding; door actuated dome lamps with bright bezels; nameplates on front fender and instrument panel; soft instrument panel pad; pearl headliner and moldings; cigar lighter; dual horns; color-keyed vinyl coated floor mats with bright sill plates; special insulation; plastic windshield pillar and center door pillar trim panels. Also includes spare tire cover when spare tire is ordered.

With standard vinyl seat.

When center or rear seats are not ordered	31 50	Z62	N.C.	126.00	126.00
When center or center and rear seats are ordered	33 54	Z62	N.C.	128.00	128.00

With custom cloth or custom vinyl seat. Includes full-depth foam front seat.

When center or rear seats are not ordered	31 50	Z62	N.C.	185.00	185.00
When center seat is ordered	33 54	Z62	N.C.	215.00	215.00
When center and rear seats are ordered	33 54	Z62	N.C.	245.00	245.00

‡ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
◊ State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H ¹	List Price	Mfr's Suggested Retail Price ²
-------------	-------------------------------	---------------	--------------------------	------------	---

MODEL OPTIONS

Cheyenne Super: Includes chromed front and rear bumpers; bright body side upper, taillight and rear door or tailgate moldings; bright front turn signal and front side marker lamp bezels; Cheyenne Super fender nameplate; black door handle inserts; bright windshield molding; full-depth foam seat; color-keyed carpeting with bright sill plates; plastic door trim panels with storage pockets and wood-grained accents; wood-grained instrument cluster with ammeter, oil pressure and temperature gauges; dual horns; Cheyenne Super nameplate on instrument panel; soft instrument panel pad; cigar lighter; pearl colored headliner; door actuated dome lamps with bright bezels; special insulation; plastic windshield and center door pillar trim panels and spare tire cover when spare tire is ordered.

C10-20 models only. Also includes custom steering wheel and bright hub caps.

With custom cloth or custom vinyl seat.

When center or rear seats are not ordered. C10 models only	31	46	YE9	N.C.	381.00	381.00
When center seat is ordered. Also includes load area and rear wheelhousing carpeting	33	50	YE9	N.C.	463.00	463.00
When center and rear seats are ordered. Also includes load area carpeting	33	50	YE9	N.C.	493.00	493.00
K10 models without 10.00-16.5 tires or K20 models only. Also includes bright metal hub caps.						
<i>With custom cloth or custom vinyl seat.</i>						
When center or rear seats are not ordered. K10 models only	33	48	YE9	N.C.	375.00	375.00
When center seat is ordered. Also includes load area and rear wheelhousing carpeting	35	52	YE9	N.C.	457.00	457.00
When center and rear seats are ordered. Also includes load area carpeting	35	52	YE9	N.C.	487.00	487.00
K10 models with 10.00-16.5 tires.						
<i>With custom cloth or custom vinyl seat.</i>						
When center or rear seats are not ordered. K10 models only	31	46	YE9	N.C.	362.00	362.00
When center seat is ordered. Also includes load area and rear wheelhousing carpeting	33	50	YE9	N.C.	444.00	444.00
When center and rear seats are ordered. Also includes load area carpeting	33	50	YE9	N.C.	474.00	474.00

¹ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
² State and local taxes not included.

✓ INDICATES CHANGE

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price ◊	
RECREATIONAL VEHICLE OPTIONS						
✓ Trailer Special: Available only when 350 or 454 engine, 4-speed or Turbo Hydra-matic transmission and 61-amp generator or air conditioning is ordered. Includes HD battery, power steering and trailering special emblem. See Power Team -GCW Selector in Trailer Towing Requirement section under Recreational Vehicles Tab for available combinations of GCW and power teams.						
C10-20 models only. For maximum capability of 4000-lb trailer with 350 engine or 7000-lb trailer with 454 engine.						
C10 models only. Available only when power brakes, HD rear springs, optional ratio 2 rear axle and H78-15 or larger tires are ordered. Also requires use of HD cooling unless air conditioning is ordered. Optional ratio 3 rear axle also available when 350 engine is ordered with Turbo Hydra-matic transmission	32	0	Z82	N.C.	144.00	144.00
C20 models only. Available only when optional ratio 2 or 3 is ordered. Also requires use of HD cooling unless air conditioning or Turbo Hydra-matic transmission is ordered	32	0	Z82	N.C.	144.00	144.00
K10 models only. For maximum capability of 4000-lb trailer with optional ratio 2 rear axle or 6000-lb trailer with optional ratio 3 rear axle. Available only when H78-15 or larger tires are ordered. Also requires use of HD cooling unless air conditioning is ordered	32	0	Z82	N.C.	160.00	160.00
K20 models only. For maximum capability of 4000-lb trailer. Requires use of HD cooling unless air conditioning or Turbo Hydra-matic transmission is ordered	32	0	Z82	N.C.	160.00	160.00

OTHER OPTIONS

Air Cleaner: Poly-Wrap	0	0	K43	N.C.	10.00	10.00
Air Conditioning: V8 models only. Includes extra HD cooling and 61-amp generator.						
<i>Front. Front area cooling only.</i>						
Without Custom Deluxe or Cheyenne Super. Also includes headliner and soft instrument panel pad.						
C-K10 models only.						
Without 350 engine	101	34	C60	N.C.	487.00	487.00
With 350 engine	105	36	C60	N.C.	487.00	487.00
C-K20 models only.						
Without Turbo Hydra-matic transmission	107	36	C60	N.C.	487.00	487.00
With Turbo Hydra-matic transmission	100	35	C60	N.C.	487.00	487.00
With Custom Deluxe or Cheyenne Super						
C-K10 models only.						
Without 350 engine	93	11	C60	N.C.	410.00	410.00
With 350 engine	94	11	C60	N.C.	410.00	410.00
C-K20 models only.						
Without Turbo Hydra-matic transmission	96	11	C60	N.C.	410.00	410.00
With Turbo Hydra-matic transmission	92	12	C60	N.C.	410.00	410.00
<i>Independent Front and Rear Roof Mounted.</i> Available only when Custom Deluxe or Cheyenne Super is ordered. Rear system operates on recirculating air.						
C-K10 models only.						
Without 350 engine	107	46	C69	N.C.	641.00	641.00
With 350 engine	111	48	C69	N.C.	641.00	641.00
C-K20 models only.						
Without Turbo Hydra-matic transmission	113	48	C69	N.C.	641.00	641.00
With Turbo Hydra-matic transmission	106	47	C69	N.C.	641.00	641.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
 ◊ State and local taxes not included.

✓ INDICATES CHANGE

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)		Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS						
Batteries: 12-volt						
Auxiliary, 61-amp-hr, 9-plate	51	-7	TP2	N.C.	54.00	54.00
✓ Heavy-Duty, 80-amp-hr, 15-plate	14	-2	T80	N.C.	16.00	16.00
With 6-cylinder engine						
With V8 engine. Included when Trailering Special or Kold-Klimate Package is ordered	2	0	T60	N.C.	16.00	16.00
Bumpers: Chromed. Front and rear. Included when Cheyenne Super is ordered.						
	0	0	V37	N.C.	31.00	31.00
California Emission Equipment: Dealer Note —Items shown below, priced as options indicated, must be ordered for vehicles destined for registration in the State of California. This equipment should be ordered by indicating option YF5, California Emission Certification Requirements, on the order form. Based on presence of the YF5 option, the applicable options detailed below will be added to the order, at prices shown, to insure that the vehicle conforms to State of California Registration requirements.						
California Emission Certification Label	0	0	VJ9	N.C.	N.C.	N.C.
California Assembly Line Emission Test	12	0	YA7	N.C.	15.00	15.00
Clock, Electric: Available only when ammeter, temperature and oil pressure gauges or Cheyenne Super is ordered. Not available when tachometer is ordered						
	0	0	U35	N.C.	18.00	18.00
Clutch, Heavy-Duty: Diameter 11". C-K10 models with 250 engine and 3-speed transmission only.						
C10 models only	2	1	M01	N.C.	6.50	6.50
K10 models only	0	0	M01	N.C.	6.50	6.50
✓ Cooler, Engine Oil: V8 models with automatic transmission only	11	-1	KC4	N.C.	65.00	65.00
Cooling: HD radiator only. Not available when air conditioning is ordered.						
C-K10 models						
With 250 or 454 engine	4	-1	V01	N.C.	26.00	26.00
With 307 engine	6	-1	V01	N.C.	26.00	26.00
With 350 engine. Not available on C10 models when Turbo Hydra-matic transmission with 4.11 ratio rear axle is ordered	8	-1	V01	N.C.	26.00	26.00
C-K20 models only. Not available when Turbo Hydra-matic transmission is ordered.						
With 250 or 454 engine	4	-1	V01	N.C.	26.00	26.00
With 350 engine	6	-1	V01	N.C.	26.00	26.00
Gauges:						
Ammeter, temperature and oil pressure. Included when Cheyenne Super or tachometer is ordered						
	1	0	Z53	N.C.	12.00	12.00
Tachometer. Not available when electric clock is ordered. V8 models only.						
Without Cheyenne Super. Also includes ammeter, temperature and oil pressure gauges	2	0	U16	N.C.	56.00	56.00
With Cheyenne Super	1	0	U16	N.C.	44.00	44.00
Generators:						
42-amp Delcotron. Not available when air conditioning is ordered.						
	0	0	K79	N.C.	23.00	23.00
61-amp Delcotron. Included when air conditioning is ordered.						
	1	0	K76	N.C.	31.00	31.00
Glass, Soft-Ray: All windows	0	0	A11	N.C.	30.00	30.00
Grille, Chromed	0	0	V22	N.C.	20.00	20.00
Guards, Door Edge: Not available when wood-grained exterior trim is ordered						
	0	0	B93	N.C.	9.00	9.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
 ◇ State and local taxes not included.

✓ INDICATES CHANGE

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&Hs	List Price	Mfr's Suggested Retail Price ◊
OTHER OPTIONS					
Headliner, Interior: Included when Custom Deluxe, Cheyenne Super or air conditioning is ordered. Includes door actuated dome lamp	8 23	BB5	N.C.	77.00	77.00
Hubs, Front Free-Wheeling: K10-20 models only. Manual control at hubs	9 0	F76	N.C.	75.00	75.00
✓ Kold-Klimate Package: Includes super heater and defroster, HD battery, engine block heater and anti-freeze protection to -40 degrees.					
With 6-cylinder engine	16 -2	Z56	WILL ADVISE PRICE AND AVAILABILITY		
With V8 engine	4 0	Z56	WILL ADVISE PRICE AND AVAILABILITY		
Lamps:					
Dome, Two. Included when headliner, Custom Deluxe or Cheyenne Super is ordered. Includes door actuated switches and bright lamp bezels	0 0	C91	N.C.	18.00	18.00
Roof Marker, Five. Not available for registration in the State of California	3 1	U01	N.C.	26.00	26.00
Lighter, Cigar: Included when Custom Deluxe or Cheyenne Super is ordered	0 0	U37	N.C.	5.00	5.00
Mirrors, Exterior:					
Below-Eye-Line Type. Provides field of vision for vehicles to 80" wide.					
7.5" x 10.5" painted	3 1	D29	N.C.	19.50	19.50
7.5" x 10.5" stainless steel	3 1	DG4	N.C.	36.00	36.00
Camper Type. Stainless steel. Includes below-eye-line mirrors with adjustable arm feature to provide field of vision for vehicles to 96" wide	7 2	DF2	N.C.	50.00	50.00
Moldings, Custom:					
Upper. Not available when special two-tone paint is ordered. Included when Cheyenne Super is ordered. Includes fender, door, rear side panel, rear door or tailgate moldings plus bright front turn signal, front side marker and taillight trim	2 3	B85	N.C.	46.00	46.00
Upper and Lower. Not available when conventional two-tone paint is ordered.					
Without Cheyenne Super. Also includes upper moldings described above plus lower body side, rear door or tailgate and wheel opening moldings	3 4	YG1	N.C.	108.00	108.00
With Cheyenne Super. Includes lower body side, rear door or tailgate and wheel opening moldings	3 4	YG1	N.C.	62.00	62.00
Pad, Soft Instrument Panel: Included when Cheyenne Super or Custom Deluxe is ordered	3 2	B70	N.C.	10.00	10.00
Paints, Exterior: See Interior and Exterior Color Selection Chart					
Solid	0 0	...	N.C.	N.C.	N.C.
Conventional Two-Tone. With white secondary color. Available only when custom upper moldings or Cheyenne Super is ordered. Not available when custom upper and lower moldings are ordered ..	0 0	...	N.C.	41.00	41.00
Special Two-Tone. Area between upper and lower side moldings painted white. Available only when custom upper and lower moldings are ordered	0 0	...	N.C.	62.00	62.00
Plate, Fuel Tank Shield	-8 53	NY1	N.C.	27.00	27.00
Plate: Serial Number (State of Pennsylvania) "K" Plate. Not available on C10 models. C20 models available only when HD rear springs and 9.50-16.5/D tires are ordered. K10 models available only when rear seat and L78-15/D or larger tires are ordered. K20 models available only when HD front stabilizer and 7.50-16/D or larger tires are ordered	0 0	Z55	N.C.	N.C.	N.C.

† D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
◊ State and local taxes not included.

✓ INDICATES CHANGE

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H ¹	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS					
Radios: Pushbutton. Includes antenna					
AM	7 2	U83	N.C.	67.00	67.00
AM/FM	7 2	U89	N.C.	145.00	145.00
Seat, Front: Full-Depth Foam. Included when Custom Deluxe with custom cloth or vinyl seat or Cheyenne Super is ordered	-1 -1	Z52	N.C.	29.00	29.00
Seats, Rear: Seat trim matches front seat whether standard or optional. Includes seat area floor covering, floor insulation and (3) seat belts.					
Center only. Fixed type with independent LH and RH folding sections. Standard on C-K20 models.					
C10 models only. Available only when H78-15/B or larger tires are ordered. Includes HD front and rear springs					
	155 507	AT5	N.C.	166.00	166.00
K10 models only. Available only when H78-15/B or larger tires and HD front stabilizer are ordered					
	155 445	AT5	N.C.	166.00	166.00
Center and Rear. C-K10 models only. Available only when optional front stabilizer is ordered. Includes fixed center and removable type rear seats, (3) additional seat belts plus LH and RH rear arm rests with ash trays.					
C10 models only. Available only when L78-15/D tires are ordered. Also includes HD front and rear springs					
	105 1082	AS3	N.C.	279.00	279.00
K10 models only. Available only when L78-15/B or larger tires are ordered					
	105 1039	AS3	N.C.	279.00	279.00
Rear only. C-K20 models only. Removable type seat. In addition to production center seat. Also includes LH and RH arm rests with ash trays					
	-50 594	AS3	N.C.	113.00	113.00
✓ Shock Absorbers, Heavy Duty:					
Front and Rear	3 3	F51	N.C.	15.00	15.00
Rear	0 3	G68	N.C.	8.00	8.00
Springs:					
Front, Heavy-Duty					
Capacity 1625-lb each. C10 models only. Included when center seat or center and rear seat is ordered. Not available when 454 engine is ordered					
	4 0	F60	N.C.	6.00	6.00
Capacity 1900-lb each. K10-20 models only					
	15 0	F60	N.C.	32.00	32.00
Capacity 1900-lb each. C20 models only					
	-3 0	F60	N.C.	6.00	6.00
Rear, Heavy-Duty					
Capacity 2000-lb each. C10 models only. Included when center seat or center and rear seat is ordered					
	0 43	G50	N.C.	18.00	18.00
Capacity 2600-lb each. C20 models only					
	0 6	G50	N.C.	18.00	18.00
Rear, Extra Capacity. 2850-lb each. C20 models only					
	0 12	G51	N.C.	21.50	21.50
Stabilizers:					
Front. 1" diameter. Standard on K10-20 models					
	19 0	F59	N.C.	18.00	18.00
Front, Heavy-Duty. Not available on C10 models.					
C20 models only					
	23 0	F58	N.C.	23.00	23.00
K10-20 models only					
	40 0	F58	N.C.	5.00	5.00
Steering, Power: Included when Trailering Special is ordered.					
C10-20 models only					
With 6-cylinder engine					
	30 0	N40	N.C.	128.00	128.00
With V8 engine					
	36 0	N40	N.C.	128.00	128.00
K10-20 models only					
	33 0	N40	N.C.	144.00	144.00
Steering Wheel:					
Comfortilt. Available only when optional transmission is ordered					
With Turbo Hydra-matic transmission					
	2 0	N33	N.C.	56.00	56.00
With 4-Speed transmission					
	3 1	N33	N.C.	56.00	56.00
Custom.					
C10-20 models only. Included when Cheyenne Super is ordered					
	0 0	N31	N.C.	9.00	9.00
K10-20 models only. Available only when power steering is ordered. Includes 16" steering wheel					
	0 0	N31	N.C.	9.00	9.00

¹ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

✓ INDICATES CHANGE

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H [‡]	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS					
Tank, Fuel: 30 gallon approximate capacity. Replaces production fuel tank.....	-6 48	NK7	N.C.	18.00	19.00
Throttle Control: Manual. Not available when air conditioning is ordered.....	1 0	K31	N.C.	14.00	14.00
Tires: See following page					
Towing Device: Two front towing hooks. K10-20 models only.....	16 -3	V76	N.C.	18.00	18.00
Wheel Trim: Bright Metal					
<i>Hub Caps. Included when Cheyenne Super is ordered</i>					
C10-20 models only.....	0 0	P03	N.C.	10.00	10.00
K10-20 models only. Not available on K10 models when 10.00-16.5 tires are ordered.....	2 2	P03	N.C.	13.00	13.00
<i>Trim Rings. Available only when Cheyenne Super or bright metal hub caps are ordered. Not available on K10 models when 10.00-16.5 tires or C-K20 models when 7.50-16 tires are ordered.....</i>	2 2	P06	N.C.	28.50	28.50
<i>Wheel Covers. Not available on K20 models.</i>					
C10 models only					
<i>Without Cheyenne Super</i>					
Without 6.50-16 tires.....	4 4	P01	N.C.	26.00	26.00
With 6.50-16 tires.....	6 7	P01	N.C.	54.50	54.50
<i>With Cheyenne Super</i>					
Without 6.50-16 tires.....	4 3	P01	N.C.	15.00	15.00
With 6.50-16 tires.....	6 6	P01	N.C.	44.50	44.50
C20 models only					
<i>Without Cheyenne Super</i>					
Without 7.50-16 tires.....	7 8	P01	N.C.	54.50	54.50
With 7.50-16 tires.....	5 5	P01	N.C.	26.00	26.00
<i>With Cheyenne</i>					
Without 7.50-16 tires.....	7 7	P01	N.C.	44.50	44.50
With 7.50-16 tires.....	5 4	P01	N.C.	15.00	15.00
K10 models only					
<i>Without Cheyenne Super</i>					
Without 6.50-16 or 10.00-16.5 tires.....	6 6	P01	N.C.	29.00	29.00
With 6.50-16 or 10.00-16.5 tires.....	8 9	P01	N.C.	57.50	57.50
<i>With Cheyenne Super</i>					
Without 6.50-16 or 10.00-16.5 tires.....	4 3	P01	N.C.	15.00	15.00
With 6.50-16 tires.....	6 6	P01	N.C.	44.50	44.50
With 10.00-16.5 tires.....	6 6	P01	N.C.	57.50	57.50
Window, Tailgate: Electric. End Gate models only.....	-2 7	A33	N.C.	45.00	45.00
Wood-Grained Exterior Trim: Available only when custom upper and lower moldings are ordered. Not available when two-tone paint is ordered. Includes Estate nameplate.....	3 4	YG2	N.C.	94.00	94.00

[‡] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included In Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H [†]	List Price	Mfr's Suggested Retail Price [◇]
C-K10 SERIES						
TUBELESS TIRES USED WITH SINGLE REAR WHEELS						
G78-15/B Passenger Type. Maximum Tire Capacity (Each)—Front (1473) Rear (1473)						
Highway Bias Belted Ply Blackwall						
Front (Standard)	6.00	0 0	XGS	N.C.	N.C.	N.C.
Rear (Standard)	6.00	0 0	YGS	N.C.	N.C.	N.C.
Spare (Standard)	6.00	0 0	ZGS	N.C.	N.C.	N.C.
Highway Bias Belted Ply White Stripes						
Front	6.00	0 0	XGT	N.C.	12.80	12.80
Rear	6.00	0 0	YGT	N.C.	12.80	12.80
Spare	6.00	0 0	ZGT	N.C.	6.20	6.20
On-Off Road Bias Belted Ply Blackwall						
Front. K10 models only	6.00	5 0	XGU	N.C.	7.20	7.20
Rear	6.00	0 5	YGU	N.C.	7.20	7.20
Spare	6.00	-1 4	ZGU	N.C.	3.60	3.60
H78-15/B Passenger Type. Maximum Tire Capacity (Each)—Front (1609) Rear (1609)						
Highway Bias Belted Ply Blackwall						
Front	6.00	5 0	XHL	.46	9.20	9.66
Rear	6.00	0 5	YHL	.46	9.20	9.66
Spare	6.00	-1 4	ZHL	.23	4.60	4.83
Highway Bias Belted Ply White Stripes						
Front	6.00	5 0	XHM	.46	23.15	23.61
Rear	6.00	0 5	YHM	.46	23.15	23.61
Spare	6.00	-1 4	ZHM	.23	11.60	11.83
On-Off Road Bias Belted Ply Blackwall						
Front. K10 models only	6.00	10 0	XHR	.46	16.40	16.86
Rear	6.00	0 10	YHR	.46	16.40	16.86
Spare	6.00	-1 6	ZHR	.23	8.20	8.43
L78-15/B Passenger Type. Maximum Tire Capacity (Each)—Front (1791) Rear (1791)						
Highway Bias Belted Ply Blackwall						
Front	6.00	9 0	XLB	1.00	27.60	28.60
Rear	6.00	0 9	YLB	1.00	27.60	28.60
Spare	6.00	-1 5	ZLB	.50	13.80	14.30
Highway Bias Belted Ply White Stripes						
Front	6.00	10 0	XLD	1.00	44.10	45.10
Rear	6.00	0 10	YLD	1.00	44.10	45.10
Spare	6.00	-1 6	ZLD	.50	22.00	22.50
On-Off Road Bias Belted Ply Blackwall						
Front. K10 models only	6.00	13 0	XLC	1.00	45.20	46.20
Rear	6.00	0 13	YLC	1.00	45.20	46.20
Spare	6.00	-2 9	ZLC	.50	22.60	23.10
L78-15/D Passenger Type. Maximum Tire Capacity (Each)—Front (2027) Rear (2027)						
Highway Bias Belted Ply Blackwall						
Front	6.00	15 0	XLK	1.74	45.00	46.74
Rear	6.00	0 15	YLK	1.74	45.00	46.74
Spare	6.00	-2 9	ZLK	.87	22.50	23.37
Highway Bias Belted Ply White Stripes						
Front	6.00	16 0	XLL	1.74	61.40	63.14
Rear	6.00	0 16	YLL	1.74	61.40	63.14
Spare	6.00	-2 9	ZLL	.87	30.70	31.57

[†] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.
 Spare tire available to match either front or rear tires.
 Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included In Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price ◊
----------------	-----------------------------------	----------------------------	---------------	--------------------------	------------	--------------------------------

C-K10 SERIES TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

G78-15/B Passenger Type. Maximum Tire Capacity (Each)—Front (1473) Rear (1473)

Highway Bias Belted Ply Blackwall

Front	6.00	1	0	XGW	-0.10	4.20	4.10
Rear	6.00	0	1	YGW	-0.10	4.20	4.10
Spare	6.00	-1	5	ZGW	-0.05	2.10	2.05

On-Off Road Bias Belted Ply Blackwall

Front. K10 models only	6.00	3	0	XGV	-0.10	8.40	8.30
Rear	6.00	0	3	YGV	-0.10	8.40	8.30
Spare	6.00	-1	4	ZGV	-0.05	4.20	4.15

6.50-16/C Passenger Type. Maximum Tire Capacity (Each)—Front (1536) Rear (1536)

Highway Original Equipment Blackwall

Front	5.00	5	0	XMF	.18	13.00	13.18
Rear	5.00	0	5	YMF	.18	13.00	13.18
Spare	5.00	0	2	ZMF	.09	6.50	6.59

On-Off Road Original Equipment Blackwall

Front. K10 models only	5.00	9	0	XME	.18	20.00	20.18
Rear	5.00	0	9	YME	.18	20.00	20.18
Spare	5.00	-1	5	ZME	.09	10.00	10.09

6.50-16/C (6PR) Truck Type. Maximum Tire Capacity (Each)—Front (1610) Rear (1610)

Highway Nylon Blackwall

Front	5.00	7	0	XMG	.24	29.40	29.64
Rear	5.00	0	7	YMG	.24	29.40	29.64
Spare	5.00	-1	5	ZMG	.12	14.70	14.82

On-Off Road Nylon Blackwall

Front. K10 models only	5.00	14	0	XMD	.94	50.80	51.74
Rear	5.00	0	14	YMD	.94	50.80	51.74
Spare	5.00	-2	9	ZMD	.47	25.40	25.87

7.00-15/C (6PR) Truck Type. Maximum Tire Capacity (Each)—Front (1720) Rear (1720)

Highway Nylon Blackwall

Front	6.00	13	0	XNH	.82	39.00	39.82
Rear	6.00	0	13	YNH	.82	39.00	39.82
Spare	6.00	-2	9	ZNH	.41	19.50	19.91

On-Off Road Nylon Blackwall

Front. K10 models only	6.00	19	0	XNG	1.86	59.40	61.06
Rear	6.00	0	19	YNG	1.86	59.40	61.06
Spare	6.00	-2	12	ZNG	.83	29.70	30.53

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
 ◊ State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included in Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price ◊
----------------	-----------------------------------	----------------------------	---------------	--------------------------	------------	--------------------------------

K10 SERIES

TUBELESS FLOTATION TYPE TIRES USED WITH SINGLE REAR WHEELS

10.00-16.5/C (6PR) Maximum Tire Capacity (Each)—Front (2330) Rear (2330)

Highway Nylon

Front	8.25	62	0	XWB	3.02	171.20	174.22
Rear	8.25	0	62	YWB	3.02	171.20	174.22
Spare	8.25	-9	40	ZWB	1.51	85.60	87.11

On-Off Road

Front	8.25	64	0	XWC	3.78	172.20	175.98
Rear	8.25	0	64	YWC	3.78	172.20	175.98
Spare	8.25	-8	42	ZWC	1.89	86.10	87.99

[§] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
◊ State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included in Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
C-K20 SERIES						
WIDE BASE TUBELESS TIRES USED WITH SINGLE REAR WHEELS						
8.75-16.5/C (6PR) Maximum Tire Capacity (Each)—Front (1990) Rear (1990)						
Highway Nylon						
Front (Standard)	6.00	0 0	XTC	N.C.	N.C.	N.C.
Rear (Standard)	6.00	0 0	YTC	N.C.	N.C.	N.C.
Spare	6.00	-10 46	ZTC	3.75	67.70	71.45
On-Off Road Nylon						
Front. K20 models only	6.00	1 0	XTB	.32	21.50	21.82
Rear	6.00	0 1	YTB	.32	21.50	21.82
Spare	6.00	-10 47	ZTB	3.91	86.10	90.01
8.75-16.5/D (8PR) Maximum Tire Capacity (Each)—Front (2350) Rear (2350)						
Highway Nylon						
Front	6.00	8 0	XTE	.52	19.40	19.92
Rear	6.00	0 8	YTE	.52	19.40	19.92
Spare	6.00	-11 51	ZTE	4.01	75.90	79.91
On-Off Road Nylon						
Front. K20 models only	6.00	5 0	XTF	.92	41.00	41.92
Rear	6.00	0 5	YTF	.92	41.00	41.92
Spare	6.00	-11 50	ZTF	4.21	86.10	90.31
9.50-16.5/D (8PR) Maximum Tire Capacity (Each)—Front (2780) Rear (2780)						
Highway Nylon						
Front	6.75	33 0	XUD	1.76	49.20	50.96
Rear	6.75	0 33	YUD	1.76	52.20	53.96
Spare	6.75	-12 60	ZUD	4.63	89.20	93.83
On-Off Road Nylon						
Front. K20 models only	6.75	38 0	XUE	2.02	70.80	72.82
Rear	6.75	0 38	YUE	2.02	73.80	75.82
Spare	6.75	-13 64	ZUE	4.76	99.40	104.16

[§] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included In Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H‡	List Price	Mfr's Suggested Retail Price ◊
----------------	-----------------------------------	----------------------------	---------------	--------------	------------	--------------------------------

C-K20 SERIES

TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

7.50-16/C (6PR) Maximum Tire Capacity (Each)—Front (2060) Rear (2060)

Highway Nylon

Front	6.00	31	0	XPB	.04	20.00	20.04
Rear	6.00	0	31	YPB	.04	27.60	27.64
Spare	6.00	-12	63	ZPB	3.77	59.50	63.27

On-Off Road Nylon

Front. K20 models only	6.00	50	0	XPC	1.04	43.60	44.64
Rear	6.00	0	50	YPC	1.04	51.20	52.24
Spare	6.00	-15	75	ZPC	4.27	70.70	74.97

7.50-16/D (8PR) Maximum Tire Capacity (Each)—Front (2440) Rear (2440)

Highway Nylon

Front	6.00	32	0	XPF	.66	29.80	30.46
Rear	6.00	0	32	YPF	.66	37.40	38.06
Spare	6.00	-12	63	ZPF	4.08	62.50	66.58

On-Off Road Nylon

Front. K20 models only	6.00	50	0	XPG	1.62	55.40	57.02
Rear	6.00	0	50	YPG	1.62	63.00	64.62
Spare	6.00	-15	75	ZPG	4.56	74.80	79.36

7.50-16/E (10PR) Maximum Tire Capacity (Each)—Front (2780) Rear (2780)

Highway Nylon

Front	6.00	32	0	XPK	1.36	52.20	53.56
Rear	6.00	0	32	YPK	1.36	60.00	61.36
Spare	6.00	-12	63	ZPK	4.43	75.90	80.33

On-Off Road Nylon

Front. K20 models only	6.00	42	0	XPL	2.32	83.00	85.32
Rear	6.00	0	42	YPL	2.32	90.80	93.12
Spare	6.00	-14	71	ZPL	4.91	90.80	95.71

K20 SERIES

TUBELESS FLOTATION-TYPE TIRES USED WITH SINGLE REAR WHEELS

10.00-16.5/C (6PR) Maximum Tire Capacity (Each)—Front (2330) Rear (2330)

Highway Nylon

Front	8.25	29	0	XWB	1.08	98.40	99.48
Rear	8.25	0	29	YWB	1.08	121.40	122.46
Spare	8.25	-9	40	ZWB	4.28	93.10	97.39

On-Off Road Nylon

Front	8.25	32	0	XWC	1.84	120.00	121.84
Rear	8.25	0	32	YWC	1.84	143.00	144.84
Spare	8.25	-9	42	ZWC	4.67	103.40	108.07

‡ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.

◊ State and local taxes not included.

FRONT AND REAR TIRE AVAILABILITY CHART

SUBURBAN (2-Wheel Drive)

Description	FRONT		REAR		
	Option Number		Description	Option Number	
	Highway	On-Off Road	Single Rear	Highway	On-Off Road

C10 SERIES

Spare tire to match either front or rear tires must be ordered.

TUBELESS G78-15/B	GS*	—	G78-15/B	GS*	GU
G78-15/B White Stripe	GT	—	G78-15/B White Stripe	GT	—
H78-15/B	HL	—	H78-15/B	HL	HR
H78-15/B White Stripe	HM	—	H78-15/B White Stripe	HM	—
L78-15/B	LB	—	L78-15/B	LB	LC
L78-15/B White Stripe	LD	—	L78-15/B White Stripe	LD	—
L78-15/D	LK	—	L78-15/D	LK	—
L78-15/D White Stripe	LL	—	L78-15/D White Stripe	LL	—
TUBE-TYPE G78-15/B	GW	—	G78-15/B	GW	GV
7.00-15/C	NH	—	7.00-15/C	NH	NG
6.50-16/C (Truck Type)	MG	—	6.50-16/C (Truck Type)	MG	MD
6.50-16/C (Pass. Type)	MF	—	6.50-16/C (Pass. Type)	MF	ME

*Base tire on C10 series. G78-15/B Highway Blackwall spare tire (Code GS) is also base equipment and must be ordered separately unless optional spare tire is specified.

C20 SERIES

Spare tire to match either front or rear tires is available at extra cost.

TUBELESS 8.75-16/C	TC*	—	8.75-16.5/C	TC*	TB
			8.75-16.5/D	TE	TF
8.75-16.5/D	TE	—	8.75-16.5/D	TE	TF
9.50-16.5/D	UD	—	9.50-16.5/D	UD	UE
TUBE-TYPE 7.50-16/C	PB		7.50-16/C	PB	PC
			7.50-16/D	PF	PG
	PF	—	7.50-16/D	PF	PG
	PK	—	7.50-16/E	PK	PL

◆Base tire on C20 series.

FRONT AND REAR TIRE AVAILABILITY CHART

SUBURBAN (4-Wheel Drive)

Description	FRONT		REAR		
	Option Number		Description	Option Number	
	Highway	On-Off Road	Single Rear	Highway	On-Off Road

K10 SERIES

Spare tire to match either front or rear tires must be ordered.

TUBELESS					
G78-15/B	GS*	—	G78-15/B	GS*	—
G78-15/B	—	GU	G78-15/B	—	GU
G78-15/B White Stripe	GT	—	G78-15/B White Stripe	GT	—
H78-15/B	HL	—	H78-15/B	HL	—
H78-15/B	—	HR	H78-15/B	—	HR
H78-15/B White Stripe	HM	—	H78-15/B White Stripe	HM	—
L78-15/B	LB	—	L78-15/B	LB	—
L78-15/B	—	LC	L78-15/B	—	LC
L78-15/B White Stripe	LD	—	L78-15/B White Stripe	LD	—
L78-15/D	LK	—	L78-15/D	LK	—
L78-15/D White Stripe	LL	—	L78-15/D White Stripe	LL	—
10.00-16.5/C	WB	—	10.00-16.5/C	WB	—
10.00-16.5/C	—	WC	10.00-16.5/C	—	WC
TUBE-TYPE					
G78-15/B	GW	—	G78-15/B	GW	—
G78-15/B	—	GV	G78-15/B	—	GV
7.00-15/C	NH	—	7.00-15/C	NH	—
7.00-15/C	—	NG	7.00-15/C	—	NG
6.50-16/C (Truck Type)	MG	—	6.50-16/C (Truck Type)	MG	—
6.50-16/C (Truck Type)	—	MD	6.50-16/C (Truck Type)	—	MD
6.50-16/C (Pass. Type)	MF	—	6.50-16/C (Pass. Type)	MF	—
6.50-16/C (Pass. Type)	—	ME	6.50-16/C (Pass. Type)	—	ME

*Base tire on K10 series. G78-15/B Highway Blackwall spare tire (Code GS) is also base equipment and must be ordered separately unless optional spare tire is specified.

K20 SERIES

Spare tire to match either front or rear tires is available at extra cost.

TUBELESS					
8.75-16.5/C	TC*	—	8.75-16.5/C	TC*	—
	—	TB	8.75-16.5/D	TE	—
8.75-16.5/C	—	TB	8.75-16.5/C	—	TB
8.75-16.5/D	TE	—	8.75-16.5/D	TE	—
8.75-16.5/D	—	TF	8.75-16.5/D	—	TF
9.50-16.5/D	UD	—	9.50-16.5/D	UD	—
9.50-16.5/D	—	UE	9.50-16.5/D	—	UE
10.00-16.5/C	WB	—	10.00-16.5/C	WB	—
10.00-16.5/C	—	WC	10.00-16.5/C	—	WC
TUBE-TYPE					
7.50-16/C	PB	—	7.50-16/C	PB	—
	—	PC	7.50-16/D	PF	—
7.50-16/C	—	PC	7.50-16/E	PK	—
	PF	—	7.50-16/C	—	PC
7.50-16/D	—	PG	7.50-16/D	—	PG
7.50-16/D	PK	—	7.50-16/E	—	PL
7.50-16/E	—	PL	7.50-16/D	PF	—
	PF	—	7.50-16/D	—	PG
7.50-16/E	—	PL	7.50-16/E	PK	—
	PK	—	7.50-16/E	—	PL
7.50-16/E	—	PL	7.50-16/E	—	PL

*Base tire on K20 series.

SUBURBAN CUSTOM FEATURES—STANDARD MODEL

The Custom standard model includes the following items as standard equipment.

✓ EXTERIOR


- **Bright Appearance Items**
 - Chevrolet Emblem: At center of grille; with black and ochre trim
 - Custom Nameplate with series designation located on the upper portion of the front fenders near the door opening
 - "Suburban" Nameplate on RH rear door
 - Door Entry Handles
 - Door Lock Cylinder Assemblies
 - Grille Frame: Comprised of upper and lower moldings mating with extensions on headlamp bezels
 - Headlamp Bezels; with black trim
 - Mirrors: Chrome RH and LH
- **Bumpers:** Front and rear; painted white
- **Color:** See Exterior and Interior Color Selection Chart
- **Doors:** Four side doors: two LH and two RH; and two rear panel doors (optional endgate with drop-glass available)
- **Door Opening and Locking Methods:**
 - Front side doors: pushbutton latch release with separate key lock cylinder; with keyless outside locking feature
 - Rear side doors: pushbutton latch release without exterior lock; with keyless outside locking feature
 - Rear panel doors: three position door checks; RH door pushbutton latch release with separate key lock cylinder; LH door inside release
 - Optional endgate: exterior key lock concealed in the crank-type window regulator handle. The window must be lowered to reach the inner release handle and lower the endgate, which is supported by reel-type cables in the open position.
- **Glass:**
 - Windshield; total visibility 1447 sq. in.
 - RH and LH front side door curved drop glass and ventipane; total visibility area 546 sq. in. each
 - RH & LH rear side door curved drop glass and fixed glass in rear section; total visibility area 488 sq. in. each
 - RH & LH fixed, curved rear side windows; total visibility area 1074 sq. in. each



- **Grille:** Molded plastic; painted silver
- **Lights**
 - Back-up lamps: Two rear (integral with taillamps)
 - Combination parking/direction/hazard: Two front Class A
 - Combination tail/stop/direction/hazard: Two rear Class A
 - Headlamps: Two; Power Beam
 - License Plate: Single rear
 - Side Marker and reflectors: Two front (wrap-around taillamps also serve as rear side marker lamps and reflectors)
- **Mirror:** RH & LH chrome fixed arm with 5½" x 4" head
- **Horn:** Single; low note; electric
- **Hub Caps:** Painted white with black and ochre trim (2-wheel-drive models only)
- **Tools:** Mechanical jack; wheel wrench
- **Undercoating:** On front and rear wheelhousings
- **Wheels:** Painted white
- **Windshield Wipers and Washers:** Electric; 2-speed wipers with matte finish on exposed metal portions; partially concealed arms

✓ INTERIOR

- **Air Vents:** RH & LH Cowl side; individually controlled
- **Arm Rests:** RH & LH; integral with side door trim panels
- **Ash Trays:** Mounted middle of instrument panel and in rear side door trim panels
- **Coat Hooks:** RH and LH side over rear door openings
- **Colors:**
 - Paint: Same as exterior main color choice
 - Trim: Color choice of pearl gray, slate blue, saddle or slate green
- **Door Locks:** Inside, pushbutton lock/release (side doors only)
- **Door Seals:** Closed-cell-type rubber
- **Floor Mats:** Embossed black rubber; front (all models); center seat area (Series 20 models only)
- **Instruments**
 - Gauges: Speedometer, odometer and fuel
 - Switches: Exterior lights, instrument lights and courtesy/map light; wiper-washer; headlight beam (foot); ignition (mounted on steering column); direction signal with lane change warning; hazard warning and heater
 - Warning Lights: Generator, oil pressure, engine temperature, brake warning, direction signals and high beam
- **Instrument Cluster Bright Trim:** Trim rings on gauges, warning lights, etc.
- **Instrument Panel Control Knobs:** Soft black plastic (except heater and air conditioner controls). White graphic identification
- **Instrument Panel Pad:** Color-keyed fiberboard with grained finish and "Custom" nameplate
- **Heater and Defroster:** Deluxe-air; automatic blower operation with ignition switch on for power ventilation system
- **Interior Lights:** Instrument and courtesy/map operated by main light switch
- **Insulation and Sound Deadening Material:** Dash (firewall) and under the floor mats
- **Mirror, Rearview:** 10" vinyl edged prismatic
- **Pressure Relief Air Outlet Valve:** Located bottom of each side door; provides complete body ventilation in conjunction with standard power ventilation system



- **Seats:** Full-width with color-keyed, embossed vinyl trim. Series 10 models—front seat only; Series 20 models—front seat plus folding center seat
- **Seat Belts:** For each seat position; pushbutton release; includes retractors for driver and RH front seat passenger
- **Steering Wheel, Column:** 16" black wheel (17½" on 4-wheel-drive models) with 2-spoke design; black energy-absorbing steering column
- **Sunshades:** RH & LH padded; color-keyed
- **Scuff Plates:** Door opening protection and floor mat retainer
- **Spare Tire Carrier:** LH rear side
- **Trim Panels:** Color-keyed embossed molded plastic on side doors; painted steel panels on rear quarter areas

SUBURBAN

✓CUSTOM DELUXE MODEL OPTION—RPO Z62


(This option includes all standard items plus the additions or substitutions listed below)

EXTERIOR

- **Bright Metal Appearance Items**
"Custom Deluxe" nameplates with series designation on front fenders
Windshield reveal moldings
- **Door Handles** with black plastic inserts
- **Horn:** Additional; high note; electric

INTERIOR

- **Bright Metal Appearance Items**
"Custom Deluxe" nameplate and woodgrain insert trim on instrument panel pad
Dome lamp trim
Full length front door sill scuffplates
- **Cigar Lighter**
- **Dome Lamps:** Two; 1 front, 1 rear
- **Dome and Courtesy Lamp Switches:** Front side door actuated
- **Floor Mat:** Color keyed rubber: front seat area (also in center and rear seat areas on Series 20 models, and on Series 10 models when center seat is ordered)
- **Headliner:** Full-length, pearl gray, perforated molded plastic with fiber glass blanket backing; includes matching retainer moldings
- **Instrument Panel Pad:** Foam with color-keyed grained vinyl skin and woodgrain insert in nameplate area
- **Insulation:** Under cowl panel; on headliner; under center seat floor mat on Series 20 models and on Series 10 models when center seat is ordered
- **Pillar Trim Panels:** Pearl gray molded plastic on windshield pillars and center door pillars
- **Seats:** Custom vinyl trim or custom herringbone striped nylon cloth and vinyl trim available at extra cost; includes full foam front seat cushion. See Interior and Exterior Color Selection Chart for color availability.
- **Spare Tire Cover:** Color keyed vinyl



✓CHEYENNE SUPER MODEL OPTION—RPO YE9


(This option includes all items in the "Custom Deluxe" model option plus the additions or substitutions listed below)

EXTERIOR

- **Bright Appearance Items**
"Cheyenne Super" nameplates with series designation on front fenders
Upper body side and rear door (or tailgate) moldings
Chrome front and rear bumpers
Parking/turn signal lamp, side marker lamp and taillamp trim
Hub caps (except K10 models with 10.00-16.5 tires)
- **Body-to-Fender Seals**
- **Hood Insulator**

INTERIOR

- **Bright Appearance Items**
"Cheyenne Super" nameplate on instrument panel pad
4-speed transmission shift lever
Transfer case shift lever (K10-20 models)
Woodgrain insert trim on instrument cluster face plate, side door trim panels and Series C10-20 steering wheel
- **Carpeting:** Color-keyed; front seat area (also in center and rear seat areas and on wheelhouses on Series 20 models, and on Series 10 models when center seat is ordered)
- **Cowl Panel Trim:** Color-keyed molded plastic
- **Instrument Cluster:** Gauges replace warning lamps for ammeter, engine temperature and oil pressure; includes woodgrain trimmed face plate
- **Insulation:** Under front seat
- **Seats:** Full depth foam front seat cushion; choice of: 1) Custom vinyl trim; 2) Custom herringbone striped nylon cloth and vinyl trim. See Interior and Exterior Color Selection Chart for color availability.
- **Side Door Trim Panels:** Color-keyed molded plastic (with vinyl storage pockets on front door units); includes woodgrain insert
- **Steering Wheel Trim:** Woodgrain insert on spokes (C10-20 models only)



SUBURBAN

INTERIOR AND EXTERIOR COLOR CHARTS

All orders must show one of the following interior trim codes on the order form

IMPORTANT


Dealer Note: Exterior and interior combinations shown in chart below are those recommended by Chevrolet; however, any exterior color may be ordered with any available interior color if the particular combination is desired by a customer.

INTERIOR TYPE			INTERIOR TRIM COLOR AND CODE			
			Slate Blue	Green	Pearl	Saddle
Standard Custom Interior —(YJ3) Vinyl Bench Seat			673	675	671	674
Custom Deluxe (Z62) —(YJ3) Vinyl Bench Seat			673	675	671	674
—(YJ6) Custom Cloth Bench Seat			673			674
—(YJ5) Custom Vinyl Bench Seat					671	674
Cheyenne Super (YE9) —(YJ5) Custom Vinyl Bench Seat					671	674
—(YJ6) Custom Cloth Bench Seat			673			674
EXTERIOR COLOR						
SOLID		Option Number				
Blue, Skyline (Light)	503	X		X		
Blue, Hawaiian (Medium)	510	X		X		X
Blue, Catalina (Dark)	508	X		X		X
Green, Lime	517		X	X		X
Olive, Moss	562		X	X		X
Green, Glenwood (Dark)	505		X	X		X
Gold, Spanish	511		X	X		X
Gold, Sunset	527			X		X
Orange, Burnt	515			X		X
Red, Crimson	514			X		X
Sand, Desert	528	X	X			X
Silver, Sport	507	X	X			X
Tan, Mojave	555			X		X
Turquoise, Marine	568			X		X
White, Frost	521	X	X	X		X
TWO-TONE						
MAIN BODY COLOR (White Secondary Color)	Conventional Two-Tone (With Custom Upper Moldings Only)	Special Two-Tone (With Custom Upper and Lower Moldings Only)				
Blue, Skyline (Light)	539	591	X		X	
Blue, Hawaiian (Medium)	542	586	X		X	X
Blue, Catalina (Dark)	578	592	X		X	X
Green, Lime	547	590		X	X	X
Olive, Moss	563	566		X	X	X
Green, Glenwood (Dark)	535	585		X	X	X
Gold, Spanish	536	567		X	X	X
Gold, Sunset	537	587			X	X
Orange, Burnt	541	593			X	X
Red, Crimson	544	582			X	X
Sand, Desert	538	588	X	X		X
Silver, Sport	550	581	X	X		X
Tan, Mojave	560	561			X	X
Turquoise, Marine	569	570			X	X

SUBURBAN


TWO-TONE EXTERIOR COLOR COMBINATIONS*

The application of paint for two-tone exterior color combinations is shown below and specified in two-tone chart.



CONVENTIONAL TWO-TONE

Requires body side upper moldings or Cheyenne Super. All body areas below the side and rear door (or tailgate) moldings are painted white. The areas above the moldings are painted the main body color.



SPECIAL TWO-TONE

Requires body side upper and lower moldings. The areas between the side and rear door (or tailgate) moldings are painted white. The areas above and below the moldings are painted the main body color.

*Optional at extra cost

NOTES