


ORIGINAL

1975

# SUBURBAN

## SUBURBAN MODEL SELECTOR




Series	Model Number	Body Ordering Code	
		Panel Rear Doors	Endgate
<b>C10</b>	CC10906	ZW9	E55
<b>C20</b>	CC20906	ZW9	E55
<b>K10</b> (4-Wheel Drive)	CK10906	ZW9	E55
<b>K20</b> (4-Wheel Drive)	CK20906	ZW9	E55

# SUBURBAN

## CUSTOM DELUXE FEATURES—STANDARD MODEL

The Custom Deluxe standard models include the following items as standard equipment




### EXTERIOR

- **Bumpers:** Front and rear; painted white
- **Color:** See Interior and Exterior Color Selection Chart
- **Doors:** Four side doors: two LH and two RH; two rear panel doors (optional endgate with drop-glass available)
- **Drip Moldings:** Bright; over side doors
- **Grille:** Molded plastic; painted silver; integral Chevrolet emblem at center includes bright insert with black and ochre trim
- **Grille Frame:** Bright upper and lower moldings joining extensions of bright headlamp bezels; silver-painted bezel centers
- **Horn:** Single, electric, low-note
- **Hub Caps:** Painted white with black and ochre trim (2-wheel-drive models only)
- **Keys:** Two-key system with separate keys for ignition switch and door locks
- **Lights:**
  - Backup lamps: Two rear (integral with taillamps)
  - Combination parking/direction/hazard: Two front
  - Combination tail/stop/direction/hazard: Two rear
  - Headlamps: Two; Power Beam
  - License plate lamp: Single rear
  - Side marker lamps with reflectors: Two front (wraparound taillamps also serve as rear side marker lamps and reflectors)
- **Mirrors:** RH and LH fixed arm with 5½" x 4" head; chrome finish
- **Nameplates:** Bright "Custom Deluxe" nameplates, with series designation, on upper portions of front fenders near doors; bright "Suburban" nameplate on RH rear door
- **Tools:** Mechanical jack and wheel wrench
- **Wheels:** Painted white
- **Windshield Wipers and Washers:** Electric, 2-speed wipers with matte finish on exposed metal portions; partially concealed arms; coordinated dual-orifice washers

### INTERIOR

- **Armrests:** RH and LH; integral with side door trim panels
- **Ashtrays:** In middle of instrument panel and in rear side door trim panels
- **Coat Hooks:** Over RH and LH rear side door openings
- **Colors:**
  - Paint: Same as exterior main color choice
  - Trim: Choice of blue, saddle, red, or green
- **Floor Mats:** Embossed black rubber over entire floor area
- **Heater and Defroster:** Deluxe-air; automatic blower operation with ignition switch on for power ventilation system
- **Instruments:**
  - Gauges: Speedometer, odometer and fuel
  - Switches: Main, for control of exterior lights and instrument cluster and courtesy/map lights; wiper-washer; headlight beam (foot); ignition; direction signal (with lane change position); hazard warning; heater
  - Warning lights: Generator, oil pressure, engine temperature, brake, direction signal, and high beam
- **Instrument Panel Control Knobs:** Soft black plastic with white graphic identification (except heater and wiper-washer controls)
- **Instrument Panel Pad:** Color-keyed foam type with wood-grained applique having bright trim and bright "Custom Deluxe" nameplate
- **Insulation and Sound Deadening Material:** Dash (firewall), under front seat at center, and under front and center floor mats.
- **Lights:** Instrument cluster and courtesy/map lights
- **Mirror, Rearview:** 10", vinyl-edged prismatic
- **Scuff Plates:** Door-opening protection and floor mat retainer
- **Seat:** Full-width bench-type front seat only, with color-keyed, plaid pattern vinyl trim
- **Seat Belts:** For each seat position; pushbutton release; include retractors for driver and RH front seat passenger
- **Spare Tire Carrier:** LH rear side
- **Steering Wheel:** 16" black wheel with 2 spokes (17½" in 4-wheel-drive models); black energy-absorbing steering column
- **Storage Box:** In RH side of instrument panel; door with turn-type latch
- **Sunshades:** RH and LH padded; color-keyed
- **Trim Panels:** Color-keyed, embossed molded plastic on side doors with integral armrests; painted steel panels on rear quarter areas




## SUBURBAN

### SCOTTSDALE MODEL OPTION—RPO Z62

This option includes all Custom Deluxe standard model items plus the additions or substitutions listed below


#### EXTERIOR

- **Bright Appearance Items:**
  - "Scottsdale" nameplates, with series designation, on front fenders
  - Front and rear bumpers
  - Parking/turn-signal lamp, side marker lamp, and taillamp trim
  - Hub caps
  - Body side upper molding trim
  - Windshield reveal molding
  - Rear side window trim
- **Horn:** Additional, electric, high-note
- **Moldings:** Spear-type black plastic body side upper moldings with bright trim



#### INTERIOR

- **Bright Appearance Items:**
  - "Scottsdale" nameplate on instrument panel pad
  - Dome lamp trim
  - Full-length door sill scuff plates
- **Cigar Lighter**
- **Dome Lamps:** Two; one front, one rear
- **Dome and Courtesy Lamp Switches:** Front side door actuated (dome and courtesy lamps also may be activated by main light switch)
- **Floor Mats:** Color-keyed rubber in front seat area (also in center and rear seat areas when center seat is ordered)
- **Headliner:** Full-length, pearl gray, perforated molded plastic with fiber glass blanket backing; includes matching retainer moldings
- **Insulation:** Under cowl panel and on headliner
- **Pillar Trim Panels:** Pearl gray molded plastic on windshield pillars and center door pillars
- **Seats:** Full-depth foam front seat cushion; basket weave pattern nylon cloth and vinyl trim (at extra cost). See Interior and Exterior Color Selection Chart for color availability
- **Spare Tire Cover:** Color-keyed vinyl



### SILVERADO MODEL OPTION—RPO YE9


This option includes all items in the Scottsdale model option plus the additions or substitutions listed below

#### EXTERIOR


- **Bright Appearance Items:**
  - "Silverado" nameplates, with series designation, on front fenders
  - Upper body side and rear door (or tailgate) moldings with black paint trim
- **Body-to-Fender Insulators**
- **Hood Insulator**
- **Secondary Door Seals:** On door upper frames

#### INTERIOR

- **Bright Appearance Items:**
  - "Silverado" nameplate on instrument panel pad
  - Four-speed transmission shift lever
  - Transfer case shift lever (K10-20 models)
  - Trim on instrument cluster face plate, side door trim panels, and Series C10-20 steering wheel
- **Carpeting:** Color-keyed; front seat area (also in center and rear seat areas and on wheelhouses when center seat is ordered)
- **Cowl Panel Trim:** Color-keyed molded plastic
- **Instrument Cluster:** Gauges replacing warning lamps for ammeter, engine temperature, and oil pressure; includes wood-grain trimmed face plate
- **Insulation:** Under front seat at left and right hand sides
- **Seats:** Choice of: 1) special all-vinyl trim or 2) basket weave pattern nylon cloth and vinyl trim. See Interior and Exterior Color Selection Chart for color availability
- **Side Door Trim Panels:** Color-keyed molded plastic (with vinyl storage pockets on front door units only); includes wood-grain inserts having bright borders with tooled leather pattern trim
- **Steering Wheel Trim:** Woodgrain insert on spokes (C10-20 models only)



## SUBURBAN GENERAL



**With Panel  
Rear Doors**  
Body Ordering  
Code ZW9\*

**With Tailgate  
and Manual Drop  
Glass**  
Body Ordering  
Code E55\*

Suburban models have 4 side doors, two front and two rear. Front side doors are equipped with drop-glass and ventipane assemblies; the rear side doors have a drop-glass in the forward portion and fixed glass in the rear portion. The rear quarter windows have fixed glass.

Suburbans ordered with Body Ordering Code ZW9 have panel-type rear doors incorporating fixed glass, positive fork-cam latches, and an outside key lock. A 2-position, strap-type check on each door permits either a 118- or 162-degree door opening, depending on how the retaining pin is positioned; full door opening of 172-degrees is obtained by removing the retaining pin.

Suburbans ordered with Body Ordering Code E55 have a tailgate with a manually-controlled curved drop glass. Operation of the window is through an articulated crank-type regulator handle on the tailgate outer panel; a key lock cylinder is concealed in the regulator handle, and must be unlocked before the window can be lowered. After the window is lowered, the tailgate can be lowered by moving the release handle at the upper center of the tailgate inner panel. When the tailgate is open, it is supported by reel-type cables. Embossments on the tailgate inner panel facilitate loading of large objects. An optional electric tailgate window is available by ordering RPO A33.


\*Both models shown with optional folding center and removable rear seats

### CUSTOM OPTIONS



**Chrome Bumpers**  
(RPO V37)

Chrome front & rear bumpers are available optionally on all Suburban models.



**Chrome Hub Caps**  
(RPO P03)


Chrome hub caps of the same design as the C10, 20 standard painted hub caps are available on all Suburban models. The front units for K10 models have a cut-out at the center to clear the axle hubs.



**Wheel Covers**  
(RPO P01)


Stainless steel wheel covers are available only on C10-20 and K10 Suburban models.

Suburban—Page 4



**Custom Trim Moldings**  
(RPO B85, YG1)

Side and rear upper trim moldings (RPO B85) or side and rear upper and lower and wheel opening trim moldings (RPO YG1) of bright metal are offered on all Suburban models plus upper body side spear moldings (RPO B84) of black plastic with bright trim. These options include bright trim for parking, side marker and tail lamps.




**Wood Grained Exterior Trim**  
(RPO YG2)

Wide wood grained applique mounted to entire length of body side panels, doors, front fenders and rear doors or tailgate between required upper and lower optional moldings (RPO YG1). Also includes "Estate" nameplates on body sides.

September 16, 1974

# SUBURBAN

## DIMENSIONS



### Glass Area (sq. in.)


Windshield ..... 1447  
 Front side door including ventipane (each side) ..... 546  
 Rear side door (each side) ..... 488

Side rear window (each side) ... 1074  
 Rear:  
 ZW9 panel doors (total) ..... 654  
 E55 tailgate ..... 1041

## SEATING ARRANGEMENTS


### Front Seat

Standard or RPO Z52 full-depth foam front seat




### Front and Folding Center Seat

Standard front and RPO AT5 folding center seats




### Front and Folding Center Seats

Standard front and RPO AT5 folding center seats  
 (Center seats shown in folded position)



### Front, Folding Center And Rear Removable Seats

Standard front, RPO AT5 folding center and RPO AS3 removable rear seats



# SUBURBAN

## INTERIOR AND EXTERIOR COLOR CHART

All orders must show one of the following interior trim codes on the order form

### IMPORTANT


**Dealer Note:** Exterior and interior combinations shown in chart below are those recommended by Chevrolet; however, any exterior color may be ordered with any available interior color if the particular combination is desired by a customer.

INTERIOR TYPE		Decor Option	INTERIOR TRIM COLOR AND CODE				
			Blue	Green	Red	Saddle	Sand
Custom Deluxe Vinyl Bench Seat (Code V)		Std	VDD1	VGG1	VRR1	VSS1	
Scottsdale Vinyl Bench Seat (Code V)		Z62	VDD1	VGG1	VRR1	VSS1	
Custom Cloth Bench Seat (Code D)			LDD1			LSS1	
Silverado Custom Cloth Bench Seat (Code D)		YE9	LDD1			LSS1	
Custom Vinyl Bench Seat (Code W)					XRR1		XNN1
EXTERIOR COLORS		Primary	Two-Tone Secondary ♦				
Blue, Skyline (Light)	20	12	X		X	X	X
Blue, Hawaiian (Medium)	23	12	X		X	X	X
Blue, Catalina (Dark) (M)	25	12	X		X	X	X
Bronze, Grecian	61	12		X		X	X
Buckskin	62	12	X	X	X	X	X
Gold, Yuba (Medium) (M)	53	12				X	X
Gold, Moss (Dark) (M)	81	12				X	X
Green, Willoway (Light)	43	12		X		X	X
Green, Spring (Medium) (M)	41	12		X		X	X
Green, Glenwood (Dark)	46	12		X		X	X
Red, Crimson (Medium)	73	12			X	X	X
Red, Rosedale (Dark)	71	12			X	X	X
Silver, Saratoga (M)	17	12	X	X	X	X	X
Tan, Santa Fe	60	12	X	X	X	X	X
White, Frost	12	—	X	X	X	X	X

♦ For solid and two-tone color applications, see illustrations below. For solid paint, the secondary color is the same as the primary color; for two-tones, Frost White is the secondary color and is applied to the areas shown in the illustration.

(M): Metallic


### SOLID PAINT—ZY1



### SPECIAL TWO-TONE PAINT—ZY3

(Includes YG1 Moldings)

Primary Body Color



Secondary Body Color


# SUBURBAN

## TWO-TONE EXTERIOR COLOR COMBINATIONS\*



### **SPECIAL TWO-TONE**

**Special two-tone (ZY3)** paint colors include custom upper and lower moldings (lower only on models with Silverado Model Option; upper is already included). The primary color is applied to the areas above and below the moldings (including the roof). The secondary color, which is Frost White, is applied to the area between these moldings.



\*Optional at extra cost

# SUBURBAN—Conventional

## STANDARD SPECIFICATIONS

(See Blue Tab Section for Specification Details)

Series	C10	C20
<b>Engine</b>		
<b>Base Equip.—6 cyl.</b> .....		—
<b>—8 cyl.</b> .....	350 4-bbl. V8	350 4-bbl. V8
<b>Clutch—6 cyl.</b> .....		—
<b>—8 cyl.</b> .....	12", 150 sq. in.	12", 150 sq. in.
<b>Air Filter</b> .....	Oiled-paper Element	
<b>Oil Filter</b> .....	Throwaway Type; 1-qt.	
<b>Exhaust System</b> .....	Single; Aluminized	
<b>Emission Control Systems</b> .....	See Engine & Cooling, p 30, for specific model appl.	
<b>Suspension, Front</b>	Independent; Coil Springs	
<b>Capacity</b> .....		3800 lb.
<b>Springs @ Ground</b> .....	8 cyl.—3400 lb.	1750 lb. ea.
<b>Shock Absorbers</b> .....	8 cyl.—1625 lb. ea. 1" dia.	1" dia.
<b>Suspension, Rear</b> .....	Hypoid; Two-stage Multi-leaf Springs	
<b>Axle Capacity</b> .....	3750 lb.	5700 lb.
<b>Axle Ratio—6 cyl.</b> .....		—
<b>—8 cyl.</b> .....	3.40	3.73
<b>Springs, Main @ Ground</b> .....	8 cyl.—2000 lb. ea.	2000 lb. ea.
<b>Shock Absorbers</b> .....	1" dia.	1" dia.
<b>Brakes</b>	Hydraulic; Self-adjusting	
<b>Front</b> .....	Disc; 11.86" Rotor	Disc; 12.5" Rotor
<b>Rear</b> .....	Drum; 8 cyl.—11.15" x 2.75"	Drum; 11.15" x 2.75"
<b>Booster</b> .....		Dual Diaphragm
<b>Parking</b> .....	8 cyl.—Dual Diaphragm	
<b>Electrical</b>	12 Volt; Negative Ground	
<b>Battery—6 cyl.</b> .....		—
<b>—8 cyl.</b> .....	61 amp. hr.; 2900 watts @ 0°F.	
<b>Delcotron Generator</b> .....	37 amp.	
<b>Frame</b>	Carbon Steel; 39,000 psi	
<b>Section Modulus</b> .....	3.14	3.92
<b>Fuel Tank (nominal capacity)</b> .....	25 gal.	
<b>Steering Gear Type</b> .....	Recirculating Ball	
<b>Linkage</b> .....	Parallelogram	
<b>Transmission</b> .....	Fully Synchronized 3-Speed	4-Speed CH465
<b>Shift Location</b> .....	Steering Column	Floor
<b>Tires</b> .....	8 cyl.—(5) L78-15B (4PR)	(4) 8.75-16.5C (6PR)
<b>Wheels</b> .....	(5) Disc 15" x 6"	(5) Disc 16.5" x 6"



# SUBURBAN-4-Wheel Drive


## STANDARD SPECIFICATIONS

(See Blue Tab Section for Specification Details)

Series	K10	K20
<b>Engine</b>	350 4-bbl V8 12"; 150 sq. in. Oiled-paper Element Throaway Type; 1-qt. Single; Aluminized See Engine & Cooling, p30, for specific model applications	
Base Equip. ....		
Clutch .....		
Air Filter .....		
Oil Filter .....		
Exhaust System .....		
Emission Control Systems .....		
<b>Suspension, Front</b>	Hypoid Driving Axle; Leaf Springs	
Capacity .....	3600 lb.	3800 lb.
Axle Ratio .....	3.07	4.10
Springs @ Ground .....	1850 lb. ea.	1850 lb. ea.
Shock Absorbers .....	1" dia.	1" dia.
Stabilizer Bar .....	1.25" dia.	1.06" dia.
<b>Suspension, Rear</b>	Hypoid; Two-stage Multi-leaf Springs	
Axle Capacity .....	4000 lb.	5700 lb.
Axle Ratio .....	3.07	4.10
Springs @ Ground .....	2250 lb. ea.	2800 lb. ea.
Shock Absorbers .....	1" dia.	1" dia.
<b>Brakes</b>	Hydraulic; Self-adjusting	
Front .....	Disc; 11.86" Rotor	Disc; 12.5" Rotor
Rear .....	Drum; 11.15" x 2.75"	Drum; 11.15" x 2.75"
Booster .....	Dual Diaphragm	Dual Diaphragm
Parking .....	Cable to Rear Wheels	
<b>Electrical</b>	12 Volt; Negative Ground	
Battery .....	61 amp. hr.; 2900 watts @ 0°F.	
Delcotron Generator .....	37 amp.	
<b>Frame</b>	Carbon Steel; 39,000 psi	
Section Modulus .....	3.92	
<b>Fuel Tank (nominal capacity)</b> .....	25 gal.	
<b>Steering Gear Type</b> .....	Recirculating Ball	
Linkage .....	Conventional	
<b>Transmission</b> .....	Fully Synchronized 3-Speed	
Shift Location .....	Steering Column	
<b>Transfer Case</b> .....	New Process 203 (Full Time)	
Shift Lever .....	Single Lever	
PTO Opening .....	Left Side	
<b>Tires</b> .....	(5) H78-15B (4PR)	(4) 8.75-16.5C (6PR)
<b>Wheels</b> .....	(5) Disc 15" x 6"	(5) Disc 16.5" x 6"

# SUBURBAN

Body Ordering Codes:  
 Panel Rear Doors—ZW9  
 Endgate—E55 †



Capacity—143½ cu ft  
 Load Floor Area—40 sq ft

Series	Ground Clearance (in)★	
	Front	Rear
C10	7½	7¼
C20	8	7¾
K10	7¼	7¼
K20	8¾	7¼

Model	Engine No. Cyl.	Dimensions (in)★				†Curb Weight (lb)			†Model Weight (lb)*		
		WB	OL	OH	GT	Front	Rear	Total	Front	Rear	Total ‡

### C10 SERIES

CC10906	8	129½	218¾	71½	27½	2257	2206	4463	2500	2413	5063
---------	---	------	------	-----	-----	------	------	------	------	------	------

### C20 SERIES

CC20906	8	129½	218¾	71¾	27¼	2374	2398	4772	2617	2605	5372
---------	---	------	------	-----	-----	------	------	------	------	------	------

### K10 SERIES

CK10906	8	129½	218¾	73½	29½	2541	2318	4859	2784	2525	5459
---------	---	------	------	-----	-----	------	------	------	------	------	------

### K20 SERIES

CK20906	8	129½	218¾	75½	32	2599	2463	5062	2842	2670	5662
---------	---	------	------	-----	----	------	------	------	------	------	------

★Dimensions with standard equipment, unloaded.

\*Model Weight includes Curb Weight plus occupants (standard seating capacity x 150 lb).

†Curb Weights and Model Weights shown are for models with ZW9 Panel Rear Doors. For models with E55 Endgate, weights must be adjusted as follows: Front -10 lb; Rear +36 lb; Total added weight 26 lb.

‡Total also includes 150 lb minimum payload allowance.

# SUBURBAN

## GVW SELECTOR

†Maximum Ratings			Minimum Equipment Required for GVW Rating		
GVW Rating (lb)	★GAWR (lb)		Tires, Front	Tires, Rear	Chassis Equipment
	Front	Rear			

### C10 SERIES

**6400	3250	3580	L78-15B(4PR) (TL)	or	L78-15B(4PR) (TL)	Standard
		3440	7.00-15C(6PR) (TB) (TT)		7.00-15C(6PR) (TB) (TT)	
6800	3250	3750	LR78-15C(6PR) (TL)	or	LR78-15C(6PR) (TL)	
			L78-15D(8PR) (TL)		L78-15D(8PR) (TL)	
*7000	3400	3750	LR78-15C(6PR) (TL)	or	LR78-15C(6PR) (TL)	454 4-bbl V8 (LF8)
			L78-15D(8PR) (TL)		L78-15D(8PR) (TL)	

### C20 SERIES

7100	3500	3980	8.75-16.5C(6PR) (TL) (TT)	or	8.75-16.5C(6PR) (TL) (TT)	Standard
		4000	7.50-16C(6PR) (TB) (TT)		7.50-16C(6PR) (TB) (TT)	
7500	3500	5200	9.50-16.5D(8PR) (TL) (TT)	or	9.50-16.5D(8PR) (TL) (TT)	HD Rear Springs (G50); HD Power Brakes (J55)
			7.50-16E(10PR) (TB) (TT)		7.50-16E(10PR) (TB) (TT)	
8200	3800	5560	9.50-16.5D(8PR) (TL) (TT)	or	9.50-16.5D(8PR) (TL) (TT)	HD Front Springs (F60); 2850-lb ea Rear Springs (G51); HD Power Brakes (J55)
			7.50-16E(10PR) (TB) (TT)		7.50-16E(10PR) (TB) (TT)	

### K10 SERIES

**6200	3220	3220	H78-15B(4PR) (TL)	or	H78-15B(4PR) (TL)	
			6.50-16C(6PR) (TB) (TT)		6.50-16C(6PR) (TB) (TT)	
**6800	3520	3520	10-15B(4PR) (TL)		10-15B(4PR) (TL)	Standard
	3580	3580	L78-15B(4PR) (TL)		L78-15B(4PR) (TL)	
	3600	3600	7.00-16C(6PR) (TB) (TT)		7.00-16C(6PR) (TB) (TT)	
7300	3600	4000	L78-15D(8PR) (TL)		L78-15D(8PR) (TL)	

### K20 SERIES

6800	3700	3980	8.75-16.5C(6PR) (TL) (TT)	or	8.75-16.5C(6PR) (TL) (TT)	Standard
		4120	7.50-16C(6PR) (TB) (TT)		7.50-16C(6PR) (TB) (TT)	
7500	3700	4700	8.75-16.5C(6PR) (TL) (TT)	or	8.75-16.5D(8PR) (TL) (TT)	HD Front Stabilizer Bar (F58); HD Power Brakes (J55)
		4880	7.50-16C(6PR) (TB) (TT)		7.50-16D(8PR) (TB) (TT)	
8400	3700	5560	9.50-16.5D(8PR) (TL) (TT)	or	9.50-16.5D(8PR) (TL) (TT)	
			7.50-16C(6PR) (TB) (TT)		7.50-16E(10PR) (TB) (TT)	

†GAWR's shown are the maximum for each axle. When ordering a truck the total of the actual weight on both front and rear axles cannot exceed the total GVW rating.

★GAWR—Gross Axle Weight Rating

TL—Tubeless TB—Tube Type TT—Truck Type

\*Requires AS3 optional seating. \*\*AS3 optional seating not available with this GVW.

# SUBURBAN

## FRONT AND REAR TIRE AVAILABILITY CHART

FRONT		REAR		
Description	Option Number	Description	Option Number	
	Highway	Single Rear	Highway	On-Off Road

### C10 SERIES

Spare tire to match either front or rear tires must be ordered

<b>TUBELESS</b>				
L78-15/B	<b>LB</b> †	L78-15/B	<b>LB</b> †	<b>LC</b>
L78-15/B White Stripe	<b>LD</b>	L78-15/B White Stripe	<b>LD</b>	—
L78-15/D	<b>LK</b>	L78-15/D	<b>LK</b>	—
L78-15/D White Stripe	<b>LL</b>	L78-15/D White Stripe	<b>LL</b>	—
LR78-15/C Radial White Stripe	<b>CD</b>	LR78-15/C Radial White Stripe	<b>CD</b>	—
<b>TUBE-TYPE</b>				
G78-15/B	<b>GW</b>	G78-15/B	<b>GW</b>	<b>GV</b>
6.50-16/C (Truck Type)	<b>MG</b>	6.50-16/C (Truck Type)	<b>MG</b>	<b>MD</b>
7.00-15/C (Truck Type)	<b>NH</b>	7.00-15/C (Truck Type)	<b>NH</b>	<b>NG</b>
7.00-16/C (Truck Type)	<b>NK</b>	7.00-16/C (Truck Type)	<b>NK</b>	<b>NL</b>

†Base tire on 8 cyl. models. L78-15/B Highway Blackwall spare tire (Code LB) is also base equipment and must be ordered separately unless optional spare tire is specified.

### C20 SERIES

Spare tire to match either front or rear tires is available at extra cost

<b>TUBELESS</b>				
8.75-16/C	<b>TC</b> ♦	8.75-16.5/C	<b>TC</b> ♦	<b>TB</b>
		8.75-16.5/D	<b>TE</b>	<b>TF</b>
8.75-16.5/D	<b>TE</b>	8.75-16.5/D	<b>TE</b>	<b>TF</b>
8.75-16.5/D White Stripe	<b>TM</b>	8.75-16.5/D White Stripe	<b>TM</b>	<b>TN</b>
9.50-16.5/D	<b>UD</b>	9.50-16.5/D	<b>UD</b>	<b>UE</b>
<b>TUBE-TYPE</b>				
7.50-16/C	<b>PB</b>	7.50-16/C	<b>PB</b>	<b>PC</b>
		7.50-16/D	<b>PF</b>	<b>PG</b>
7.50-16/D	<b>PF</b>	7.50-16/D	<b>PF</b>	<b>PG</b>
7.50-16/E	<b>PK</b>	7.50-16/E	<b>PK</b>	<b>PL</b>

♦Base tire on C20 series.

## SUBURBAN

### FRONT AND REAR TIRE AVAILABILITY CHART

FRONT			REAR		
Description	Option Number		Description	Option Number	
	Highway	On-Off Road		Single Rear	Highway

#### K10 SERIES

Spare tire to match either front or rear tires must be ordered

<b>TUBELESS</b> H78-15/B	<b>HL*</b>	—	H78-15/B	<b>HL*</b>	—
	—	<b>HR</b>	H78-15/B	—	<b>HR</b>
H78-15/B White Stripe	<b>HM</b>	—	H78-15/B White Stripe	<b>HM</b>	—
	<b>LB</b>	—	L78-15/B	<b>LB</b>	—
L78-15/B	—	<b>LC</b>	L78-15/B	—	<b>LC</b>
	<b>LD</b>	—	L78-15/B White Stripe	<b>LD</b>	—
L78-15/D	<b>LK</b>	—	L78-15/D	<b>LK</b>	—
	<b>LL</b>	—	L78-15/D White Stripe	<b>LL</b>	—
LR78-15/C Radial White Stripe	<b>CD</b>	—	LR78-15/C Radial White Stripe	<b>CD</b>	—
	—	<b>WR</b>	10-15/B	—	<b>WR</b>
<b>TUBE-TYPE</b> 6.50-16/C (Truck Type)	<b>MG</b>	—	6.50-16/C (Truck Type)	<b>MG</b>	—
	—	<b>MD</b>	6.50-16/C (Truck Type)	—	<b>MD</b>
7.00-15/C (Truck Type)	<b>NH</b>	—	7.00-15/C (Truck Type)	<b>NH</b>	—
	—	<b>NG</b>	7.00-15/C (Truck Type)	—	<b>NG</b>
7.00-16/C (Truck Type)	<b>NK</b>	—	7.00-16/C (Truck Type)	<b>NK</b>	—
	—	<b>NL</b>	7.00-16/C (Truck Type)	—	<b>NL</b>

\*Base tire on K10 series. H78-15/B Highway Blackwall spare tire (Code HL) is also base equipment and must be ordered separately unless optional spare tire is specified.

#### K20 SERIES

Spare tire to match either front or rear tires is available at extra cost

<b>TUBELESS</b> 8.75-16.5/C	<b>TC♦</b>	—	8.75-16.5/C	<b>TC♦</b>	—
	—	<b>TB</b>	8.75-16.5/D	<b>TE</b>	—
8.75-16.5/D	<b>TE</b>	—	8.75-16.5/C	—	<b>TB</b>
	—	<b>TF</b>	8.75-16.5/D	<b>TE</b>	—
8.75-16.5/D White Stripe	<b>TM</b>	—	8.75-16.5/D	—	<b>TF</b>
	—	<b>TN</b>	8.75-16.5/D White Stripe	<b>TM</b>	—
9.50-16.5/D	<b>UD</b>	—	9.50-16.5/D	<b>UD</b>	—
	—	<b>UE</b>	9.50-16.5/D	—	<b>UE</b>
10-16.5/D	<b>WD</b>	—	10-16.5/D	<b>WD</b>	—
	—	<b>WF</b>	10-16.5/D	—	<b>WF</b>
<b>TUBE-TYPE</b> 7.50-16/C	<b>PB</b>	—	7.50-16/C	<b>PB</b>	—
	—	<b>PC</b>	7.50-16/D	<b>PF</b>	—
7.50-16/D	<b>PF</b>	—	7.50-16/E	<b>PK</b>	—
	—	<b>PG</b>	7.50-16/C	—	<b>PC</b>
7.50-16/E	<b>PK</b>	—	7.50-16/D	—	<b>PG</b>
	—	<b>PL</b>	7.50-16/E	—	<b>PL</b>

♦ Base tire on K20 series.

# SUBURBAN

## POWER TEAMS

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	
Type and Code	Type and Code	Make and Model	Make and Capacity (lb)	Ratio and Code

### C10 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	3.07	3.40	3.73	4.11
				HE3	HE4	GT4	HO4
■ 350 4-bbl V8—LS9 (Standard V8)	3-Speed Manual (Std)—M15	—	Chevrolet 3750♦	—	X(Std)	X	—
	4-Speed (Chevrolet CH465)—M20			—	X(Std)	X	—
	Turbo Hydra-matic—M40			X(Std)	X	X	X
■ 454 4-bbl V8—LF8	Turbo Hydra-matic—M40			X(Std)	X	X	—

### C20 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	3.21	3.73	4.10	4.56
				HC8	GT4	GT5	HC4
■ 350 4-bbl V8—LS9 (Standard V8)	4-Speed (Chevrolet CH465) (Std)—M20	—	Chevrolet 5700♦	—	X(Std)	X	X
	Turbo Hydra-matic—M40			—	X(Std)	X	X
■ 454 4-bbl V8—LF8	Turbo Hydra-matic—M40			X	X(Std)	X	—

### K10 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	3.07	3.73	4.11
				HE3	GT4	HO4
■ 350 4-bbl V8—LS9 (Standard V8)	3-Speed Manual (Std)—M15	New Process #203	Chevrolet 4000♦	X(Std)	X	X
	4-Speed (Chevrolet CH465)—M20			X(Std)	X	X
	Turbo Hydra-matic—M40			X(Std)	X	X
■ 400 4-bbl V8—LF4	Turbo Hydra-matic—M40			X(Std)	X	X

### K20 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	4.10
				GT5
■ 350 4-bbl V8—LS9 (Standard V8)	3-Speed Manual (Std)—M15	New Process #203	Chevrolet 5700♦	X(Std)
	4-Speed (Chevrolet CH465)—M20			X(Std)
	Turbo Hydra-matic—M40			X(Std)
■ 400 4-bbl V8—LF4	Turbo Hydra-matic—M40			X(Std)

■ Available for registration in the State of California when California Emission Certification is ordered.  
♦ Locking Differential rear axle also available.

## ENGINE RATINGS

SAE Net Ratings @ 85°F	350 4-bbl V8	400 4-bbl V8	454 4-bbl V8
Net Horsepower.....	160 @ 3800 rpm	175 @ 3600 rpm	245 @ 4000 rpm
Net Torque, lb-ft.....	250 @ 2400 rpm	290 @ 2800 rpm	*355 @ 3000 rpm

\*375 @ 2800 for California only.

## SUBURBAN 1975 VEHICLES WITH STANDARD EQUIPMENT

Prices shown are effective with production of 1975 Vehicles

Description	Model Number	Code	Wheel-base	Factory D&H‡	List Price	Mfr's Suggested Retail Price★	Destination Charge & Group Number	Total
<b>◆ 8-Cylinder 350-4 BBL Engine—Engine Ordering Code LS9</b>								
<b>C10 Series 2-Wheel Drive</b>								
Panel Doors .....	CC10906	ZW9	129.5"	15.95	4660.00	4675.95	17.....	.....
End Gate.....	CC10906	E55	129.5"	15.95	4691.00	4706.95	17.....	.....
<b>C20 Series 2-Wheel Drive</b>								
Panel Doors .....	CC20906	ZW9	129.5"	15.04	4999.00	5014.04	17.....	.....
End Gate.....	CC20906	E55	129.5"	15.04	5030.00	5045.04	17.....	.....
<b>K10 Series 4-Wheel Drive</b>								
Panel Doors .....	CK10906	ZW9	129.5"	14.85	5574.00	5588.85	18.....	.....
End Gate.....	CK10906	E55	129.5"	14.85	5605.00	5619.85	18.....	.....
<b>K20 Series 4-Wheel Drive</b>								
Panel Doors .....	CK20906	ZW9	129.5"	15.04	5836.00	5851.04	17.....	.....
End Gate.....	CK20906	E55	129.5"	15.04	5867.00	5882.04	17.....	.....

★ Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, options or accessories.  
 ◆ Refer to Power Team Chart for California Emission Certification Requirements.

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with production of 1975 Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H‡	List Price	Mfr's Suggested Retail Price◇
<b>POWER TEAMS AND AXLES</b>					
<i>(See Power Teams Chart for availability and complete specifications)</i>					
<b>Engine:</b>					
400-4 BBL V8. V8 K10-20 series only. Available only when M40 Turbo Hydra-matic transmission is specified.....	12 39	LF4			WILL ADVISE
454-4 BBL V8. V8 C10-20 series only. Available only when M40 Turbo Hydra-matic transmission is specified. Includes UA1 HD battery and N41 power steering .....	183 4	LF8	N.C.	382.00	382.00
<b>Liquid Petroleum Gas Conversion:</b> All 1975 Chevrolet Light Duty Truck gasoline production engines may be converted to use LP Gas when permissible under Federal and State laws and regulations without causing harmful effect to the engine. Complete conversion to LPG requires adaptation by a local distributor who sells and services LPG equipment. Caution should be exercised so that the fuel tank is mounted on and is vented to the outside of the vehicle. In addition, vehicles converted to LPG should not be stored in enclosed places such as garages.					
<b>Transmissions:</b>					
<i>Turbo Hydra-matic.</i> C-K20 series includes extra cooling.					
With LS9 350-4 BBL or LF4 400-4 BBL engine. C10-20 or K10 series only.....	17 7	M40	N.C.	286.00	286.00
K20 series only.....	11 3	M40	N.C.	286.00	286.00
With LF8 454-4 BBL engine. C10-20 series only.....	29 11	M40	N.C.	296.00	296.00
<i>Chevrolet 4-Speed.</i> Standard on C20 series. Available only when LS9 350-4 BBL engine is specified.					
C10 series only.....	82 35	M20	N.C.	123.00	123.00
K10-20 series only.....	78 21	M20	N.C.	123.00	123.00
<b>Axles, Rear:</b>					
<i>Optional Ratio.</i> (See Power Teams Chart for option number selection, availability and complete specifications) .....	0 0	...	N.C.	14.00	14.00
<i>Locking Differential</i> .....	0 7	G80	N.C.	145.00	145.00

‡ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
 ◇ State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with production of 1975 Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>1</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
-------------	-------------------------	---------------	--------------------------	------------	---

### MODEL OPTIONS

*(See Interior and Exterior Color Selection Chart)*

**Scottsdale:** Not available when YE9 Silverado is specified. Includes bright windshield and rear side window molding; V37 front and rear bumpers; B84 body side spear moldings; bright taillight, turn signal and side marker lamp bezels; P03 hub caps; dual horns; nameplates on front fender and instrument panel; pearl colored headliner and moldings; U37 cigarette lighter; C91 dome lamp with bright bezels; Z52 full-depth foam seat; color-keyed vinyl coated floor mats with bright sill plates; special insulation; pearl colored plastic windshield pillar and center door pillar trim panels. Also includes spare tire cover when spare tire is specified.

C10-20 series only .....	31	50	Z62	N.C.	255.00	255.00
K10-20 series only .....	33	54	Z62	N.C.	258.00	258.00

**Silverado:** With custom cloth or custom vinyl seats only. Includes V37 front and rear bumpers; B85 bright body side upper moldings; taillight and rear door or tailgate moldings; P03 hub caps; bright front turn signal and front side marker lamp bezels; Silverado fender nameplate; bright windshield and rear side window molding; Z52 full-depth foam seat; color-keyed carpeting with bright sill plates; plastic door trim panels with storage pockets and wood-grained accents; wood-grained instrument cluster with Z53 ammeter, temperature and oil pressure gauges; dual horns; Silverado nameplate on instrument panel; U37 cigarette lighter; pearl colored headliner and moldings; C91 dome lamp with bright bezels; special insulation; pearl colored plastic windshield pillar and center door pillar trim panels; load area and rear wheelhouse carpeting when AT5 or AS3 seats are specified. Also includes spare tire cover when spare tire is specified.

C10-20 series only. Also includes N31 custom steering wheel ..	27	49	YE9	N.C.	445.00	445.00
K10-20 series only .....	29	51	YE9	N.C.	438.00	438.00

<sup>1</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.



# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with production of 1975 Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>					
<b>Air Cleaner: Poly-Wrap</b> .....	0 0	K43	N.C.	12.00	12.00
<b>Air Conditioning:</b>					
Includes extra cooling and K76 61-amp generator.					
<i>Front.</i> Recommended for front seat area cooling only.					
Without Z62 Scottsdale or YE9 Silverado. Also includes B85 headliner.					
C-K10 series only.					
With LF8 454-4 BBL engine, C10 series only .....	98 32	C60	N.C.	545.00	545.00
With LS9 350-4 BBL or LF4 400-4 BBL engine .....	102 34	C60	N.C.	545.00	545.00
C-K20 series only.					
Without M40 Turbo Hydra-matic transmission .....	105 34	C60	N.C.	545.00	545.00
With M40 Turbo Hydra-matic transmission .....	97 33	C60	N.C.	545.00	545.00
With YE9 Silverado or Z62 Scottsdale.					
C-K10 series only.					
With LF8 454-4 BBL engine, C10 series only .....	90 9	C60	N.C.	458.00	458.00
With LS9 350-4 BBL or LF4 400-4 BBL engine .....	94 11	C60	N.C.	458.00	458.00
C-K20 series only.					
Without M40 Turbo Hydra-matic transmission .....	97 11	C60	N.C.	458.00	458.00
With M40 Turbo Hydra-matic transmission .....	89 9	C60	N.C.	458.00	458.00
<i>Independent Front and Rear Roof Mounted.</i> Available only when YE9 Silverado or Z62 Scottsdale is specified. Rear system operates on recirculating air.					
C-K10 series only.					
With LF8 454-4 BBL engine, C10 series only .....	107 46	C69	N.C.	708.00	708.00
With LS9 350-4 BBL or LF4 400-4 BBL engine .....	111 48	C69	N.C.	708.00	708.00
C-K20 series only.					
Without M40 Turbo Hydra-matic transmission .....	114 48	C69	N.C.	708.00	708.00
With M40 Turbo Hydra-matic transmission .....	106 47	C69	N.C.	708.00	708.00
<b>Batteries:</b> 12-volt.					
<i>Auxiliary.</i> 61-amp-hr, 9-plate.					
C10 or K10-20 series only .....	51 -7	TP2	N.C.	61.00	61.00
C20 series only .....	49 -7	TP2	N.C.	61.00	61.00
<i>Heavy-Duty.</i> 80-amp-hr, 15-plate.					
With V8 engine. Included when LF8 454-4 BBL engine, Z82 Trailing Special or Z56 Cold-Climate Package is specified					
C-K20 series only .....	2 0	UA1	N.C.	18.00	18.00
<b>Brakes: Heavy-Duty Power.</b> C-K20 series only.					
C-K20 series only .....	4 42	J55	N.C.	48.00	48.00
<b>Bumper Equipment: Chromed.</b>					
<i>Bumpers, Front and Rear.</i> Included when YE9 Silverado or Z62 Scottsdale is specified					
C-K20 series only .....	0 0	V37	N.C.	36.00	36.00
<i>Guards, Bumper.</i> Front. Available only when V37 bumpers, YE9 Silverado or Z62 Scottsdale is specified.					
C-K20 series only .....	11 -2	V31	N.C.	20.00	20.00
<b>California Emission Certification:</b> Includes all testing, equipment and /or certification necessary for registration in the State of California <i>See Power Teams Chart for availability and complete specifications)</i>					
With V8 engine only .....	0 0	YF5	N.C.	75.00	75.00
<b>Carpeting, Floor and Wheelhouse:</b> Available only when Z62 Scottsdale and AT5 or AS3 seats are specified. Includes color-keyed carpeting when blue, red or saddle trim is specified. Not available when green trim is specified					
C-K20 series only .....	-6 46	B30	N.C.	89.00	89.00
<b>Clock, Electric:</b> Not available when U16 tachometer is specified.					
Without YE9 Silverado. Includes Z53 ammeter, temperature and oil pressure gauges					
Without YE9 Silverado .....	2 0	U35	N.C.	38.00	38.00
With YE9 Silverado .....	0 0	U35	N.C.	21.00	21.00

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with production of 1975 Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>1</sup>	List Price	Mfr's Suggested Retail Price <sup>2</sup>
<b>OTHER OPTIONS</b>					
<b>Cold-Climate Package:</b> Not available when C60 or C69 air conditioning or K79 42-amp generator is specified. Includes 55-amp generator, super heater and defroster, engine block heater and anti-freeze protection to -40 degrees. Also includes UA1 HD battery without Z82 Trailing Special.					
With LS9 350-4 BBL or LF4 400-4 BBL engine.					
Without Z82 Trailing Special	5	3	Z56	N.C.	88.00
With Z82 Trailing Special	5	3	Z56	N.C.	71.00
With LF8 454-4 BBL engine	5	3	Z56	N.C.	71.00
<b>Cooler, Engine Oil:</b> Available only when V8 engine is specified	13	-1	KC4	N.C.	74.00
<b>Cooling: Radiator, Heavy-Duty.</b> Not available when LF4 400-4 BBL engine, C60 or C69 air conditioning is specified.					
C-K10 series only.					
With LF8 454-4 BBL engine, C10 series only	4	-1	V01	N.C.	30.00
With LS9 350-4 BBL or LF4 400-4 BBL engine	8	-1	V01	N.C.	30.00
C-K20 series only. Not available when M40 Turbo Hydra-matic transmission is specified					
	8	-1	V01	N.C.	30.00
<b>Gauges:</b>					
<b>Ammeter, Temperature and Oil Pressure.</b> Included when YE9 Silverado, U35 electric clock or U16 tachometer is specified					
	1	0	Z53	N.C.	17.00
<b>Tachometer.</b> Available only when V8 engine is specified. Not available when U35 electric clock is specified.					
Without YE9 Silverado. Includes Z53 ammeter, temperature and oil pressure gauges.					
	2	0	U16	N.C.	67.00
With YE9 Silverado.	1	0	U16	N.C.	50.00
<b>Generators:</b>					
<b>42-amp Delcotron.</b> Not available when C60 or C69 air conditioning or Z56 Cold-Climate Package is specified.					
	0	0	K79	N.C.	27.00
<b>61-amp Delcotron.</b> Included when C60 or C69 air conditioning is specified.					
Without Z56 Cold-Climate Package	1	0	K76	N.C.	35.00
With Z56 Cold-Climate Package	1	0	K76	N.C.	N.C.
<b>Glass: Soft-Ray Tinted.</b> All Windows.					
	0	0	AO1	N.C.	39.00
<b>Grille: Chromed</b>					
	0	0	V22	N.C.	22.00
<b>Guards, Door Edge:</b> Not available when YG2 wood-grained exterior trim is specified					
	0	0	B93	N.C.	10.00
<b>Harness, Trailer Wiring: Heavy-Duty</b>					
	0	2	UY7	N.C.	23.00
<b>Headlamp Warning Buzzer</b>					
	0	0	T63	N.C.	4.00
<b>Headliner, Interior:</b> Included when YE9 Silverado, Z82 Scottsdale, C60 or C69 air conditioning is specified. Includes C91 dome lamp					
	8	23	BB5	N.C.	87.00
<b>Instrument Panel, Wood-Grained:</b> Available only when Z53 ammeter, temperature and oil pressure gauges are specified. Not available when YE9 Silverado is specified					
	0	0	BC2	N.C.	30.00
<b>Lamps:</b>					
<b>Dome.</b> Two. Included when BB5 headliner, YE9 Silverado or Z62 Scottsdale is specified. Includes door actuated switches and bright bezels					
	0	0	C91	N.C.	20.00
<b>Roof Marker.</b> Five. Not available for registration in the State of California					
	3	1	U01	N.C.	30.00
<b>Lighter, Cigarette:</b> Included when YE9 Silverado or Z62 Scottsdale is specified.					
	0	0	U37	N.C.	8.00
<b>Mirrors, Exterior:</b> LH and RH.					
<b>Below-Eye-Line Type.</b> 7.5" x 10.5". Provides field of vision for vehicles to 80" wide.					
Painted	3	1	D29	N.C.	23.00
Stainless Steel	3	1	DG4	N.C.	41.00
<b>Camper Type.</b> Stainless steel. Includes below-eye-line mirrors with adjustable arm feature to provide field of vision for vehicles to 98" wide. Shipped loose for dealer installation.					
	7	2	DF2	N.C.	58.00

<sup>1</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>2</sup> State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with production of 1975 Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>1</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>					
<b>Moldings:</b>					
<i>Body Side Spear.</i> Bright with black insert. Not available when ZY3 special two-tone paint, B85 or YG1 moldings are specified. Included when Z62 Scottsdale is specified.	0	0	B84	N.C.	50.00
<i>Body Side Upper.</i> Not available when YG2 wood-grained exterior trim or ZY3 special two-tone paint is specified. Included when YE9 Silverado is specified. Includes fender, door, rear side panel, rear door or tailgate moldings plus bright front turn signal, front side marker and taillight trim.					
Without Z62 Scottsdale	2	3	B85	N.C.	52.00
With Z62 Scottsdale	2	3	B85	N.C.	2.00
<i>Body Side Upper and Lower.</i> Not available when B84 body side spear molding is specified. Included when ZY3 special two-tone paint or YG2 wood-grained trim is specified. Also includes lower body side, rear door or tailgate and wheel opening moldings.					
Without YE9 Silverado or Z62 Scottsdale. Also includes B85 upper moldings described above	3	4	YG1	N.C.	126.00
With YE9 Silverado	3	4	YG1	N.C.	74.00
With Z62 Scottsdale. Also includes B85 upper moldings described above	3	4	YG1	N.C.	76.00
<b>Paints, Exterior:</b> See Interior and Exterior Color Selection Chart for ordering information					
<i>Solid</i>	0	0	ZY1	N.C.	N.C.
<i>Special Two-Tone.</i> Area between upper and lower side moldings painted white. Includes YG1 body side upper and lower moldings					
Without YE9 Silverado or Z62 Scottsdale	3	4	ZY3	N.C.	199.00
With Z62 Scottsdale	0	0	ZY3	N.C.	149.00
With YE9 Silverado	0	0	ZY3	N.C.	147.00
<b>Plate:</b> Serial Number (State of Pennsylvania) "K" Plate. Not required on C10-20 series. K10 series available only when AT5 or AS3 seats and LK or LL L78-15 /D tires are specified. K20 series available only when F58 HD front stabilizer and J55 brakes are specified. Not available when PB or PC 7.50-16 /C or TC or TB 8.75-16.5 /C rear tires are specified.	0	0	Z55	N.C.	N.C.
<b>Plate, Fuel Tank Shield:</b>					
C10-20 series only	-8	53	NY1	N.C.	31.00
K10-20 series only. Includes transfer case skid plate	-8	53	NY1	N.C.	58.00
<b>Radios:</b> Pushbutton. Includes antenna.					
AM	7	2	U63	N.C.	69.00
AM /FM	7	2	U69	N.C.	151.00
<b>Seat, Front:</b> Full-Depth Foam. Included when YE9 Silverado or Z62 Scottsdale is specified	-1	-1	Z52	N.C.	32.00

<sup>1</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

## SUBURBAN

### OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with production of 1975 Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>1</sup>	List Price	Mfr's Suggested Retail Price <sup>2</sup>
<b>OTHER OPTIONS</b>					
<b>Seats:</b> Seat trim matches front seat whether standard or optional. Includes seat area floor covering, floor insulation and (3) seat belts.					
<i>Center only.</i> Non-Adjustable type with independent LH and RH folding sections.					
C10 series only. Available only when V8 engine and LL or LK L78-15 /D or CD LR78-15 /C tires are specified. . . . .	162 521	AT5	N.C.	184.00	184.00
K10 series only. . . . .	154 442	AT5	N.C.	184.00	184.00
C-K20 series only. . . . .	150 430	AT5	N.C.	184.00	184.00
<i>Center and Rear.</i> Includes non-adjustable center and removable type rear seats, (3) additional seat belts plus LH and RH rear arm rests with ash trays.					
C10 series only. Available only when V8 engine and LL or LK L78-15 /D or CD LR78-15 /C or larger tires are specified. Also includes F59 stabilizer. . . . .	109 1115	AS3	N.C.	357.00	357.00
K10 series only. Available only when LL or LK L78-15 /D or CD LR78-15 /C tires are specified. . . . .	101 1039	AS3	N.C.	337.00	337.00
C-K20 series only. . . . .	-50 594	AS3	N.C.	337.00	337.00
<i>Custom Cloth.</i> Driver and Passenger.					
<i>With Z62 Scottsdale</i>					
Without AT5 or AS3 seats. . . . .	0 0	...	N.C.	34.00	34.00
With AT5 center seat without AS3 center and rear seats. . . . .	0 0	...	N.C.	80.00	80.00
With AS3 center and rear seats. . . . .	0 0	...	N.C.	114.00	114.00
<i>With YE9 Silverado</i>					
Without AT5 or AS3 seats. . . . .	0 0	...	N.C.	N.C.	N.C.
With AT5 center seat without AS3 center and rear seats. . . . .	0 0	...	N.C.	94.00	94.00
With AS3 center and rear seats. . . . .	0 0	...	N.C.	128.00	128.00
<i>Custom Vinyl.</i> Driver and Passenger. Available only when YE9 Silverado is specified.					
Without AT5 or AS3 seats. . . . .	0 0	...	N.C.	N.C.	N.C.
With AT5 center seat without AS3 center and rear seats. . . . .	0 0	...	N.C.	94.00	94.00
With AS3 center and rear seats. . . . .	0 0	...	N.C.	128.00	128.00
<b>Shock Absorbers: Heavy-Duty.</b>					
<i>Front and Rear</i> . . . . .					
	3 3	F51	N.C.	18.00	18.00
<i>Rear</i> . . . . .					
	0 3	G68	N.C.	10.00	10.00
<b>Speed and Cruise Control:</b> Available only when V8 engine and M40 Turbo Hydra-matic transmission are specified. . . . .					
	5 0	K30	N.C.	69.00	69.00
<b>Springs:</b>					
<i>Front, Heavy-Duty.</i>					
Capacity 1900-lb each. C20 series only. . . . .	-3 0	F60	N.C.	7.00	7.00
Capacity 1900-lb each. K10-20 series only. . . . .	24 0	F60	N.C.	38.00	38.00
<i>Rear, Heavy-Duty.</i> Capacity 2800-lb each. C20 series only. . . . .					
	0 26	G50	N.C.	21.00	21.00
<i>Rear, Extra Capacity.</i> Capacity 2850-lb each. C20 series only. . . . .					
	0 12	G51	N.C.	24.00	24.00
<b>Stabilizers:</b>					
<i>Front.</i> 1" diameter. C10-20 series only. Standard on K20 series. Included when AT5 or AS3 seats are specified on C10 series. . . . .					
	19 0	F59	N.C.	20.00	20.00
<i>Front, Heavy-Duty.</i> Not available on C10 series. Standard on K10 series					
C20 series only. . . . .	23 0	F58	N.C.	26.00	26.00
K20 series only. . . . .	4 0	F58	N.C.	6.00	6.00
<b>Steering, Power:</b> Included when Z82 Trailering Special or LF8 454-4 BBL engine is specified.					
C10 series only.					
With LS9 350-4 BBL engine. . . . .	29 0	N41	N.C.	153.00	153.00
C20 series only. . . . .	29 0	N41	N.C.	153.00	153.00
K10-20 series only. . . . .	33 0	N41	N.C.	170.00	170.00
<b>Steering Wheels:</b>					
<i>Comfortilt.</i> Available only when optional transmission is specified.					
With M40 Turbo Hydra-matic transmission. . . . .	2 0	N33	N.C.	61.00	61.00
With M30 4-Speed transmission. . . . .	3 1	N33	N.C.	61.00	61.00
<i>Custom.</i>					
C10-20 series only. Included when YE9 Silverado is specified. . . . .	0 0	N31	N.C.	11.00	11.00
K10-20 series only. Available only when N41 power steering is specified. Includes 16" steering wheel. . . . .	0 0	N31	N.C.	11.00	11.00

<sup>1</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>2</sup> State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with production of 1978 Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&Hs	List Price	Mfr's Suggested Retail Price ◊
<b>OTHER OPTIONS</b>					
<b>Tank, Fuel:</b> Replaces production fuel tank. Approximately 30-gallon capacity.....	-6 50	NK7	N.C.	21.00	21.00
<b>Throttle Control:</b> Manual.....	1 0	K31	N.C.	16.00	16.00
<b>Tires:</b> See following page					
<b>Towing Device:</b> Two front towing hooks. K10-20 series only .	16 -3	V76	N.C.	25.00	25.00
<b>Trailer Hitch:</b>					
<b>Deadweight Type</b> .....	-10 35	VR2	N.C.	35.00	35.00
<b>Weight Distributing Platform Type</b> .....	-21 70	VR4	N.C.	100.00	100.00
<b>Trailer Special:</b> Available only when V8 engine, M20 4-Speed or M40 Turbo Hydra-matic transmission and K76 61-amp generator or C80 or C89 air conditioning are specified. Also requires use of V01 HD radiator with M20 4-Speed transmission unless C80 or C89 air conditioning is specified. Includes UA1 HD battery and N41 power steering without LF8 454-4 BBL engine, and trailering special emblem. See Chart A on the Trailering Special Package page for Suburban, under the Recreational Vehicles Tab, for GCW ratings with available power teams combinations.					
C10-20 series only. C10 series also available only when F59 stabilizer is specified.					
Without LF8 454-4 BBL engine.....	31 0	Z82	N.C.	171.00	171.00
With LF8 454-4 BBL engine.....	0 0	Z82	N.C.	N.C.	N.C.
K10-20 series only.....	35 0	Z82	N.C.	188.00	188.00
<b>Wheel Trim:</b> Bright Metal.					
<b>Hub Caps:</b> Included when Z82 Scottsdale or YE9 Silverado is specified.					
C10-20 series only.....	0 0	P03	N.C.	13.00	13.00
K10-20 series only.....	2 2	P03	N.C.	16.00	16.00
<b>Trim Rings:</b> Available only when YE9 Silverado, Z82 Scottsdale or P03 hub caps are specified. Not available on C-K20 series when 7.50-16 tube-type tires are specified. Included when N67 rally wheels are specified.....	2 2	P06	N.C.	34.00	34.00
<b>Wheel Covers:</b> Not available when K20 series or CD LR78-16 /C radial tires are specified.					
C10 series only.					
Without YE9 Silverado or Z82 Scottsdale.					
Without MG or MD 6.50-16 /C or NK or NL 7.00-16 /C tires.	4 4	P01	N.C.	30.00	30.00
With MG or MD 6.50-16 /C or NK or NL 7.00-16 /C tires.	6 6	P01	N.C.	64.00	64.00
Includes P06 trim rings.....					
With YE9 Silverado or Z82 Scottsdale.					
Without MG or MD 6.50-16 /C or NK or NL 7.00-16 /C tires	4 4	P01	N.C.	17.00	17.00
With MG or MD 6.50-16 /C or NK or NL 7.00-16 /C tires.	6 6	P01	N.C.	51.00	51.00
Includes P06 trim rings.....					
C20 series only. Includes P06 trim rings.					
Without YE9 Silverado or Z82 Scottsdale.....	7 7	P01	N.C.	64.00	64.00
With YE9 Silverado or Z82 Scottsdale.....	7 7	P01	N.C.	51.00	51.00
K10 series only. Not available when WR 10-15 tires are specified.					
Without YE9 Silverado or Z82 Scottsdale.					
Without MG or MD 6.50-16 /C or NK or NL 7.00-16 /C tires	6 6	P01	N.C.	33.00	33.00
With MG or MD 6.50-16 /C or NK or NL 7.00-16 /C tires.	8 8	P01	N.C.	67.00	67.00
Includes P06 trim rings.....					
With YE9 Silverado or Z82 Scottsdale.					
Without MG or MD 6.50-16 /C or NK or NL 7.00-16 /C tires	6 6	P01	N.C.	17.00	17.00
With MG or MD 6.50-16 /C or NK or NL 7.00-16 /C tires.	8 8	P01	N.C.	51.00	51.00
Includes P06 trim rings.....					

‡ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
 ◊ State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with production of 1975 Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H's	List Price	Mfr's Suggested Retail Price ◊	
<b>OTHER OPTIONS</b>						
<b>Wheels, Rally:</b> C-K10 series only. Not available when MG or MD 6.50-16 /C, NH or NG 700-15 /C or NK or NL 7.00-16 /C tires are specified. Includes special hub caps and P06 trim rings.						
Without YE9 Silverado or Z62 Scottsdale.						
C10 series only. Also includes 15" x 7" wheels . . . . .	3	7	N67	N.C.	75.00	75.00
K10 series only.						
Without WR 10-15 /B tires. Also includes 15" x 7" wheels .	5	10	N67	N.C.	75.00	75.00
With WR 10-15 /B tires. Also includes 15" x 8" wheels. . . .	7	13	N67	N.C.	75.00	75.00
With YE9 Silverado or Z62 Scottsdale.						
C10 series only. Also includes 15" x 7" wheels . . . . .	3	7	N67	N.C.	62.00	62.00
K10 series only.						
Without WR 10-15 /B tires. Also includes 15" x 7" wheels .	5	10	N67	N.C.	59.00	59.00
With WR 10-15 /B tires. Also includes 15" x 8" wheels. . . .	7	13	N67	N.C.	59.00	59.00
<b>Window, Tailgate:</b> Electric. End Gate series only . . . . .	-2	7	A33	N.C.	50.00	50.00
<b>Wood-Grained Exterior Trim:</b> Not available when ZY3 special two-tone paint is specified. Includes Estate nameplate						
Without Z62 Scottsdale or YE9 Silverado. Includes YG1 body side upper and lower moldings . . . . .						
	3	4	YG2	N.C.	242.00	242.00
With Z62 Scottsdale. Includes body side upper and lower moldings	3	4	YG2	N.C.	192.00	192.00
With YE9 Silverado . . . . .	0	0	YG2	N.C.	190.00	190.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
 ◊ State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with production of 1975 Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	-----------------------------------	----------------------	---------------	--------------------------	------------	---

### C10 SERIES

#### TUBELESS TIRES USED WITH SINGLE REAR WHEELS

**L78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1790) Rear (1790)**

<b>Highway Bias Belted Ply Blackwall</b>						
Front (Standard) .....	6.00	0	0	XLB	N.C.	N.C.
Rear (Standard) .....	6.00	0	0	YLB	N.C.	N.C.
Spare (Standard) .....	6.00	0	0	ZLB	N.C.	N.C.
<b>Highway Bias Belted Ply White Stripe</b>						
Front .....	6.00	10	0	XLD	N.C.	18.70
Rear .....	6.00	0	10	YLD	N.C.	18.70
Spare .....	6.00	-1	6	ZLD	N.C.	9.35
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Rear .....	6.00	0	13	YLC	N.C.	8.10
Spare .....	6.00	-2	9	ZLC	N.C.	4.05

**L78-15 /D Passenger Type. Maximum Tire Capacity (Each)— Front (1900) Rear (1900)**

<b>Highway Bias Belted Ply Blackwall</b>						
Front .....	6.00	15	0	XLK	.88	19.60
Rear .....	6.00	0	15	YLK	.88	19.60
Spare .....	6.00	-2	9	ZLK	.44	9.80
<b>Highway Bias Belted Ply White Stripe</b>						
Front .....	6.00	16	0	XLL	.88	38.30
Rear .....	6.00	0	16	YLL	.88	38.30
Spare .....	6.00	-2	9	ZLL	.44	19.15

**LR78-15 /C Passenger Type. Maximum tire capacity (Each)— Front (1900) Rear (1900)**

<b>Highway Steel Belted Radial Ply White Stripe</b>						
Front .....	6.00	14	0	XCD	.84	80.40
Rear .....	6.00	0	14	YCD	.84	80.40
Spare .....	6.00	-2	9	ZCD	.42	40.20

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with production of 1975 Vehicles

Tire Size Type	Rim Width Included in Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	-----------------------------------	----------------------	---------------	--------------------------	------------	---

### C10 SERIES TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

**7.00-15 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1720) Rear (1720)**

<b>Highway Nylon Blackwall</b>							
Front.....	6.00	13	0	XNH	(-.18)	13.00	12.82
Rear.....	6.00	0	13	YNH	(-.18)	13.00	12.82
Spare.....	6.00	-2	9	ZNH	(-.09)	6.50	6.41
<b>On-Off Road Nylon Blackwall</b>							
Rear.....	6.00	0	19	YNG	.50	37.00	37.50
Spare.....	6.00	-2	12	ZNG	.25	18.50	18.75

**7.00-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1800) Rear (1800)**

<b>Highway Nylon Blackwall</b>							
Front.....	5.00	42	0	XNK	.06	19.80	19.86
Rear.....	5.00	0	42	YNK	.06	19.80	19.86
Spare.....	5.00	-5	26	ZNK	.03	9.90	9.93
<b>On-Off Road Nylon Blackwall</b>							
Rear.....	5.00	0	54	YNL	.94	43.80	44.74
Spare.....	5.00	-7	34	ZNL	.47	21.90	22.37

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.



# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with production of 1975 Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>K10 SERIES</b>						
<b>TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>H78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1610) Rear (1610)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front (Standard)	8.00	0 0	XHL	N.C.	N.C.	N.C.
Rear (Standard)	8.00	0 0	YHL	N.C.	N.C.	N.C.
Spare (Standard)	8.00	0 0	ZHL	N.C.	N.C.	N.C.
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	5 0	XHM	N.C.	15.90	15.90
Rear	6.00	0 5	YHM	N.C.	15.90	15.90
Spare	6.00	-1 4	ZHM	N.C.	7.95	7.95
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Front	6.00	10 0	XHR	N.C.	8.10	8.10
Rear	6.00	0 10	YHR	N.C.	8.10	8.10
Spare	6.00	-1 6	ZHR	N.C.	4.05	4.05
<b>L78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1790) Rear (1790)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front	6.00	9 0	XLB	.44	20.80	21.24
Rear	6.00	0 9	YLB	.44	20.80	21.24
Spare	6.00	-1 5	ZLB	.22	10.40	10.62
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	10 0	XLD	.44	39.50	39.94
Rear	6.00	0 10	YLD	.44	39.50	39.94
Spare	6.00	-1 6	ZLD	.22	19.75	19.97
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Front	6.00	13 0	XLC	.44	28.90	29.34
Rear	6.00	0 13	YLC	.44	28.90	29.34
Spare	6.00	-2 9	ZLC	.22	14.45	14.67
<b>L78-15 /D Passenger Type. Maximum Tire Capacity (Each)— Front (2030) Rear (2030)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front	6.00	15 0	XLK	1.32	40.40	41.72
Rear	6.00	0 15	YLK	1.32	40.40	41.72
Spare	6.00	-2 9	ZLK	.66	20.20	20.86
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	16 0	XLL	1.32	59.10	60.42
Rear	6.00	0 16	YLL	1.32	59.10	60.42
Spare	6.00	-2 9	ZLL	.66	29.55	30.21
<b>LR78-15 /C Passenger Type. Maximum tire capacity (Each)— Front (1910) Rear (1910)</b>						
<b>Highway Steel Belted Radial Ply White Stripe</b>						
Front	6.00	14 0	XCD	1.28	101.20	102.48
Rear	6.00	0 14	YCD	1.28	101.20	102.48
Spare	6.00	-2 9	ZCD	.64	50.60	51.24

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with production of 1975 Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price ◊
----------------	-----------------------------------	----------------------	---------------	--------------------------	------------	--------------------------------

### K10 SERIES

#### TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

##### 6.50-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1610) Rear (1610)

###### Highway Nylon Blackwall

Front.....	5.00	4	0	XMG	(-.36)	22.90	22.54
Rear.....	5.00	0	4	YMG	(-.36)	22.90	22.54
Spare.....	5.00	-1	3	ZMG	(-.18)	11.45	11.27

###### On-Off Road Nylon Blackwall

Front.....	5.00	11	0	XMD	.40	46.90	47.30
Rear.....	5.00	0	11	YMD	.40	46.90	47.30
Spare.....	5.00	-1	5	ZMD	.20	23.45	23.65

##### 7.00-15 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1720) Rear (1720)

###### Highway Nylon Blackwall

Front.....	6.00	8	0	XNH	.26	33.80	34.06
Rear.....	6.00	0	8	YNH	.26	33.80	34.06
Spare.....	6.00	-1	5	ZNH	.13	16.90	17.03

###### On-Off Road Nylon Blackwall

Front.....	6.00	14	0	XNG	.94	57.80	58.74
Rear.....	6.00	0	14	YNG	.94	57.80	58.74
Spare.....	6.00	-2	9	ZNG	.47	28.90	29.37

##### 7.00-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1800) Rear (1800)

###### Highway Nylon Blackwall

Front.....	5.00	37	0	XNK	.50	40.60	41.10
Rear.....	5.00	0	37	YNK	.50	40.60	41.10
Spare.....	5.00	-4	23	ZNK	.25	20.30	20.55

###### On-Off Road Nylon Blackwall

Front.....	5.00	49	0	XNL	1.38	64.60	65.98
Rear.....	5.00	0	49	YNL	1.38	64.60	65.98
Spare.....	5.00	-4	31	ZNL	.69	32.30	32.99

### K10 SERIES

#### TUBELESS WIDE BASE TYPE TIRES USED WITH SINGLE REAR TIRES

##### 10-15 /B (4 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1760) Rear (1760)

###### On-Off Road Bias Belted Ply Blackwall

Front.....	8.00	34	0	XWR	2.28	111.10	113.38
Rear.....	8.00	0	34	YWR	2.28	111.10	113.38
Spare.....	8.00	-5	22	ZWR	1.14	55.55	56.69

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◊ State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with production of 1975 Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>C-K20 SERIES</b>						
<b>WIDE BASE TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>8.75-16.5 /C (6 PR) Maximum Tire Capacity (Each)— Front (1990) Rear (1990)</b>						
<b>Highway Nylon</b>						
Front (Standard) .....	6.00	0 0	XTC	N.C.	N.C.	N.C.
Rear (Standard) .....	6.00	0 0	YTC	N.C.	N.C.	N.C.
Spare .....	6.00	-10 46	ZTC	3.76	77.00	80.76
<b>On-Off Road Nylon</b>						
Front. K20 series only .....	6.00	1 0	XTB	.38	25.00	25.38
Rear .....	6.00	0 1	YTB	.38	25.00	25.38
Spare .....	6.00	-10 47	ZTB	3.95	89.00	92.95
<b>8.75-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2350) Rear (2350)</b>						
<b>Highway Nylon Blackwall</b>						
Front .....	6.00	8 0	XTE	.54	22.20	22.74
Rear .....	6.00	0 8	YTE	.54	22.20	22.74
Spare .....	6.00	-11 51	ZTE	4.03	85.90	89.93
<b>Highway Nylon White Stripes</b>						
Front .....	6.00	8 0	XTM	.54	39.20	39.74
Rear .....	6.00	0 8	YTM	.54	39.20	39.74
Spare .....	6.00	-11 51	ZTM	4.03	94.40	98.43
<b>On-Off Road Nylon Blackwall</b>						
Front. K20 series only .....	6.00	5 0	XTF	1.08	46.50	47.58
Rear .....	6.00	0 5	YTF	1.08	46.50	47.58
Spare .....	6.00	-11 50	ZTF	4.30	98.05	102.35
<b>On-Off Road Nylon White Stripes</b>						
Front. K20 series only .....	6.00	5 0	XTN	1.08	63.50	64.58
Rear .....	6.00	0 5	YTN	1.08	63.50	64.58
Spare .....	6.00	-11 50	ZTN	4.30	106.55	110.85
<b>9.50-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)</b>						
<b>Highway Nylon</b>						
Front .....	6.75	33 0	XUD	1.60	57.00	58.60
Rear .....	6.75	0 33	YUD	1.60	59.00	60.60
Spare .....	6.75	-13 66	ZUD	4.56	103.00	107.56
<b>On-Off Road Nylon</b>						
Front. K20 series only .....	6.75	38 0	XUE	2.24	81.00	83.24
Rear .....	6.75	0 38	YUE	2.24	83.00	85.24
Spare .....	6.75	-14 70	ZUE	4.88	115.00	119.88

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with production of 1975 Vehicles

Tire Size Type	Rim Width Included in Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	-----------------------------------	----------------------	---------------	--------------------------	------------	---

### K20 SERIES

#### TUBELESS FLOTATION TYPE TIRES USED WITH SINGLE REAR WHEELS

##### 10.00-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2750) Rear (2750)

<b>Highway Nylon</b>							
Front .....	8.25	36	0	XWD	1.44	132.00	133.44
Rear .....	8.25	0	36	YWD	1.44	157.00	158.44
Spare .....	8.25	-15	69	ZWD	4.48	117.00	121.48
<b>On-Off Road Nylon</b>							
Front .....	8.25	40	0	XWF	2.24	157.00	159.24
Rear .....	8.25	0	40	YWF	2.24	182.00	184.24
Spare .....	8.25	-15	71	ZWF	4.88	129.50	134.38

### C-K20 SERIES

#### TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

##### 7.50-16 /C (8 PR) Maximum Tire Capacity (Each)— Front (2060) Rear (2060)

<b>Highway Nylon</b>							
Front .....	6.00	28	0	XPB	(-.08)	23.00	22.92
Rear .....	6.00	0	28	YPB	(-.08)	31.00	30.92
Spare .....	6.00	-12	63	ZPB	3.72	67.40	71.12
<b>On-Off Road Nylon</b>							
Front. K20 series only .....	6.00	46	0	XPC	.96	49.50	50.46
Rear .....	6.00	0	46	YPC	.96	57.50	58.46
Spare .....	6.00	-15	75	ZPC	4.24	80.65	84.89

##### 7.50-16 /D (8 PR) Maximum Tire Capacity (Each)— Front (2440) Rear (2440)

<b>Highway Nylon</b>							
Front .....	6.00	29	0	XPF	.46	34.00	34.46
Rear .....	6.00	0	29	YPF	.46	42.00	42.46
Spare .....	6.00	-12	63	ZPF	3.99	70.80	74.79
<b>On-Off Road Nylon</b>							
Front. K20 series only .....	6.00	46	0	XPG	1.34	62.90	64.24
Rear .....	6.00	0	46	YPG	1.34	70.90	72.24
Spare .....	6.00	-15	75	ZPG	4.43	85.25	89.68

##### 7.50-16 /E (10 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)

<b>Highway Nylon</b>							
Front .....	6.00	28	0	XPK	1.62	59.70	61.32
Rear .....	6.00	0	28	YPK	1.62	67.70	69.32
Spare .....	6.00	-12	63	ZPK	4.57	85.90	90.47
<b>On-Off Road Nylon</b>							
Front. K20 series only .....	6.00	38	0	XPL	2.20	94.10	96.30
Rear .....	6.00	0	38	YPL	2.20	102.10	104.30
Spare .....	6.00	-14	71	ZPL	4.66	112.45	117.31

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.