


# SUBURBAN

## SUBURBAN MODEL SELECTOR



Series	Model Number	Body Ordering Code	
		Panel Rear Doors	Endgate
<b>C10</b>	CC10906	ZW9	E55
<b>C20</b>	CC20906	ZW9	E55
<b>K10</b> (4-Wheel Drive)	CK10906	ZW9	E55
<b>K20</b> (4-Wheel Drive)	CK20906	ZW9	E55

# SUBURBAN

## CUSTOM DELUXE FEATURES—STANDARD MODEL

The Custom Deluxe standard models include the following items as standard equipment




### EXTERIOR

- **Bumpers:** Front and rear; painted white
- **Color:** See Interior and Exterior Color Selection Chart
- **Doors:** Four side doors: two LH and two RH; two rear panel doors (optional endgate with drop-glass available)
- **Drip Moldings:** Bright; over side doors
- **Grille:** Molded plastic; painted silver; integral Chevrolet emblem at center includes bright insert with black and ochre trim
- **Grille Frame:** Bright upper and lower moldings joining extensions of bright headlamp bezels; metallic gray-painted bezel centers
- **Horn:** Single, electric, low-note
- **Hub Caps:** Painted white with black and ochre trim (2-wheel-drive models only)
- **Keys:** Two-key system with separate keys for ignition switch and door locks
- **Lights:**
  - Backup lamps: Two rear (integral with taillamps)
  - Combination parking/direction/hazard: Two front
  - Combination tail/stop/direction/hazard: Two rear
  - Headlamps: Two; Power Beam
  - License plate lamp: Single rear
  - Side marker lamps with reflectors: Two front (wraparound taillamps also serve as rear side marker lamps and reflectors)
- **Mirrors:** RH and LH fixed arm with adjustable 5½" x 4" head; chrome finish
- **Nameplates:** Bright "Custom Deluxe" nameplates, with series designation, on upper portions of front fenders near doors; bright "Suburban" nameplate on RH rear door
- **Tools:** Mechanical jack and wheel wrench
- **Wheels:** Painted white
- **Windshield Wipers and Washers:** Electric, 2-speed wipers with matte finish on exposed metal portions; partially concealed arms; coordinated dual-orifice washers

### INTERIOR

- **Armrests:** RH and LH padded; integral with side door trim panels
- **Ashtrays:** In middle of instrument panel and in rear side door trim panels
- **Coat Hooks:** Over RH and LH rear side door openings
- **Colors:**
  - Painted areas: Same as exterior primary color choice
  - Interior trim: Coordinated with seat trim color choice
- **Floor Covering:** Embossed black rubber mats over entire floor area
- **Heater and Defogger:** Deluxe-air; automatic blower operation with ignition switch on for power ventilation system
- **Instruments:**
  - Gauges: Speedometer, odometer and fuel
  - Switches: Main, for control of exterior lights, instrument cluster lights, and courtesy/map light; wiper-washer; headlight beam (foot); ignition; direction signal (with lane change position); hazard warning; heater fan
  - Warning lights: Generator, oil pressure, engine temperature, seat belt, brake, direction/hazard signal, and high beam
- **Instrument Panel Control Knobs:** Soft black plastic with white graphic identification (except heater and wiper-washer controls)
- **Instrument Panel Pad:** Color-keyed, energy-absorbing foam type with grained vinyl skin; has wood-grained applique on RH side with bright trim and bright "Custom Deluxe" nameplate
- **Insulation and Sound Deadening Material:** Dash (firewall), under front seat at center, and under front and center floor mats
- **Lights:** Instrument cluster and courtesy/map lights
- **Mirror, Rearview:** 10" prismatic with soft vinyl rim
- **Scuff Plates:** Door-opening protection and floor mat retention; bright; partial for front side doors, full-length for rear side doors, and full-width for rear compartment platform
- **Seat:** Full-width bench-type front seat only, foam padded, with plaid pattern vinyl trim. See Interior and Exterior Color Selection Chart for color availability
- **Seat Belts:** Front only; non-detachable combination lap and shoulder belts for outboard positions with automatic-locking retractors on lap belts, emergency-locking retractors on shoulder belts, and switch in driver's lap belt retractor for buzzer warning system; lap belt with manual adjustment for center position. All seat belts are color-keyed with pushbutton type buckles.
- **Spare Tire Carrier:** LH rear side
- **Steering Wheel and Column:** 16" black wheel with 2 spokes (17½" in 4-wheel-drive models); black energy-absorbing steering column
- **Stowage Box:** In RH side of instrument panel; door has bright turn-type latch release
- **Sunshades:** RH and LH padded; color-keyed
- **Trim Panels:** Color-keyed, embossed molded plastic on side doors with integral armrests; painted steel panels on rear quarter areas



August 9, 1976

## SUBURBAN

### SCOTTSDALE MODEL OPTION—RPO Z62

This option includes all Custom Deluxe standard model items plus the additions or substitutions listed below


#### EXTERIOR

- **Bright Appearance Items:**
  - "Scottsdale" nameplates, with series designation, on front fenders
  - Body side upper spear molding trim
  - Front and rear bumpers
  - Parking/turn-signal lamp, side marker lamp, and taillamp trim
  - Hub caps
  - Windshield reveal molding
  - Rear side window trim
- **Horn:** Additional, electric, high-note
- **Moldings:** Spear-type black plastic body side upper moldings



#### INTERIOR

- **Bright Appearance Items:**
  - "Scottsdale" nameplate on instrument panel pad
  - Dome lamp trim
  - Full-length front door sill scuff plates
- **Cigar Lighter**
- **Dome Lamps:** Two; one front, one rear
- **Dome and Courtesy Lamp Switches:** Front side door actuated (dome and courtesy lamps also may be activated by main light switch)
- **Floor Covering:** Color-keyed rubber mats in front seat area (also in center and rear seat areas when center seat is ordered)
- **Headliner:** Full-length, light fawn, perforated molded plastic with fiber glass blanket backing; includes matching retainer moldings
- **Insulation:** Under cowl panel and on headliner
- **Pillar Trim Panels:** Light fawn molded plastic on windshield pillars and center door pillars
- **Seats:** Full-depth foam front seat cushion; choice of: 1) plaid pattern vinyl trim (standard); 2) striped pattern velour cloth and vinyl trim (at extra cost) or 3) all-vinyl buffalo hide grain trim (at extra cost). See Interior and Exterior Color Selection Chart for color availability
- **Spare Tire Cover:** Color-keyed vinyl
- **Sunshades:** Light fawn to match headliner



### SILVERADO MODEL OPTION—RPO YE9

This option includes all items in the Scottsdale model option plus the additions or substitutions listed below


#### EXTERIOR

- **Bright Appearance Items:**
  - "Silverado" nameplates, with series designation, on front fenders
  - Upper body side and rear door (or tailgate) moldings with ochre paint trim
- **Body-to-Fender Insulators**
- **Hood Insulator**
- **Secondary Door Seals:** On side door upper frames




#### INTERIOR

- **Bright Appearance Items:**
  - "Silverado" nameplate on instrument panel pad
  - Four-speed transmission shift lever
  - Transfer case shift lever (K10-20 models with conventional 4WD)
  - Trim on instrument cluster face plate, side door trim panels, and Series C10-20 steering wheel
- **Cowl Panel Trim:** Color-keyed molded plastic.
- **Floor Covering:** Color-keyed carpeting; front seat area (also in center and rear seat areas and on wheelhouses when center seat is ordered)
- **Instrument Cluster:** Voltmeter, engine temperature gauge, and oil pressure gauge replace warning lights; includes woodgrain trimmed face plate
- **Insulation:** Under front seat at left and right hand sides
- **Seats:** Choice of: 1) all-vinyl buffalo hide grain trim or 2) striped pattern velour cloth and vinyl trim. See Interior and Exterior Color Selection Chart for color availability
- **Side Door Trim Panels:** Color-keyed molded plastic (with door closing assist strap and vinyl storage pockets on front door units only); includes wood-grain inserts having bright borders with tooled leather pattern trim plus carpeting on lower portions
- **Steering Wheel Trim:** Woodgrain insert on spokes (C10-20 models only)



## SUBURBAN GENERAL



**With Panel  
Rear Doors**  
Body Ordering  
Code ZW9\*

**With Tailgate  
and Manual Drop  
Glass**  
Body Ordering  
Code E55\*

Suburban models have 4 side doors, two front and two rear. Front side doors are equipped with drop-glass and ventipane assemblies; the rear side doors have a drop-glass in the forward portion and fixed glass in the rear portion. The rear quarter windows have fixed glass.

Suburbans ordered with Body Ordering Code ZW9 have panel-type rear doors incorporating fixed glass, positive fork-cam latches, and an outside key lock. A 2-position, strap-type check on each door permits either a 118- or 162-degree door opening, depending on how the retaining pin is positioned; full door opening of 172-degrees is obtained by removing the retaining pin.

Suburbans ordered with Body Ordering Code E55 have a tailgate with a manually-controlled curved drop glass. Operation of the window is through an articulated crank-type regulator handle on the tailgate outer panel; a key lock cylinder is concealed in the regulator handle, and must be unlocked before the window can be lowered. After the window is lowered, the tailgate can be lowered by moving the release handle at the upper center of the tailgate inner panel. When the tailgate is open, it is supported by reel-type cables. Embossments on the tailgate inner panel facilitate loading of large objects. An optional electric tailgate window is available by ordering RPO A33.

\*Both models shown with optional folding center and removable rear seats

### CUSTOM OPTIONS



(Deluxe bumper shown)


**Chromed Bumpers & Deluxe Chromed Bumpers**  
(RPO V37, VES)

Chromed bumpers (RPO V37) and Deluxe chromed bumpers (RPO VES) with resilient impact strips are available optionally on all Suburban models.



**Custom Trim Moldings**  
(RPO B84, B85, YG1)

Side and rear upper trim moldings (RPO B85) or side and rear upper and lower and wheel opening trim moldings (RPO YG1) of bright metal are offered on all Suburban models plus upper body side spear moldings (RPO B84) of black plastic with bright trim. These options include bright trim for parking, side marker and tail lamps.



**Bright Hub Caps**  
(RPO P03)

Bright, anodized aluminum hub caps are available on all Suburban models. C-K10 models feature a 5-spoke design, while C-K20 models have a similar 6-spoke design. The front units for all K10 models, and K20 models with conventional 4WD, have a cut-out at the center to clear the axle hubs.



**Wheel Covers**  
(RPO P01)

Stainless steel wheel covers are available only on C10 and K10 Suburban models. The front units for K10 models with conventional 4WD have a cut-out at the center to clear the axle hubs.




**Wood Grained Exterior Trim**  
(RPO YG2)

Wide wood grained applique mounted to entire length of body side panels, doors, front fenders and rear doors or tailgate between required upper and lower optional moldings (RPO YG1). Also includes "Estate" nameplates on body sides.

# SUBURBAN

## DIMENSIONS



### Glass Area (sq. in.)


Windshield..... 1447  
 Front side door including  
 ventipane (each side)..... 546  
 Rear side door (each side)..... 488

Side rear window (each side). 1074  
 Rear:  
 ZW9 panel doors (total)..... 654  
 E55 tailgate..... 1041

## SEATING ARRANGEMENTS


### Front Seat

Standard or RPO Z52 full-depth foam front seat




### Front and Folding Center Seat

Standard front and RPO AT5 folding center seats




### Front and Folding Center Seats

Standard front and RPO AT5 folding center seats  
 (Center seats shown in folded position)



### Front, Folding Center And Rear Removable Seats

Standard front, RPO AT5 folding center and  
 RPO A53 removable rear seats



# SUBURBAN

## INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

Please Note: Exterior and interior combinations shown in chart below are those recommended by Chevrolet; however, any exterior color combination may be ordered with any available interior color if the particular combination is desired by a customer.


SEAT TRIM			MODEL OPTION			SEAT TRIM COLOR AND ORDERING CODE		
Fabric	▲Code	Type	Custom Deluxe	Scottsdale Z62	Silverado YE9	Blue	Buckskin	Red
Standard Vinyl	V	Bench	X	X		VDD1	VUU1	VRR1
Custom Vinyl	W	Bench		X	X	XDD1	XUU1	XRR1
Custom Cloth	D	Bench		X	X	LDD1	LUU1	LRR1
♦EXTERIOR COLORS			Primary	Secondary	RECOMMENDED INTERIOR TRIM COLORS			
<b>BLACK, MIDNIGHT</b>			86	86	X	X	X	
Blue, Lite			86	20	X			
Buckskin			86	65		X	X	
Tan, Santa Fe			86	60		X	X	
White, Frost			86	12	X	X	X	
<b>BLUE, LITE (Light)</b>			20	20	X			
White, Frost			20	12	X			
<b>BLUE, HAWAIIAN (Medium)</b>			23	23	X			
Blue, Lite			23	20	X			
White, Frost			23	12	X			
<b>BLUE, MARINER (Dark) (M)</b>			25	25	X			
Blue, Lite			25	20	X			
White, Frost			25	12	X			
<b>BROWN, CORDOVA (Dark) (M)</b>			81	81		X		
Buckskin			81	65		X		
Tan, Santa Fe			81	60		X		
White, Frost			81	12		X		
<b>BUCKSKIN</b>			65	65		X	X	
Mahogany			65	76		X	X	
Tan, Santa Fe			65	60		X	X	
White, Frost			65	12		X	X	
<b>GREEN, SEAMIST (Light) (M)</b>			43	43		X		
White, Frost			43	12		X		
<b>MAHOGANY</b>			76	76		X	X	
Tan, Santa Fe			76	60		X	X	
White, Frost			76	12		X	X	
<b>RED, CARDINAL (Medium)</b>			70	70		X	X	
Mahogany			70	76		X	X	
Tan, Santa Fe			70	60		X	X	
White, Frost			70	12		X	X	
<b>RED, METALLIC (Dark) (M)</b>			71	71		X	X	
Buckskin			71	65		X	X	
Mahogany			71	76		X	X	
Tan, Santa Fe			71	60		X	X	
White, Frost			71	12		X	X	
<b>RUSSET METALLIC (M)</b>			68	68		X		
Buckskin			68	65		X		
Tan, Santa Fe			68	60		X		
White, Frost			68	12		X		
<b>SILVER, SARATOGA (M)</b>			17	17	X		X	
Mahogany			17	76		X	X	
White, Frost			17	12	X		X	
<b>TAN, SANTA FE</b>			60	60		X	X	
Buckskin			60	65		X	X	
Mahogany			60	76		X	X	
White, Frost			60	12		X	X	
<b>WHITE, FROST</b>			12	12	X	X	X	
Blue, Lite			12	20	X	X		
Buckskin			12	65	X	X		
Mahogany			12	76		X	X	
<b>YELLOW, COLONIAL</b>			53	53		X		
Tan, Santa Fe			53	60		X		
White, Frost			53	12		X		

♦ Primary color shown in **BOLDFACE TYPE**; secondary colors shown in Lightface Type. (M): Metallic  
 ▲ Seat Trim Codes: V—Plaid Pattern Vinyl; W—Buffalo Hide Vinyl; D—Striped Pattern Velour Cloth

**SEE PAGE 7 FOR ZY5 EXTERIOR DECOR PACKAGE ILLUSTRATION**



# SUBURBAN

## TWO-TONE EXTERIOR COLOR COMBINATIONS\*



### SPECIAL TWO-TONE

**Special two-tone (ZY3)** paint colors include custom upper and lower moldings (lower only on models with Silverado Model Option; upper is already included). The primary color is applied to the areas above and below the moldings (including the roof). The secondary color is applied to the area between these moldings.



### EXTERIOR DECOR PACKAGE

**Exterior Decor Package (ZY5)** paint colors and trim are available in a choice of six combinations (see chart below). The package includes all the moldings and paint described under Special Two-Tone. In addition, it includes the secondary paint color choice on the hood with color-coordinated striping at either side of the hood panel, plus a bright spring-loaded, stand-up type hood emblem. The inboard hood stripe color matches the primary color, while the outboard stripe is of a contrasting color.

CODE	PRIMARY COLOR	CODE	SECONDARY COLOR	OUTBOARD HOOD STRIPE COLOR
25	Mariner Blue (Dark)	20	Lite Blue (Light)	Dark Blue
43	Seamist Green (Light)	12	Frost White	Medium Green
53	Colonial Yellow	60	Santa Fe Tan	Gold
70	Cardinal Red (Medium)	12	Frost White	Dark Red
71	Metallic Red (Dark)	76	Mahogany	Light Red
81	Cordova Brown (Dark)	60	Santa Fe Tan	Bronze

\*Optional at extra cost

# SUBURBAN—Conventional

## STANDARD SPECIFICATIONS

(See Blue Tab Section for Specification Details)

Series	C10	C20
<b>Engine</b>		
<b>Base Equip.</b> .....	250 1-bbl. L6	305 2-bbl. V8
<b>Clutch</b> .....	11", 124 sq. in.	
<b>Air Filter</b> .....	Oiled-paper Element	
<b>Oil Filter</b> .....	Throwaway Type	
<b>Exhaust System</b> .....	Single; Aluminized	
<b>Emission Control Systems</b> .....	See Engine & Cooling, page 26, for specific model applications	
<b>Suspension, Front</b>	Independent; Coil Springs	
<b>Capacity</b> .....	3400 lb.	3800 lb.
<b>Springs @ Ground</b> .....	1625 lb. ea.	1750 lb. ea.
<b>Shock Absorbers</b> .....	1" dia.	1" dia.
<b>Suspension, Rear</b>	Salisbury Axle; Hypoid Drive; Two-stage Multi-leaf Springs	
<b>Axle Capacity</b> .....	3750 lb.	5700 lb.
<b>Axle Ratio</b> .....	4.11	4.10
<b>Springs, Main @ Ground</b> .....	2000 lb. ea.	2000 lb. ea.
<b>Shock Absorbers</b> .....	1" dia.	1" dia.
<b>Brakes</b>	Hydraulic; Self-adjusting	
<b>Front</b> .....	Disc; 11.86" Rotor	Disc; 12.5" Rotor
<b>Rear</b> .....	Drum; 11.15" x 2.75"	Drum; 11.15" x 2.75"
<b>Booster</b> .....	Dual Diaphragm	Dual Diaphragm
<b>Parking</b> .....	Cable to Rear Wheels	
<b>Electrical</b>	12 Volt; Negative Ground	
<b>Battery—Freedom Type</b> .....	2500 watts @ 0°F.	3200 watts @ 0°F.
<b>Delcotron Generator</b> .....	37 amp.	
<b>Frame</b>	Carbon Steel; 39,000 psi	
<b>Section Modulus</b> .....	3.14	3.92
<b>Fuel Tank (nominal capacity)</b> .....	25 gal.	
<b>Steering Gear Type</b> .....	Manual; Recirculating Ball Gear	
<b>Linkage</b> .....	Parallelogram	
<b>Transmission</b>	Fully Synchronized 3-Speed	4-Speed CH465
<b>Shift Location</b> .....	Steering Column	Floor
<b>Tires</b> .....	(5) H78-15B (4PR)	(4) 8.75-16.5C (6PR)
<b>Wheels</b> .....	(5) Disc 15" x 6"	(5) Disc 16.5" x 6"




# SUBURBAN—4-Wheel Drive

## STANDARD SPECIFICATIONS

Series	K10	K20
<b>Engine</b>	305 2-bbl V8 11"; 124 sq. in. Oiled-paper Element Throwaway Type; Single; Aluminized See Engine & Cooling, page 26, for specific model appl	
Base Equip. ....		
Clutch .....		
Air Filter .....		
Oil Filter .....		
Exhaust System .....		
Emission Control Systems .....		
<b>Suspension, Front</b>	Salisbury Axle; Hypoid Drive; Single-stage 2-leaf Springs	
Capacity .....	3600 lb.	3800 lb.
Axle Ratio .....	3.73	4.10
Springs @ Ground .....	1850 lb. ea.	1850 lb. ea.
Shock Absorbers .....	1" dia.	1" dia.
Stabilizer Bar .....	1.25" dia.	1.25" dia.
<b>Suspension, Rear</b>	Salisbury Axle; Hypoid Drive; Two-stage Multi-leaf Springs	
Axle Capacity .....	4000 lb.	5700 lb.
Axle Ratio .....	3.73	4.10
Springs @ Ground .....	2000 lb. ea.	2800 lb. ea.
Shock Absorbers .....	1" dia.	1" dia.
<b>Brakes</b>	Hydraulic; Self-adjusting	
Front .....	Disc; 11.86" Rotor	Disc; 12.5" Rotor
Rear .....	Drum: 11.15" x 2.75"	
Booster .....	Dual Diaphragm	
Parking .....	Cable to Rear Wheels	
<b>Electrical</b>	12 Volt; Negative Ground	
Battery—Freedom Type .....	3200 watts @ 0°F.	
Delcotron Generator .....	37 amp.	
<b>Frame</b>	Carbon Steel; 39,000 psi	
Section Modulus .....	3.92	
<b>Fuel Tank (nominal capacity)</b>	25 gal.	
<b>Steering Gear Type</b>	Manual; Recirculating Ball Gear	
Linkage .....	Conventional	
<b>Transmission</b>	Fully Synchronized 3-Speed	
Shift Location .....	Steering Column	
<b>Transfer Case</b>	New Process 205 2-Speed	
Shift Lever .....	Single Lever	
PTO Opening .....	Left Side	
<b>Tires</b> .....	(5) H78-15B (4PR)	(4) 8.75-16.5C (6PR)
<b>Wheels</b> .....	(5) Disc 15" x 6"	(5) Disc 16.5" x 6"

# SUBURBAN

Body Ordering Codes:  
 Panel Rear Doors—ZW9  
 Endgate—E55†



Capacity—143.5 cu ft  
 Load Floor Area—40 sq ft

Series	Ground Clearance (in)★	
	Front	Rear
C10	7.5	7.2
C20	8	7.8
K10	8.7	7.2
K20	8.8	7.2

Model	Engine No. Cyl.	Dimensions (in)★				†Curb Weight (lb)			†Model Weight (lb)*		
		WB	OL	OH	GT	Front	Rear	Total	Front	Rear	Total

### C10 SERIES

CC10906	6	129.5	218.7	71.5	27.5	2082	2178	4260	2325	2385	4710
---------	---	-------	-------	------	------	------	------	------	------	------	------

### C20 SERIES

CC20906	8	129.5	218.7	71.8	27.3	2359	2354	4713	2602	2561	5163
---------	---	-------	-------	------	------	------	------	------	------	------	------

### K10 SERIES

CK10906	8	129.5	218.7	73.5	29.5	2468	2274	4742	2711	2481	5192
---------	---	-------	-------	------	------	------	------	------	------	------	------

### K20 SERIES

CK20906	8	129.5	218.7	75.4	32.0	2538	2422	4960	2781	2629	5410
---------	---	-------	-------	------	------	------	------	------	------	------	------

★Dimensions with standard equipment, unloaded.

\*Model Weight includes Curb Weight plus occupants (standard seating capacity x 150 lb). Total Model Weight may vary as much as ±150 lbs to allow for production build variation.

†Curb Weights and Model Weights shown are for models with ZW9 Panel Rear Doors. For models with E55 Endgate, weights must be adjusted as follows: Front -14 lb; Rear +51 lb; Total added weight 37 lb.

# SUBURBAN

## GVWR SELECTOR

GVW Rating (lbs)	GAWR (lbs)		Minimum Equipment Required for GVW Rating			
	Front	Rear	Tire Capacity (lbs ea)		Chassis Equipment	
			Front	Rear		

### C10 SERIES

GVW Rating (lbs)	Front GAWR (lbs)	Rear GAWR (lbs)	Front Tire Capacity (lbs ea)	Rear Tire Capacity (lbs ea)	Chassis Equipment
●*6050	3220	3220	1605	1605	Standard
◆*6400	3250	3440	1720	1720	
◆6800	3250	3750	1905	1905	Center Seat (AT5) and Stabilizer Bar (F59); or Center and Rear Seats (AS3)
7000	3400	3750	1905	1905	Center and Rear Seats (AS3); 454 4-bbl V8 (LF8)

### K10 SERIES

GVW Rating (lbs)	Front GAWR (lbs)	Rear GAWR (lbs)	Front Tire Capacity (lbs ea)	Rear Tire Capacity (lbs ea)	Chassis Equipment
*6200	3220	3220	1605	1605	Standard
*6800	3520	3520	1760	1760	
7300	3600	3820	1905	1905	

GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

\*Center and rear seats (AS3) not available.

● Available with standard 6 cyl. engine only      ◆ Requires V8 engine.

## FRONT AND REAR TIRE AVAILABILITY CHART

### C-K10 SERIES

**Spare tire to match either front or rear tires must be ordered**  
**K10 models require matching front and rear tread**

Capacity (lbs ea)	FRONT			REAR			
	Description	Option Number		Capacity (lbs ea)	Description	Option Number	
		Highway	▲On-Off Road			Highway	On-Off Road

#### TUBELESS

1605	H78-15B	HL	HR	1605	H78-15B	HL	HR
1605	H78-15B White Stripe	HM	—	1605	H78-15B White Stripe	HM	—
1760	10-15B	WR●	—	1760	10-15B	WR●	—
1760	10-15B White Stripe	WS●	—	1760	10-15B White Stripe	WS●	—
1790	L78-15B	LB	LC	1790	L78-15B	LB	LC
1790	L78-15B White Stripe	LD	—	1790	L78-15B White Stripe	LD	—
*1905	L78-15D	LK	—	*1905	L78-15D	LK	—
*1905	L78-15D White Stripe	LL	—	*1905	L78-15D White Stripe	LL	—
1905	LR78-15C Radial White Stripe	CD	—	1905	LR78-15C Radial White Stripe	CD	—

#### TUBE-TYPE

1610	6.50-16C	MG	—	1610	6.50-16C	MG	—
1720	7.00-15C	NH	—	1720	7.00-15C	NH	—
1800	7.00-16C	NK	NL	1800	7.00-16C	NK	NL

▲ On-Off road front tires available on K10 models only.

● Available on K10 models only.

\*Rated 2025 capacity on K10 models.

# SUBURBAN

## GVWR SELECTOR

GVW Rating (lbs)	†GAWR (lbs)		Minimum Equipment Required for GVW Rating		
	Front	Rear	Tire Capacity (lbs ea)		Chassis Equipment
			Front	Rear	

### C20 SERIES

7100	3500	3980	1990	1990	Standard
7500	3500	5200	2780	2780	HD Rear Springs (G50); HD Power Brakes (J55)
8200	3800	5560	2780	2780	HD Front Springs (F60); 2850-lb ea Rear Springs (G51); HD Power Brakes (J55)

### K20 SERIES

6800	3700	3980	1990	1990	Standard
7500	3700	4700	1990	2350	HD Power Brakes (J55)
8400	3700	5500	2060	2750	

†GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

## FRONT AND REAR TIRE AVAILABILITY CHART

### C-K20 SERIES

**Spare tire to match either front or rear tires is available at extra cost**  
**K20 models require matching front and rear tread**

FRONT				REAR			
Capacity (lbs ea)	Description	Option Number		Capacity (lbs ea)	Description	Option Number	
		Highway	▲On-Off Road			Highway	On-Off Road

#### TUBELESS

1990	8.75-16.5C	TR	TB	1990	8.75-16.5C	TR	TB
				2350	8.75-16.5D	TA	TF
2350	8.75-16.5D	TA	TF	2350	8.75-16.5D	TA	TF
2750	10-16.5D	—	WF	2750	10-16.5D	—	WF●
2780	9.50-16.5D	UF	UE	2780	9.50-16.5D	UF	UE

#### TUBE-TYPE

2060	7.50-16C	PB	PC	2060	7.50-16C	PB	PC
				2440	7.50-16D	PF	PG
				2780	7.50-16E	PK	PL●
2440	7.50-16D	PF	PG	2440	7.50-16D	PF	PG
2780	7.50-16E	PK	PL	2780	7.50-16E	PK	PL

▲On-Off road front tires available on K20 models only.

● Available on K20 models only.

# NOTES

February 18, 1977

Suburban—Page 13

# SUBURBAN

## POWER TEAMS

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	
Type and Code	Type and Code	Make and Model	Make and Capacity (lb)	Ratio and Code

### C10 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	3.07	3.40	3.73	4.11
				HE3	HE4	GT4	H04
● 250 1-bbl L6—LD4 (Standard Engine)	3-Speed Manual (Std)—M15	—	Chevrolet 3750♦	—	—	X	X(Std)
	4-Speed (Chevrolet CH465)—M20			—	X(Std)	X	X
	Turbo Hydra-matic—M40			—	X(Std)	X	X
● 305 2-bbl V8 LG9	3-Speed Manual (Std)—M15	—	Chevrolet 3750♦	—	—	X(Std)	X
	4-Speed (Chevrolet CH465)—M20			—	X(Std)	X	X
	Turbo Hydra-matic—M40			—	X(Std)	X	X
■ 350 4-bbl V8—LS9	3-Speed Manual (Std)—M15	—	Chevrolet 3750♦	—	X(Std)	X	—
	4-Speed (Chevrolet CH465)—M20			X(Std)	X	X	X
	Turbo Hydra-matic—M40			X(Std)	X	X	X
■ 454 4-bbl V8—LF8	Turbo Hydra-matic—M40	—	—	X(Std)	X	X	—

### C20 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	3.21	3.73	4.10	4.56
				HC8a	GT4	GT5	HC4
● 305 2-bbl V8 LG9 (Standard Engine)	4-Speed (Chevrolet CH465) (Std)—M20	—	Chevrolet 5700♦	—	—	X(Std)	Xb
	Turbo Hydra-matic—M40			—	—	X(Std)	Xb
■ 350 4-bbl V8—LS9	4-Speed (Chevrolet CH465) (Std)—M20	—	Chevrolet 5700♦	—	X(Std)	X	Xb
	Turbo Hydra-matic—M40			—	X(Std)	X	Xb
■ 454 4-bbl V8—LF8	Turbo Hydra-matic—M40	—	—	X(Std)	X	X	—

### K10 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	2.76	3.07	3.73	4.11
				HC2	HE3	GT4	H04
● 305 2-bbl V8 LG9 (Standard Engine)	3-Speed Manual (Std)—MC1	New Process #205	Chevrolet 4000♦	—	—	X(Std)	X
	4-Speed (Chevrolet CH465)—M20			—	X(Std)	X	X
	Turbo Hydra-matic—M40			—	X(Std)	X	X
■ 350 4-bbl V8—LS9	3-Speed Manual (Std)—MC1	New Process #205	Chevrolet 4000♦	—	—	X(Std)	X
	4-Speed (Chevrolet CH465)—M20			Xd	X(Std)	X	X
	Turbo Hydra-matic—M40			Xd	X(Std)	X	X
■ 400 4-bbl V8—LF4	Turbo Hydra-matic—M40	New Process #203	—	Xd	X(Std)	X	X

### K20 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	REAR AXLE	4.10	4.56
				GT5	HC4
● 305 2-bbl V8 LG9 (Standard Engine)	3-Speed Manual (Std)—MC1	New Process #205	Chevrolet 5700♦	X(Std)e	X
	4-Speed (Chevrolet CH465)—M20			X(Std)	X
	Turbo Hydra-matic—M40			X(Std)	X
■ 350 4-bbl V8—LS9	3-Speed Manual (Std)—MC1	New Process #205	Chevrolet 5700♦	X(Std)e	X
	4-Speed (Chevrolet CH465)—M20			X(Std)	X
	Turbo Hydra-matic—M40			X(Std)	X
■ 400 4-bbl V8—LF4	Turbo Hydra-matic—M40	New Process #203	—	X(Std)	—

- Available for registration in the State of California when California Emission Certification is ordered.
- Not available for registration in the State of California.
- ♦ Locking Differential rear axle also available.
- a Locking Differential rear axle not available.
- b Locking Differential requires J55 HD Brakes.
- c Not available with J55 HD Brakes.
- d Economy ratio.

### ENGINE RATINGS

SAE Net Ratings @ 85°F	250 1-bbl L6	305 2-bbl V8	350 4-bbl V8	400 4-bbl V8	454 4-bbl V8
Net Horsepower	100 @ 3600 rpm	140 @ 3800 rpm	165 @ 3800 rpm	175 @ 3600 rpm	†240 @ 3800 rpm
Net Torque, lb-ft	175 @ 1800 rpm	235 @ 2000 rpm	255 @ 2800 rpm	290 @ 2800 rpm	†370 @ 2800 rpm

†For California only: Net Horsepower—250 @ 3800 rpm  
Net Torque, lb-ft—385 @ 2800 rpm

## SUBURBAN 1977 VEHICLES WITH STANDARD EQUIPMENT

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Model Number	Code	Wheel-base	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>★</sup>	Destination Charge & Group Number	Total
<b>◆ 6-Cylinder 250-1 BBL Engine—Engine Ordering Code LD4</b>								
<b>C10 Series 2-Wheel Drive</b>								
Panel Doors	CC10906	ZW9	129.5*	14.35	5114.00	5128.35	15.....	.....
Tailgate	CC10906	E55	129.5*	14.35	5145.00	5159.35	15.....	.....
<b>◆ 8-Cylinder 305-2 BBL Engine—Engine Ordering Code LG9</b>								
<b>C20 Series 2-Wheel Drive</b>								
Panel Doors	CC20906	ZW9	129.5*	14.84	5589.00	5603.84	15.....	.....
Tailgate	CC20906	E55	129.5*	14.84	5620.00	5634.84	15.....	.....
<b>K10 Series 4-Wheel Drive</b>								
Panel Doors	CK10906	ZW9	129.5*	14.35	6246.00	6260.35	16.....	.....
Tailgate	CK10906	E55	129.5*	14.35	6277.00	6291.35	16.....	.....
<b>K20 Series 4-Wheel Drive</b>								
Panel Doors	CK20906	ZW9	129.5*	14.84	6609.00	6623.84	16.....	.....
Tailgate	CK20906	E55	129.5*	14.84	6640.00	6654.84	16.....	.....

★ Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, options or accessories.  
◆ Refer to Power Team Chart for California Emission Certification Requirements.

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
-------------	----------------------	---------------	--------------------------	------------	---

### POWER TEAMS AND AXLES

(See Power Teams Chart for availability and complete specifications)

#### Engines:

<b>305-2 BBL V8.</b> C10 series only. Not available when YF5 California Emission is specified	90	18	LG9	N.A.	120.00	120.00
<b>350-4 BBL V8.</b>						
C10 series only	105	19	LS9	N.A.	210.00	210.00
C20 or K10-20 series only	18	4	LS9	N.A.	90.00	90.00
<b>400-4 BBL V8.</b> V8 K10-20 series only. Available only when M40 Turbo Hydra-matic transmission is specified.	32	8	LF4	N.A.	249.00	249.00
<b>454-4 BBL V8.</b> V8 C10-20 series only. Available only when UA1 HD battery, N41 power steering and M40 Turbo Hydra-matic transmission is specified.						
C10 series only	305	101	LF8	N.A.	465.00	465.00
C20 series only	184	9	LF8	N.A.	335.00	335.00

**Liquid Petroleum Gas Conversion:** All 1977 Chevrolet Light Duty Truck gasoline production engines may be converted to use LP Gas when permissible under Federal and State laws and regulations without causing harmful effect to the engine. Complete conversion to LPG requires adaptation by a local distributor who sells and services LPG equipment. Caution should be exercised so that the fuel tank is mounted on and is vented to the outside of the vehicle. In addition, vehicles converted to LPG should not be stored in enclosed places such as garages.

#### Transmissions:

<b>Turbo Hydra-matic.</b> C-K20 series includes extra cooling.						
With LD4 250-1 BBL engine. C10 series only	19	7	M40	N.A.	315.00	315.00
With LG9 305-2 BBL engine or LS9 350-4 BBL engine.						
C10 series only	14	0	M40	N.A.	315.00	315.00
C20 series only	-47	-18	M40	N.A.	315.00	315.00
K10-20 series only	56	21	M40	N.A.	315.00	315.00
With LF4 400-4 BBL engine. K10-20 series only	56	21	M40	N.A.	315.00	315.00
With LF8 454-4 BBL engine.						
C10 series only	28	11	M40	N.A.	330.00	330.00
C20 series only	-36	-15	M40	N.A.	330.00	330.00
<b>4-Speed Manual.</b> C-K10 or K20 series only. Standard on C20 series. Available only when LD4 250-1 BBL engine, LG9 305-2 BBL engine or LS9 350-4 BBL engine is specified.						
C10 series only	79	25	M20	N.A.	142.00	142.00
K10-20 series only	75	25	M20	N.A.	142.00	142.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◇ State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>POWER TEAMS AND AXLES</b>					
<b>Axles, Rear:</b>					
<i>Optional Ratio. (See Power Teams Chart for option number selection, availability and complete specifications).</i>					
	0 0	...	N.A.	16.00	16.00
<i>Locking Differential.</i>					
C-K10 series only	0 3	G80	N.A.	160.00	160.00
C-K20 series only	0 5	G80	N.A.	160.00	160.00

### MODEL OPTIONS

*(See Interior and Exterior Color Selection Chart)*

**Scottsdale:** Not available when YE9 Silverado is specified. Includes bright windshield and rear side window moldings; V37 front and rear bumpers; B84 body side spear moldings; bright taillight, turn signal and side marker lamp bezels; P03 hub caps; dual horns; nameplates on front fender and instrument panel; light fawn colored headliner and moldings; U37 cigarette lighter; C91 dome lamp with bright bezels; Z52 full-depth foam seat; color-keyed vinyl coated floor mats with bright sill plates; special insulation; light fawn colored plastic windshield pillar and center door pillar trim panels. Also includes spare tire cover when spare tire is specified.

C10-20 series only	33 48	Z62	N.A.	315.00	315.00
K10-20 series only	34 49	Z62	N.A.	318.00	318.00

**Silverado:** With custom cloth or custom vinyl seats only. Includes V37 front and rear bumpers; B85 bright body side upper moldings; taillight and rear door or tailgate moldings; P03 hub caps; bright front turn signal and front side marker lamp bezels; Silverado fender nameplates; bright windshield and rear side window moldings; Z52 full-depth foam seat; color-keyed carpeting with bright sill plates; plastic door trim panels with storage pockets and wood-grained accents; wood-grained instrument cluster with Z53 voltmeter, temperature and oil pressure gauges; dual horns; Silverado nameplate on instrument panel; U37 cigarette lighter; light fawn colored headliner and moldings; C91 dome lamp with bright bezels; special insulation; light fawn colored plastic windshield pillar and center door pillar trim panels; load area and rear wheelhouse carpeting when AT5 or AS3 seats are specified. Also includes spare tire cover when spare tire is specified.

C10-20 series only. Also includes N31 custom steering wheel	46 63	YE9	N.A.	591.00	591.00
K10-20 series only	47 64	YE9	N.A.	582.00	582.00

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.



# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Added Weight (F) (R)		Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>						
<b>Air Cleaner: Poly-Wrap</b> . . . . .	0	0	K43	N.A.	14.00	14.00
<b>Air Conditioning:</b> Available only when V8 engine is specified. Includes extra cooling and K76 61-amp generator.						
<i>Front.</i> Recommended for front seat area cooling only.						
Without Z62 Scottsdale or YE9 Silverado. Also includes B85 headliner.						
C10 series only . . . . .	89	31	C60	N.A.	599.00	599.00
K10 series only . . . . .	91	29	C60	N.A.	599.00	599.00
C-K20 series only . . . . .						
Without M40 Turbo Hydra-matic transmission.						
C20 series only . . . . .	89	31	C60	N.A.	599.00	599.00
K20 series only . . . . .	91	29	C60	N.A.	599.00	599.00
With M40 Turbo Hydra-matic transmission . . . . .	89	27	C60	N.A.	599.00	599.00
With Z62 Scottsdale or YE9 Silverado.						
C10 series only . . . . .	81	12	C60	N.A.	500.00	500.00
K10 series only . . . . .	83	10	C60	N.A.	500.00	500.00
C-K20 series only . . . . .						
Without M40 Turbo Hydra-matic transmission.						
C20 series only . . . . .	81	12	C60	N.A.	500.00	500.00
K20 series only . . . . .	83	10	C60	N.A.	500.00	500.00
With M40 Turbo Hydra-matic transmission . . . . .	81	8	C60	N.A.	500.00	500.00
<i>Independent Front and Rear.</i> Rear Interior Roof Mounted. Available only when YE9 Silverado or Z62 Scottsdale is specified. Rear system operates on recirculating air.						
C10 series only . . . . .	98	49	C69	N.A.	780.00	780.00
K10 series only . . . . .	100	47	C69	N.A.	780.00	780.00
C-K20 series only . . . . .						
Without M40 Turbo Hydra-matic transmission.						
C20 series only . . . . .	98	49	C69	N.A.	780.00	780.00
K20 series only . . . . .	100	47	C69	N.A.	780.00	780.00
With M40 Turbo Hydra-matic transmission . . . . .	98	45	C69	N.A.	780.00	780.00
<b>Batteries:</b>						
<i>Auxiliary.</i> 3500 Watt Delco Freedom . . . . .						
	51	07	TP2	N.A.	88.00	88.00
<i>Heavy-Duty.</i> 4000 Watt Delco Freedom . . . . .						
Without V8 engine . . . . .	14	-2	UA1	N.A.	31.00	31.00
With V8 engine. Included when Z82 Trailering Special or Z56 Cold-Climate Package is specified . . . . .	2	0	UA1	N.A.	31.00	31.00
<b>Brakes: Heavy-Duty Power.</b> C-K20 series only . . . . .						
	4	41	J55	N.A.	53.00	53.00
<b>Bumper Equipment:</b>						
<i>Bumpers, Chromed.</i> Front and Rear. Included when Z62 Scottsdale or YE9 Silverado is specified . . . . .						
	0	0	V37	N.A.	46.00	46.00
<i>Bumpers, Deluxe.</i> Front and Rear. Not available when V31 bumper guards are specified. Includes black resilient impact strips and V37 front and rear bumpers.						
Without Z62 Scottsdale or YE9 Silverado . . . . .	3	2	VE5	N.A.	76.00	76.00
With Z62 Scottsdale or YE9 Silverado . . . . .	3	2	VE5	N.A.	30.00	30.00
<i>Guards, Chromed Front Bumper.</i> Available only when V37 front and rear bumpers. Z62 Scottsdale or YE9 Silverado is specified . . . . .						
	10	-2	V31	N.A.	30.00	30.00
<b>California Emission Certification:</b> Includes all testing, equipment and /or certification necessary for registration in the State of California ( <i>See Power Teams Chart for availability and complete specifications</i> ) . . . . .						
	18	1	YF5	N.A.	90.00	90.00
<b>Carpeting, Floor and Wheelhouse:</b> Available only when Z62 Scottsdale and AT5 or AS3 seats are specified. Includes color-keyed carpeting when blue, red or saddle trim is specified . . . . .						
	-4	32	B30	N.A.	97.00	97.00
<b>Clock, Electric:</b> Not available when U16 tachometer is specified.						
Without YE9 Silverado. Includes Z53 voltmeter, temperature and oil pressure gauges . . . . .						
	1	0	U35	N.A.	44.00	44.00
With YE9 Silverado . . . . .	0	0	U35	N.A.	23.00	23.00

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.

<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>					
<b>Cold-Climate Package:</b> Not available when C60 front air conditioning or C69 front and rear air conditioning is specified. Includes K76 61-amp generator, super heater and defroster, engine block heater and anti-freeze protection to -32 degrees.					
Without V8 engine.....	16 -2	Z56	N.A.	120.00	120.00
With V8 engine					
Without Z82 Trailing Special. Also includes UA1 HD battery	4 0	Z56	N.A.	120.00	120.00
With Z82 Trailing Special.....	2 0	Z56	N.A.	89.00	89.00
<b>Coolers:</b> Recommended for heavy duty trailering.					
<b>Engine Oil.</b> Available only when V8 engine is specified.....					
9 -1	9 -1	KC4	N.A.	81.00	81.00
<b>Transmission Oil.</b> Available only when LS9 350-4 BBL engine, LF4 400-4 BBL engine or LF8 454-4 BBL engine and M40 Turbo Hydraulic transmission are specified. C-K10 series also available only when C60 air conditioning or V01 HD radiator is specified with LS9 350-4 BBL engine or LF8 454-4 BBL engine.....					
5 -1	5 -1	V02	N.A.	40.00	40.00
<b>Cooling: Radiator, Heavy-Duty.</b> Not available when C60 front air conditioning or C69 front and rear air conditioning is specified.					
C10 series only.					
With LD4 250-1 BBL engine or LF8 454-4 BBL engine.....	4 -1	V01	N.A.	34.00	34.00
With LG9 305-2 BBL engine or LS9 350-4 BBL engine.....	8 -1	V01	N.A.	34.00	34.00
K10 series only.....	8 -1	V01	N.A.	34.00	34.00
C-K20 series only. Also not available when M40 Turbo Hydraulic transmission is specified.....					
6 -1	6 -1	V01	N.A.	34.00	34.00
<b>Exhaust System, Dual:</b> K10-20 series only. Available only when LG9 305-2 BBL engine or LS9 350-4 BBL engine is specified. Mandatory with LS9 350-4 BBL engine in areas requiring specific noise level standards.....					
13 18	13 18	N10	N.A.	33.00	33.00
<b>Floor Covering: Mats, 2 Color-Keyed Front Floor.</b> .....					
2 1	2 1	B32	N.A.	10.00	10.00
<b>Gauges:</b>					
<b>Voltmeter, Temperature and Oil Pressure.</b> Included when YE9 Silverado, U35 electric clock or U16 tachometer is specified....					
1 0	1 0	Z53	N.A.	21.00	21.00
<b>Tachometer.</b> Available only when V8 engine is specified. Not available when U35 electric clock is specified.					
Without YE9 Silverado. Includes Z53 voltmeter, temperature and oil pressure gauges.....					
2 0	2 0	U16	N.A.	76.00	76.00
With YE9 Silverado.....					
1 0	1 0	U16	N.A.	55.00	55.00
<b>Generator: 61-amp Delcotron.</b> Included when C60 front air conditioning, C69 front and rear air conditioning or Z56 Cold-Climate Package is specified.....					
0 0	0 0	K76	N.A.	40.00	40.00
<b>Glass: Soft-Ray Tinted.</b> All Windows.....					
0 0	0 0	A01	N.A.	50.00	50.00
<b>Grille: Chromed.</b> .....					
0 0	0 0	V22	N.A.	24.00	24.00
<b>Guards, Door Edge:</b> Not available when YG2 wood-grained exterior trim is specified.....					
0 0	0 0	B93	N.A.	12.00	12.00
<b>Harness, Trailer Wiring: Heavy-Duty.</b> .....					
0 3	0 3	UY7	N.A.	30.00	30.00
<b>Headlamp Warning Buzzer.</b> .....					
0 0	0 0	T63	N.A.	6.00	6.00
<b>Headliner, Interior:</b> Included when YE9 Silverado, Z62 Scottsdale, C60 front air conditioning or C69 front and rear air conditioning is specified. Includes C91 dome lamp.....					
8 19	8 19	BB5	N.A.	99.00	99.00
<b>Hood Lock Release: Inside</b> .....					
1 0	1 0	T44	N.A.	20.00	20.00
<b>Instrument Panel, Wood-Grained:</b> Available only when U35 electric clock, U16 tachometer or Z53 voltmeter, temperature and oil pressure gauges are specified. Included when YE9 Silverado is specified.....					
0 0	0 0	BC2	N.A.	33.00	33.00
<b>Lamps:</b>					
<b>Dome.</b> Two. Included when BB5 headliner, C60 front air conditioning, C69 front and rear air conditioning, Z62 Scottsdale or YE9 Silverado is specified. Includes door actuated switches and bright bezels.....					
1 0	1 0	C91	N.A.	23.00	23.00
<b>Roof Marker.</b> Five. Not available for registration in the State of California.....					
1 0	1 0	U01	N.A.	33.00	33.00

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>					
<b>Lighter, Cigarette:</b> Included when YE9 Silverado or Z62 Scottsdale is specified.	0 0	U37	N.A.	12.00	12.00
<b>Mirrors, Exterior:</b> LH and RH.					
<i>Below-Eye-Line Type.</i> 7.5" x 10.5". Provides field of vision for vehicles to 80" wide.					
<i>Painted</i>	6 1	D29	N.A.	25.00	25.00
<i>Stainless Steel</i>	5 1	DG4	N.A.	45.00	45.00
<i>Camper Type.</i> Stainless steel. Includes below-eye-line mirrors with adjustable arm feature to provide field of vision for vehicles to 96" wide. Shipped loose for dealer installation.	5 1	DF2	N.A.	64.00	64.00
<b>Moldings:</b>					
<i>Body Side Spear.</i> Bright with black insert. Not available when ZY3 special two-tone paint, ZY5 Exterior Decor Package, YE9 Silverado, YG2 wood-grained exterior trim, B85 body side upper moldings or YG1 body side upper and lower moldings are specified. Included when Z62 Scottsdale is specified.	3 3	B84	N.A.	56.00	56.00
<i>Body Side Upper.</i> Not available when ZY3 special two-tone paint, ZY5 Exterior Decor Package, YG2 wood-grained exterior trim, B84 body side spear moldings or YG1 body side upper and lower moldings are specified. Included when YE9 Silverado is specified. Includes fender, door, rear side panel, rear door or tailgate moldings plus bright front turn signal, front side marker and taillight trim.					
Without Z62 Scottsdale	2 3	B85	N.A.	58.00	58.00
With Z62 Scottsdale	2 3	B85	N.A.	2.00	2.00
<i>Body Side Upper and Lower.</i> Not available when B84 body side spear moldings are specified. Included when ZY3 special two-tone paint, ZY5 Exterior Decor Package, or YG2 wood-grained trim is specified. Also includes lower body side, rear door or tailgate and wheel opening moldings.					
Without Z62 Scottsdale or YE9 Silverado. Also includes B85 body side upper moldings described above.	3 4	YG1	N.A.	140.00	140.00
With Z62 Scottsdale. Also includes B85 body side upper moldings described above.	3 4	YG1	N.A.	84.00	84.00
With YE9 Silverado.	3 4	YG1	N.A.	82.00	82.00
<b>Paints, Exterior:</b> See Interior and Exterior Color Selection Chart for ordering information					
<i>Solid.</i>	0 0	ZY1	NO ADDITIONAL CHARGE		
<i>Special Two-Tone.</i> Area between upper and lower side moldings painted secondary color. Includes YG1 body side upper and lower moldings					
Without Z62 Scottsdale or YE9 Silverado	3 4	ZY3	N.A.	230.00	230.00
With Z62 Scottsdale	3 4	ZY3	N.A.	174.00	174.00
With YE9 Silverado	3 4	ZY3	N.A.	172.00	172.00
<i>Exterior Decor Package.</i> Hood and area between upper and lower side moldings painted secondary color. Includes YG1 body side upper and lower moldings, hood ornament and hood accent stripes					
Without Z62 Scottsdale or YE9 Silverado	3 4	ZY5	N.A.	330.00	330.00
With Z62 Scottsdale	3 4	ZY5	N.A.	274.00	274.00
With YE9 Silverado	3 4	ZY5	N.A.	272.00	272.00
<b>Plate:</b> Serial Number (State of Pennsylvania) "K" Plate. Not required on C10-20 series. K10 series available only when 1905-lb or larger capacity tires are specified. K20 series available only when J55 brakes and 2350-lb or larger capacity rear tires are specified.	0 0	Z55	NO ADDITIONAL CHARGE		
<b>Plate, Fuel Tank Shield:</b>					
<i>C10-20 series only</i>					
Without NE2 fuel tank	-6 40	NY1	N.A.	34.00	34.00
With NE2 fuel tank	-6 40	NY1	N.A.	88.00	88.00
<i>K10-20 series only. Includes transfer case skid plate.</i>					
Without NE2 fuel tank	8 46	NY1	N.A.	64.00	64.00
With NE2 fuel tank	8 46	NY1	N.A.	117.00	117.00

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>					
<b>Radio Equipment:</b>					
<i>AM Radio.</i> Pushbutton. Includes U76 antenna	5 1	U63	N.A.	79.00	79.00
<i>AM /FM Radio.</i> Pushbutton. Includes U76 antenna	6 1	U69	N.A.	155.00	155.00
<i>Speaker, Rear Auxiliary.</i> Available only when U63 AM radio or U69 AM /FM radio and Z62 Scottsdale or YE9 Silverado are specified	0 2	U80	N.A.	36.00	36.00
<i>Windshield Antenna.</i> Included when U63 AM radio or U69 AM /FM radio is specified	0 0	U76	N.A.	17.00	17.00
<b>Seat, Front: Full-Depth Foam.</b> Included when Z62 Scottsdale or YE9 Silverado is specified	-1 -1	Z52	N.A.	36.00	36.00
<b>● Seats:</b> Seat trim matches front seat whether standard or optional. Includes seat area floor covering, floor insulation and (3) seat belts. <i>Dealer Note - One of the following seat options must be specified. (Added weight includes passenger weight allowance of 150-lbs per seating position).</i>					
<i>Center only.</i> Non-adjustable type with independent LH and RH folding sections	152 416	AT5	N.A.	265.00	265.00
<i>Center and Rear.</i> Includes non-adjustable center and removable type rear seats, (3) additional seat belts plus LH and RH rear arm rests with ash trays.					
C10 series only. Available only when LL or LK L78-15 /D or CD LR78-15 /C tires are specified. Not available when LD4 250-1 BBL engine is specified. Also includes F59 stabilizer	141 961	AS3	N.A.	466.00	466.00
K10 series only. Available only when LL or LK L78-15 /D or CD LR78-15 /C tires are specified	121 961	AS3	N.A.	444.00	444.00
C-K20 series only					
Without YE9 Silverado	121 961	AS3	N.A.	444.00	444.00
<i>Seat Not Desired</i>	0 0	YG4		NO ADDITIONAL CHARGE	
<b>Seat Trim:</b> Driver and Passenger. Available only when Z62 Scottsdale or YE9 Silverado is specified.					
<i>Custom Cloth, Special</i>					
<i>With Z62 Scottsdale</i>					
Without AT5 or AS3 seats	0 0		N.A.	38.00	38.00
With AT5 center seat without AS3 center and rear seats	0 0		N.A.	88.00	88.00
With AS3 center and rear seats	0 0		N.A.	126.00	126.00
<i>With YE9 Silverado</i>					
Without AT5 or AS3 seats	0 0			NO ADDITIONAL CHARGE	
With AT5 center seat without AS3 center and rear seats	0 0		N.A.	103.00	103.00
With AS3 center and rear seats	0 0		N.A.	141.00	141.00
<i>Custom Vinyl</i>					
<i>With Z62 Scottsdale</i>					
Without AT5 or AS3 seats	0 0		N.A.	38.00	38.00
With AT5 center seat without AS3 center and rear seats	0 0		N.A.	88.00	88.00
With AS3 center and rear seats	0 0		N.A.	126.00	126.00
<i>With YE9 Silverado</i>					
Without AT5 or AS3 seats	0 0			NO ADDITIONAL CHARGE	
With AT5 center seat without AS3 center and rear seats	0 0		N.A.	103.00	103.00
With AS3 center and rear seats	0 0		N.A.	141.00	141.00
<b>Shock Absorbers: Front and Rear, Heavy-Duty.</b> C10-20 series only					
	3 3	F51	N.A.	20.00	20.00
<b>Speed and Cruise Control:</b> Available only when V8 engine and M40 Turbo Hydra-matic transmission are specified					
	6 0	K30	N.A.	80.00	80.00
<b>Springs:</b>					
<i>Front, Heavy-Duty.</i> Capacity 1900-lb each.					
C20 series only	-3 0	F60	N.A.	8.00	8.00
K10 series only. Includes HD front and rear shock absorbers	30 3	F60	N.A.	60.00	60.00
K20 series only. Available only when N41 power steering is specified. Includes HD front and rear shock absorbers	30 3	F60	N.A.	60.00	60.00
<i>Rear, Heavy-Duty.</i> Capacity 2600-lb each. C20 series only					
	0 26	G50	N.A.	38.00	38.00
<i>Rear, Extra Capacity.</i> Capacity 2850-lb each. C20 series only					
	0 38	G51	N.A.	42.00	42.00
<b>Stabilizers:</b>					
<i>Front.</i> 1" diameter. C10-20 series only. Included on C10 series when AS3 seats are specified					
	20 0	F59	N.A.	22.00	22.00
<i>Front, Heavy-Duty.</i> C20 series only. Standard on K10-20 series					
	26 0	F58	N.A.	31.00	31.00

● **Please Note: Either AT5, Center only, AS3, Center and rear, or YG4, Seat not desired must be ordered.**

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Added Weight (F) (R)	Option Number	Factory D&H's	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>					
<b>Steering, Power:</b> Included when Z82 Trailering Special is specified.					
C10 series only.					
Without V8 engine	35 0	N41	N.A.	169.00	169.00
With V8 engine	29 0	N41	N.A.	169.00	169.00
C20 series only					
K10-20 series only	29 0	N41	N.A.	169.00	169.00
	33 0	N41	N.A.	188.00	188.00
<b>Steering Wheels:</b>					
<i>Comfortilt.</i> Not available when M15 3-speed transmission is specified.					
With M40 Turbo Hydra-matic transmission	2 0	N33	N.A.	67.00	67.00
With M20 4-speed transmission	3 1	N33	N.A.	67.00	67.00
<i>Custom.</i>					
C10-20 series only. Included when YE9 Silverado is specified	0 0	N31	N.A.	13.00	13.00
K10-20 series only. Available only when N41 power steering is specified. Includes 16" steering wheel	0 0	N31	N.A.	13.00	13.00
<b>Tank, Fuel:</b> Replaces production fuel tank.					
<i>Approximately 31-Gallon Capacity</i>	7 48	NK7	N.A.	23.00	23.00
<i>Approximately 40-Gallon Capacity</i>	15 124	NE2	N.A.	63.00	63.00
<b>Tires and Wheels:</b> See following pages					
<b>Towing Device:</b> Two front towing hooks. K10-20 series only.					
	11 -2	V76	N.A.	27.00	27.00
<b>Trailer Hitch:</b>					
<i>Deadweight Type</i>	-10 30	VR2	N.A.	39.00	39.00
<i>Weight Distributing Platform Type</i>	-16 61	VR4	N.A.	110.00	110.00
<b>Trailering Special:</b> Available only when V8 engine, M20 4-speed or M40 Turbo Hydra-matic transmission and K76 61-amp generator or C60 front air conditioning or C69 front and rear air conditioning are specified. Requires V01 HD radiator with M20 4-speed transmission unless C60 front air conditioning or C69 front and rear air conditioning is specified. Includes UA1 HD battery and N41 power steering and Trailering Special emblem. See Chart A on the Trailering Special Package page for Suburban, under the Recreational Vehicles Tab, for GCW ratings with available power teams combinations.					
C10-20 series only	31 0	Z82	N.A.	200.00	200.00
K10-20 series only	31 0	Z82	N.A.	219.00	219.00
<b>Wheel Trim:</b> Bright Metal.					
<i>Hub Caps.</i> Not available when N67 rally wheels are specified. Included when Z62 Scottsdale or YE9 Silverado is specified.					
C10 series only	0 0	P03	N.A.	15.00	15.00
C20 series only. Not available when 7.50-16 tires and P06 trim rings are specified	0 0	P03	N.A.	15.00	15.00
K10 series only	1 1	P03	N.A.	18.00	18.00
K20 series only. Not available when 7.50-16 tires and P06 trim rings are specified	1 1	P03	N.A.	18.00	18.00
<i>Trim Rings.</i> Available only when YE9 Silverado, Z62 Scottsdale or P03 hub caps are specified. Not available on C-K10 series when H78-15 tires are specified or on C-K20 series when 7.50-16 tires are specified. Included when N67 rally wheels are specified.					
	2 2	P06	N.A.	38.00	38.00
<i>Wheel Covers.</i> Not available on C-K20 series or when MG 6.50-16 /C or NK or NL 7.00-16 /C tires are specified.					
C10 series only.					
Without Z62 Scottsdale or YE9 Silverado	1 1	P01	N.A.	34.00	34.00
With Z62 Scottsdale or YE9 Silverado	1 1	P01	N.A.	19.00	19.00
K10 series only. WR or WS 10.00-15 /B tires available only when M40 Turbo Hydra-matic transmission is specified.					
Without Z62 Scottsdale or YE9 Silverado	3 3	P01	N.A.	37.00	37.00
With Z62 Scottsdale or YE9 Silverado	3 3	P01	N.A.	19.00	19.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.

◇ State and local taxes not included.

# SUBURBAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Description	Added Weight (F) (R)		Option Number	Factory D&H <sup>5</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>						
<b>Wheels:</b> C-K10 series only. Not available when MG 6.50-16 /C, NH 7.00-15 /C or NK or NL 7 00-16 /C tires are specified on C-K10 series. Also not available when HL or HM H7B-15 /B tires are specified on K10 series.						
<b>Rally.</b> Includes special hub caps and P06 trim rings.						
Without Z62 Scottsdale or YE9 Silverado.						
C10 series only. Also includes 15" x 7" wheels	3	4	N67	N.A.	83.00	83.00
K10 series only.						
Without WR or WS 10.00-15 /B tires. Also includes 15" x 7" wheels	4	5	N67	N.A.	86.00	86.00
With WR or WS 10.00-15 /B tires. Also includes 15" x 8" wheels	2	2	N67	N.A.	86.00	86.00
With Z62 Scottsdale or YE9 Silverado.						
C10 series only. Also includes 15" x 7" wheels	3	4	N67	N.A.	68.00	68.00
K10 series only.						
Without WR or WS 10.00-15 /B tires. Also includes 15" x 7" wheels	4	5	N67	N.A.	68.00	68.00
With WR or WS 10.00-15 /B tires. Also includes 15" x 8" wheels	2	2	N67	N.A.	68.00	68.00
<b>Styled.</b>						
Without Z62 Scottsdale or YE9 Silverado						
C10 series only	1	1	PA6	N.A.	118.00	118.00
K10 series only	2	5	PA6	N.A.	121.00	121.00
With Z62 Scottsdale or YE9 Silverado						
C10 series only	1	1	PA6	N.A.	103.00	103.00
K10 series only	2	5	PA6	N.A.	103.00	103.00
<b>Window, Tailgate: Electric.</b> Available only when E55 Tailgate is specified						
	-3	10	A33	N.A.	56.00	56.00
<b>Windshield Wiper System: Intermittent.</b>						
	1	0	CD4	N.A.	29.00	29.00
<b>Wood-Grained Exterior Trim:</b> Not available when ZY5 Exterior Decor Package, ZY3 special two-tone paint, B84 body side spear moldings or B85 body side upper moldings are specified. Includes Estate nameplate and YG1 body side upper and lower moldings.						
Without Z62 Scottsdale or YE9 Silverado	3	4	YG2	N.A.	266.00	266.00
With Z62 Scottsdale	3	4	YG2	N.A.	210.00	210.00
With YE9 Silverado	3	4	YG2	N.A.	208.00	208.00

<sup>5</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.

Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H	List Price	Mfr's Suggested Retail Price◇
<b>C10 SERIES</b>						
<b>TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>H78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1605) Rear (1605)</b>						
<i>WITH LD4 250-1 BBL ENGINE OR LG9 305-2 BBL ENGINE ONLY</i>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front (Standard)	6.00	0 0	XHL		NO ADDITIONAL CHARGE	
Rear (Standard)	6.00	0 0	YHL		NO ADDITIONAL CHARGE	
Spare (Standard)	6.00	0 0	ZHL		NO ADDITIONAL CHARGE	
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	1 0	XHM	N.C.	16.80	16.80
Rear	6.00	0 1	YHM	N.C.	16.80	16.80
Spare	6.00	0 1	ZHM	N.C.	8.40	8.40
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Rear	6.00	0 3	YHR	N.C.	10.00	10.00
Spare	6.00	-1 3	ZHR	N.C.	5.00	5.00
<b>L78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1790) Rear (1790)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front	6.00	3 0	XLB	0.54	24.00	24.54
Rear	6.00	0 3	YLB	0.54	24.00	24.54
Spare	6.00	-1 3	ZLB	0.27	12.00	12.27
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	6 0	XLD	0.54	43.20	43.74
Rear	6.00	0 6	YLD	0.54	43.20	43.74
Spare	6.00	-1 4	ZLD	0.27	21.60	21.87
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Rear	6.00	0 14	YLC	0.54	34.00	34.54
Spare	6.00	-1 8	ZLC	0.27	17.00	17.27
<b>L78-15 /D Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front	6.00	17 0	XLK	1.40	44.00	45.40
Rear	6.00	0 17	YLK	1.40	44.00	45.40
Spare	6.00	-2 10	ZLK	0.70	22.00	22.70
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	17 0	XLL	1.40	63.20	64.60
Rear	6.00	0 17	YLL	1.40	63.20	64.60
Spare	6.00	-1 9	ZLL	0.70	31.60	32.30
<b>LR78-15 /C Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)</b>						
<b>Highway Steel Belted Radial Ply White Stripe</b>						
Front	6.00	16 0	XCD	1.40	102.00	103.40
Rear	6.00	0 16	YCD	1.40	102.00	103.40
Spare	6.00	-2 10	ZCD	0.70	51.00	51.70

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◇ State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H‡	List Price	Mfr's Suggested Retail Price◊
<b>C10 SERIES</b>						
<b>TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>6.50-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1610) Rear (1610)</b>						
<i>WITH LD4 250-1 BBL ENGINE OR LG9 305-2 BBL ENGINE ONLY</i>						
<b>Highway Nylon Blackwall</b>						
Front .....	5.00	9 0	XMG	(-0.02)	18.00	17.98
Rear .....	5.00	0 9	YMG	(-0.02)	18.00	17.98
Spare .....	5.00	-2 6	ZMG	(-0.01)	9.00	8.99
<b>7.00-15 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1720) Rear (1720)</b>						
<b>Highway Nylon Blackwall</b>						
Front .....	6.00	12 0	XNH	0.50	34.00	34.50
Rear .....	6.00	0 12	YNH	0.50	34.00	34.50
Spare .....	6.00	-1 7	ZNH	0.25	17.00	17.25
<b>7.00-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1800) Rear (1800)</b>						
<b>Highway Nylon Blackwall</b>						
Front .....	5.00	17 0	XNK	0.76	38.00	38.76
Rear .....	5.00	0 17	YNK	0.76	38.00	38.76
Spare .....	5.00	-1 9	ZNK	0.38	19.00	19.38
<b>On-Off Road Nylon Blackwall</b>						
Rear .....	5.00	0 18	YNL	1.50	64.00	65.50
Spare .....	5.00	-2 11	ZNL	0.75	32.00	32.75

‡ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◊ State and local taxes not included.



# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>K10 SERIES</b>						
<b>TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>H78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1605) Rear (1605)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front (Standard)	6.00	0 0	XHL		<i>NO ADDITIONAL CHARGE</i>	
Rear (Standard)	6.00	0 0	YHL		<i>NO ADDITIONAL CHARGE</i>	
Spare (Standard)	6.00	0 0	ZHL		<i>NO ADDITIONAL CHARGE</i>	
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	1 0	XHM	N.C.	16.80	16.80
Rear	6.00	0 1	YHM	N.C.	16.80	16.80
Spare	6.00	0 1	ZHM	N.C.	8.40	8.40
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Front	6.00	3 0	XHR	N.C.	10.00	10.00
Rear	6.00	0 3	YHR	N.C.	10.00	10.00
Spare	6.00	-1 3	ZHR	N.C.	5.00	5.00
<b>L78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1790) Rear (1790)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front	6.00	3 0	XLB	0.54	24.00	24.54
Rear	6.00	0 3	YLB	0.54	24.00	24.54
Spare	6.00	-1 3	ZLB	0.27	12.00	12.27
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	6 0	XLD	0.54	43.20	43.74
Rear	6.00	0 6	YLD	0.54	43.20	43.74
Spare	6.00	-1 4	ZLD	0.27	21.60	21.87
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Front	6.00	14 0	XLC	0.54	34.00	34.54
Rear	6.00	0 14	YLC	0.54	34.00	34.54
Spare	6.00	-1 8	ZLC	0.27	17.00	17.27
<b>L78-15 /D Passenger Type. Maximum Tire Capacity (Each)— Front (2025) Rear (2025)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front	6.00	17 0	XLK	1.40	44.00	45.40
Rear	6.00	0 17	YLK	1.40	44.00	45.40
Spare	6.00	-2 10	ZLK	0.70	22.00	22.70
<b>Highway Bias Belted Ply White Stripe</b>						
Front	6.00	17 0	XLL	1.40	63.20	64.60
Rear	6.00	0 17	YLL	1.40	63.20	64.60
Spare	6.00	-1 9	ZLL	0.70	31.60	32.30
<b>LR78-15 /C Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)</b>						
<b>Highway Steel Belted Radial Ply White Stripe</b>						
Front	6.00	16 0	XCD	1.40	102.00	103.40
Rear	6.00	0 16	YCD	1.40	102.00	103.40
Spare	6.00	-2 10	ZCD	0.70	51.00	51.70

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	---	----------------------------	------------------	-----------------------------	---------------	--

### K10 SERIES WIDE BASE TUBELESS TYPE TIRES USED WITH SINGLE REAR TIRES

#### 10.00-15 /B (4 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1760) Rear (1760)

##### Polyester Blackwall

Front .....	8.00	48	0	XWR	2.58	120.00	122.58
Rear .....	8.00	0	48	YWR	2.58	120.00	122.58
Spare .....	8.00	-6	30	ZWR	1.29	60.00	61.29

##### Polyester White Lettered

Front .....	8.00	49	0	XWS	2.58	130.00	132.58
Rear .....	8.00	0	49	YWS	2.58	130.00	132.58
Spare .....	8.00	-6	31	ZWS	1.29	65.00	66.29

### K10 SERIES TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

#### 6.50-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1610) Rear (1610)

##### Highway Nylon

Front .....	5.00	9	0	XMG	(-0.02)	18.00	17.98
Rear .....	5.00	0	9	YMG	(-0.02)	18.00	17.98
Spare .....	5.00	-2	6	ZMG	(-0.01)	9.00	8.99

#### 7.00-15 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1720) Rear (1720)

##### Highway Nylon

Front .....	6.00	12	0	XNH	0.50	34.00	34.50
Rear .....	6.00	0	12	YNH	0.50	34.00	34.50
Spare .....	6.00	-1	7	ZNH	0.25	17.00	17.25

#### 7.00-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1800) Rear (1800)

##### Highway Nylon

Front .....	5.00	17	0	XNK	0.76	38.00	38.76
Rear .....	5.00	0	17	YNK	0.76	38.00	38.76
Spare .....	5.00	-1	9	ZNK	0.38	19.00	19.38

##### On-Off Road Nylon

Front .....	5.00	18	0	XNL	1.50	64.00	65.50
Rear .....	5.00	0	18	YNL	1.50	64.00	65.50
Spare .....	5.00	-2	11	ZNL	0.75	32.00	32.75

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◇ State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>C-K20 SERIES</b>						
<b>WIDE BASE TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>8.75-16.5 /C (6 PR) Maximum Tire Capacity (Each)— Front (1990) Rear (1990)</b>						
<b>Highway Polyester</b>						
Front (Standard) .....	6.00	0 0	XTR	<i>NO ADDITIONAL CHARGE</i>		
Rear (Standard) .....	6.00	0 0	YTR	<i>NO ADDITIONAL CHARGE</i>		
Spare .....	6.00	-9 45	ZTR	3.71	90.00	93.71
<b>On-Off Road Nylon</b>						
Front. K20 series only .....	6.00	3 0	XTB	0.28	14.00	14.28
Rear .....	6.00	0 3	YTB	0.28	14.00	14.28
Spare .....	6.00	-10 47	ZTB	3.85	97.00	100.85
<b>8.75-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2350) Rear (2350)</b>						
<b>Highway Polyester</b>						
Front .....	6.00	11 0	XTA	0.52	18.00	18.52
Rear .....	6.00	0 11	YTA	0.52	18.00	18.52
Spare .....	6.00	-10 51	ZTA	3.97	99.00	102.97
<b>On-Off Road Nylon</b>						
Front. K20 series only .....	6.00	7 0	XTF	0.80	32.00	32.80
Rear .....	6.00	0 7	YTF	0.80	32.00	32.80
Spare .....	6.00	-11 50	ZTF	4.11	106.00	110.11
<b>9.50-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)</b>						
<b>Highway Polyester</b>						
Front .....	6.75	28 0	XUF	1.36	52.00	53.36
Rear .....	6.75	0 28	YUF	1.36	54.00	55.36
Spare .....	6.75	-12 62	ZUF	4.39	114.00	118.39
<b>On-Off Road Nylon</b>						
Front. K20 series only .....	6.75	26 0	XUE	1.82	68.00	69.82
Rear .....	6.75	0 26	YUE	1.82	70.00	71.82
Spare .....	6.75	-12 60	ZUE	4.62	122.00	126.62

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SUBURBAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
 Spare tire available to match either front or rear tires.  
 Prices shown are effective with initial shipments of 1977 Model Motor Vehicles

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	--	----------------------------	------------------	-----------------------------	---------------	--

### K20 SERIES

#### TUBELESS FLOTATION TYPE TIRES USED WITH SINGLE REAR WHEELS

##### 10.00-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2750) Rear (2750)

###### On-Off Road Nylon

Front .....	8.25	41	0	XWF	2.34	150.00	152.34
Rear .....	8.25	0	41	YWF	2.34	175.00	177.34
Spare .....	8.25	-15	71	ZWF	4.88	140.00	144.88

### C-K20 SERIES

#### TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

##### 7.50-16 /C (6 PR) Maximum Tire Capacity (Each)— Front (2060) Rear (2060)

###### Highway Nylon

Front .....	6.00	16	0	XPB	(-0.04)	(-10.00)	(-10.04)
Rear .....	6.00	0	16	YPB	(-0.04)	(-9.00)	(-9.04)
Spare .....	6.00	-8	52	ZPB	3.69	84.00	87.69

###### On-Off Road Nylon

Front. K20 series only .....	6.00	24	0	XPC	1.02	20.00	21.02
Rear .....	6.00	0	24	YPC	1.02	21.00	22.02
Spare .....	6.00	-12	60	ZPC	4.22	99.00	103.22

##### 7.50-16 /D (8 PR) Maximum Tire Capacity (Each)— Front (2440) Rear (2440)

###### Highway Nylon

Front .....	6.00	23	0	XPF	0.54	10.00	10.54
Rear .....	6.00	0	23	YPF	0.54	11.00	11.54
Spare .....	6.00	-9	59	ZPF	3.98	94.00	97.98

###### On-Off Road Nylon

Front. K20 series only .....	6.00	28	0	XPG	1.26	42.00	43.26
Rear .....	6.00	0	28	YPG	1.26	43.00	44.26
Spare .....	6.00	-13	63	ZPG	4.34	110.00	114.34

##### 7.50-16 /E (10 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)

###### Highway Nylon

Front .....	6.00	28	0	XPK	1.40	28.00	29.40
Rear .....	6.00	0	28	YPK	1.40	29.00	30.40
Spare .....	6.00	-12	62	ZPK	4.41	103.00	107.41

###### On-Off Road Nylon

Front. K20 series only .....	6.00	39	0	XPL	2.42	66.00	68.42
Rear .....	6.00	0	39	YPL	2.42	67.00	69.42
Spare .....	6.00	-13	68	ZPL	4.92	122.00	126.92

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.